

# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# Introductory

It is with great pleasure that we present herewith copy of "Weber's Guide" for 1926. First of all we want to extend greetings and best wishes for a prosperous year in 1926 and to thank each and every one of our customers for their patronage during the past years and hope that we may have the pleasure of receiving your valued orders for the coming year.

Those who may receive copy of "Weber's Guide" and who have never purchased Nursery Stock from us, we ask that

Those who may receive copy of "Weber's Guide" and who have never purchased Nursery Stock from us, we ask that you give us a trial order.

We kindly ask those who receive copy of "Weber's Guide" to preserve same for reference. You will find much valuable information contained in same. It would also be a great favor to us if you would show same to your friends who may be in need of something in our line. We are always glad to mall coples to interested parties upon request.

With prices of fruit as high as they have been the past few years, it seems to us that the property owner should plant at least a part of his property to fruit of some kind sultable to his locality and not depend entirely upon farm crops. Diversified farming is the money-making proposition today.

Our facilities are the best of any nursery near St. Louis; we have large frost-proof concrete storage houses, 80 by 120 feet, 14 feet high, also storage cellars for bulbous stock. Our greenhouses cover over one-half acre and our cold-frames in which we keep our Perennial plants cover about 1 acre, so that we are prepared to handle your orders carefully.

All packing and filling of orders is personally superintended by members of the firm in the best possible manner; no distance is too great for our mode of packing. For spring shipments we carry a complete line of stock in our storage houses and can make shipments at any time during the winter and up to May 1st, and later according to weather conditions. In the fall we begin shipping about October 15th. All orders are packed under cover, avoiding exposure to sun, wind, frost, etc.

We extend a cordial invitation to visit our Nurseries. We, however, wish to announce that our offices will be closed all day Sunday excepting during the months of October and November, also March, April and May, when we will have open Sundays from 8 to 11:30 to accommodate those who cannot come during the week.

Soliciting your correspondence, inquiries and favors, we are

### H. J. WEBER & SONS NURSERY CO., INC.

Established 1867.

Incorporated 1903.

Capital, \$150,000.00.

100 Acres in Nursery

LOCATION—Nurseries and office located on Gravois Road, one and one-quarter miles west of the St. Louis City limits, nine miles southwest of the St. Louis Court House, and one and one-half miles west of the terminus of the Cherokee Street Car Line. We are one-half mile east of Gravois Station on the St. Louis, Cape Girardeau & Memphis branch of the Frisco R. R. We now have an Auto Bus Line leaving end of Cherokee car line passing by our office. Phone us for time of leaving.

# Terms, Conditions and General Remarks

### READ CAREFULLY BEFORE MAKING UP ORDER

Clause 1-Terms invariably cash.

Clause 2—Remit by Postoffice or Express Money Order on St. Louis, Mo.; Registered Mail to Affton, Mo., or by Dratt. Please do not send private checks unless drawn on some St. Louis Bank. Address all correspondence to H. J. Weber & Sons Nursery Company, Affton, Mo.

C. O. D. Orders must be accompanied by one-half the amount in cash.

Clause 3—Quotations. Prices quoted in this catalogue are for the quantities specified. 1, 2 or 3 trees or plants of a kind are to be figured at the single price, 4 or more plants of a kind are to be figured at the 10 price, 40 trees of a kind at the 100 price. Example: 1 Oldenburg, 2 Wealthy, 3 Grimes, 2 Winesap, 2 York Imperial Apple are to be figured at the single price. If you take 4 trees of each variety mentioned above you are entitled to the 10 price. If you take 40 Apple or more, not less than 5 trees of a variety, you will be entitled to the 10 price, and so on throughout the catalogue. Thousand prices will be quoted on application where list of varieties accompanies the request. All orders are booked with the understanding that same shall be void should injury befall the stock from drouth, fire, hail, frost or other causes beyond our control. control.

Clause 4—Non-Warranty Clause. If nursery stock proves untrue to the name under which it is sold by us, a replacement of the stock, as originally ordered, without charge, or a refund of the purchase price shall be a complete satisfaction of our liability. Except for such liability, we give no undertaking or warranty, express or implied, as to description, quality, growth, productiveness, or any other matter on any nursery stock we sell. We assume no liability for delays in delivery, or for non-delivery of nursery stock caused by frost, fire, flood, drought, hail, strikes, embargoes, war or other causes beyond our control. Our responsibility ceases upon the delivery of stock in good condition. Complaints, if any, must be made within five days after delivery. Railroad, Express Companies and boat lines must be held responsible for losses in case of delay or damage in transit.

Clause 5- Free Packing. We pack free all orders sold at catalogue prices, in the best possible manner, in bales or boxes with moss or excelsior.

Clause 6-No Cartage to freight depots, express offices or wharves in St. Louis.

Clause 7—City of St. Louis and Suburban Deliverles. Our delivery trucks will make trips to the various sections of St. Louis and suburban points during the seasons. Orders to go this way must be left entirely to us as to the time of delivery. We combine a number of orders for one section in making these deliveries.

Clause 8—Special Deliveries. Parties desiring delivery on a certain day must order "Express Shipment" of their order and must pay Express charges. Order must be plainly marked

"Special Delivery," and must give date on which delivery is to be made, weather conditions permitting.

Clause 9—Railroad Facilities. We have the St. Louis and Memphis R. R. branch of the Frisco System within one-half mile of the office. Our station is Gravois, Mo. Carload shipments are loaded here. This with the St. Louis facilities enables us to make prompt shipments on direct lines.

Clause 10—Early Orders. Customers should send in orders as early as possible; do not wait until the last minute and then expect to get immediate delivery. Wishing to serve our patrons in the best possible manner is the reason we ask for early orders.

Clause 11—Directions. Observe carefully that your Name, Postoffice, County and State are plainly written on your order; also state whether to be sent by freight or express, and by what route. If no directions be given, we will use our best judgment. Use order sheet enclosed.

Clause 12—Errors. Any errors that may occur in filling orders must be reported within five days after receipt of goods. We will immediately correct same. Complaints entered after the above stated time will not be entertained.

Clause 13—Losses. All stock will be sent out in good condition. We do not guarantee stock to live, nor do we make up any losses whatever due to climatic conditions or after culture on the part of the purchaser. Immediately upon receipt of stock, open the package and ascertain the condition of same; check up the varieties and compare with your order and report to us at once any complaints that are to be made. If package has become frosted or dry en route, treat as per instructions given under "Directions for Transplanting and Care of Trees, Shrubs, etc."

Clause 14—Replacing. We do not replace stock that may die at the price quoted in this list. Our responsibility ceases upon the delivery of stock in good condition. Complaints, if any, must be made within five days after delivery, when we will at once rectify or allow deductions. We will not permit any deductions from invoices unless the above conditions have been complied with.

voices unless the above conditions have been complied with.

Clause 15—Insurance. A great many people want the nurseryman to stand all the losses, whether due to climatic conditions, planting, after care, etc. For such customers we have decided to offer an insurance proposition, as follows: If the purchaser desires insurance on stock purchased, we will insure the growth of such stock as we may deliver (excepting injury sustained by fire, cattle, horses, hogs, accidental, willful or malicious destruction and floods) until the first day of September after delivery; provided that purchaser adds twenty-five per cent (25%) to the amount of the purchase price and pays the total amount on or before the day of delivery so that proper entry can be made on our books. Purchaser is to notify us promptly on the first day of September as to the losses claimed so that we can investigate and issue proper credits; under no conditions are dead trees or plants to be removed until we have had an opportunity to investigate in case we should desire to do so.

### Terms, etc.—Continued

Clause 16—Substitution. It is customary, should the supply of a variety become exhausted (as will occasionally occur in all establishments), to substitute in its place a similar sort, if there is such. Should it be desired for us not to do this, please state on your order, "No substitution."

Clause 17—Selections. Persons not acquainted with the different varieties can leave the selection to us, in which case we will select as if planting for ourselves.

Clause 18-Transportation. Every care is taken to secure safe and prompt transportation. The forw held responsible for loss or delay in transit. The forwarders alone must be

Clause 19—Inspection. Our nurseries are annually inspected by the State Entomologist and have been found free of San Jose Scale and other dangerous insects and diseases. A copy of certificate of inspection will be attached to overy package that ieaves our establishment.

Clause 20—Notice. The prices in this list abrogate previous quotations and are made on stock to be strictly first class in the grades named. Please do not compare our prices with firms quoting Ciause 20-Notice. on mailing size trees and plants only.

# Directions for Transplanting Trees, Shrubs, etc.

Preparation of the Soil.—For fruit trees the soil should be dry, either natural or made so by thorough drainage, as they will not live or thrive on a soil constantly saturated with stagnant moisture. The soil should be well prepared by plowing at least twice beforehand, using a subsoil plow after the common one at the second plowing. On new, fresh land manuring will be unnecessary, but on lands exhausted by cropping, fertilizers must be applied, either by turning in heavy crops of clover, or well decomposed manure or compost. To insure a good growth of fruit trees, lands should be in as good condition as for a crop of wheat, corn or potatoes.

Preparation of the Trees Before Planting.—This is one of the most important operations to be performed, and one in which the most fatal errors are liable to be committed. The object of pruning is twofold: First, to secure a head properly shaped and sufficiently open to the sun and air for the successful ripening of the fruit. Second, to prepare the natural balance between the roots and branches of the trees, that a healthy growth may be secured.

When young trees are removed from the nursery, roots are

When young trees are removed from the nursery, roots are often broken or bruised, as will be the case however careful the digging, packing and transportation may be performed, and it becomes necessary that the balance should be preserved by a proper and judicious pruning. This pruning should be adapted to the size and condition of the tree, and at the same time the form should not be forgotten. It should be so close as to enable the roots to supply the demand for sap from the remaining branches, and at the same time, no growth already secured should be wasted.

Inne, no growth already secured should be wasted.

In both Standard and Dwarf Trees, it will be usually found a safe rule to cut back, when pruning at transplanting, one-half of the growth of the provious season. The ends of the large roots should be made smooth with a sharp knife, where they have been roughly cut with the spade in digging, always cutting from the bottom of the root with an outward cut. New roots will form, and the injured parts heal more readily with this attention.

Planting with Dynamite.—We recommend the use of dynamite to every planter of trees. It is the up-to-date way of planting all kinds of trees.

It is more economical than any other method.
It costs little or any more than digging a proper sized 1st. 2nd.

hole with the spade.

3rd. Dynamiting the soil conserves moisture and prevents the big losses during dry seasons that are common with spade-dug

4th. Trees planted with dynamite make as much growth in two years as spade-set trees will in four years.

5th. Dynamite breaks up the ground for 12 to 15 feet in diameter and 5 feet deep, kills all insects and fungous growth contained in the soil.

6th. Dynamite-set trees bear frult one to two years sooner than spade-set trees, and live longer. Write to the E. I. DuPont Nemours Powder Co., Wilmington, Delaware, and ask them to send you their "Instruction Book" on "Tree Planting" with dynamite.

Planting" with dynamite.

Planting with Spade.—The holes should be dug iarge enough in the first place to receive the roots of the trees without cramping or bending them from their natural position. The tree having been properly pruned, should be held upright and the earth filled in around the roots, the finest and best soil from the surface being worked in among them, filling every space and bringing every root fully in contact with it. When the hole has been haif filled, pour in a pail or two of water; let this settle well, then finish the planting by placing soil enough about the trees to raise the surface somewhat higher than elsewhere, and press the soil carefully down with the foot. Care must be taken against planting too deep; when the earth settles about the tree it should stand at the same height as when in the nursery. When set in Autumn, it is well to raise a mound of earth about the trees a foot or more in height. This will keep them from being swayed by the winds or thrown out by the frost during the winter. It should be removed in the spring. In planting Dwarf trees, the stock on which they are budded should be under ground.

Staking.—If trees are tall or in exposed situations, they should be supported by stakes to prevent injury from the action of the wind. Staking is done in the best manner by driving two strong stakes firmly in the ground, one on each side of the tree, about a foot distant from it, and fastening the tree between them with bands of straw or other soft material, so that it may be kept in an upright position without chaffing until the roots obtain a firm hold upon the soil upon the soil.

Mulching.—This is properly done by placing a layer of coarse manure or litter from three to six inches deep about the tree, extending one to two feet further in each direction than the roots. This keeps the ground moist and of equal temperature, rendering watering unnecessary, and is in all respects preferable to it. Trees properly mulched are more certain to live and make much greater growth than those which are not so treated.

Cultivation After Planting.—Here is the grand opportunity for the success of the skiliful fruit grower. It is not enough

for him that his trees are of the choicest sorts, selected with regard to the climato and adaptation to the uses for which they are designed; that they are properly pruned and planted in dry, mellow soil, thoroughly enriched and prepared for their reception; protected from the winds by properly staking, and that they are in perfect shape and thriftiness. He knows very well that all this may be properly and well done, at great expense, and without further care be followed by an entire failure, so he watches their growth and defends them from their enemies that the cankerworm and caterpillar do not find safe lodgment among the branches; or the borer cut about them or the cattle obtain access to them by neglected gates or fence, and break down the branches. He is well repaid, for they thrive and grow rapidly; the shoots are vigorous; the bark clean and smooth, and soon a most abundant crop of superior fruit testifies to his wisdom and care. His neighbor, perhaps with better soil and equal care and experience in planting, having at the outset neglected these apparently trivial but really important matters, sees, instead of thrifty trees loaded with inscious fruit, the wreck of his hope in a few mossy, scraggy, misshapen specimens of what he considers his ill-fortune, and hastens to remove. He too, is justly rewarded for his neglect, as is his more prosperous neighbor for care. Those who are obliged to plant trees in a field of grain or grass shouid see that all such are carefully mulched with rough manure, and that the ground is kept loose and moist about the trees. A hoed crop is greatly preferable in such plantation for the first five years. After a growth for this time, standard apple, pear, cherry and plum trees will grow and produce fairly in turf. The dwarf trees and peaches should be well mulched every year with loose manure and the ground thoroughly cultivated. They will amply repay for this attention in the increased quantity and improved quality of the fruit.

Pruming.—Pruning after the first year should

Pruning.—Pruning after the first year should be varied according to the purpose of the planter and the variety of the tree. It should be trimmed as early as possible up to the height it is intended the future head should be, and the cutting off of large limbs may not in the future be necessary. The removal of large branches should be avoided in all cases whenever it is possible to do so, as decay is liable to commence at the point of separation and extend into the trunk; whenever it is done the wound should be carefully pared smooth and a coating of paint or grafting wax applied to protect the action of the weather. After the removal of lower branches until the head has reached the desired height, the only pruning needed is to remove such branches as are crossing and interfering with each other, and keep the heads in a symmetrical shape and well open to the sun and air. Trees should receive proper shape by judicious pruning and attention early in the spring of each year, while they are young, and very little pruning will be necessary afterward. When trees are to be pruned and trained for specific purposes and in a special manner, the orchardist will find full directions in the standard works on horticulture which may be read with great benefit and followed with success, but are beyond the scope of an ordinary catalog.

Grape Vines require a dry, meliow, well-drained soii, deeply worked and well enriched, with a warm, sunny exposure. In planting, give the roots plenty of room and settle soil firmly about them. All newly planted vines should be cut back to 2 to 3 buds or eyes as soon as planted. Two sprouts or canes should be allowed to grow the following summer and should be carefully tied to stakes to keep them from becoming broken in cultivation, winds, etc. The following winter these canes should be cut back to five feet and tied to the lower wire of the trellis, which should be put up the following fail or winter after planting. For the subsequent pruning of vines as well as trees, planters would do well to consult some practical work on the subject.

Berries should have a strong soil and be kept under constant cultivation. Mulching is of special value. Raspberries and Blackberries should have old wood cut out each year and new canes pinched off when three feet high. Strawberries should be mulched late in the fall; uncover the crowns early in spring; remove mulch after fruiting and spade in light dressing of manure.

Currants and Gooseberries need heavy pruning, so that new wood will have room to grow. mulching and

Roses should have a deep, rich, well-drained soil, and should be severely pruned every spring before the buds start, cutting back all the last growth to three or four buds, except climbing roses, which may be first allowed to partly cover the space desired. Old decayed branches should never remain. Every autumn compost should be placed around the stems of the plants and spaded into the ground in the following spring.

Treatment of Trees That Have Been Frozen in the Packages. Received During Frosty Weather, or After Long Exposure. Place the package, unopened, in a cellar or some such place, cooi, but free from frost, until perfectly thawed, when they can be unpacked and either planted or placed in a trench until convenient to plant. Treated thus they will not be injured by the freezing. If dried from long exposure, bury entirely under the ground, soaking well with water, or place in water from 12 to 24 hours, and prune more closely than ordinarily.

### A COMPLETE SPRAY CALENDAR

For Winter and Summer as used and recommended by the B. G. Pratt Co., New York, Manufacturers of Scalecide and Sulfocide

### (Never omlt "Standard Sprays" and add the "Special Sprays" as needed.)

After ten years of comparative work with most of the best-known commercial sprays, we have settled on the following spraying program in our own large orchard operations as giving the best results obtainable. Using this program, we have packed 95 % A-grade apples from tree-run without thinning.

In the last few years many of our friends and customers have followed it with most gratifying results.

Mr. George T. Powell of Ghent, N. Y., writes: "Never produced a crop of apples of so fine a quality." "It seems that everything you have brought out so far has proven a success. \* \* \* My apple trees are the finest in this locality as well as the apples."

FIRST STANDARD SPRAY.
(Dormant or Scale Spray.)

For Apples, Pears, Quinces, Cherries, Peaches, Plums and Small Fruits.

Spray any time in the fall after the leaves have fallen and the wood has hardened, or in the spring before the buds show green, providing it is not too cold, say 40° Fahr., using "Scalecide." I gallon to 15 gallons of water (3-50). Spray thoroughly from the topmost twig down to the base of the tree at the ground, using a fine, misty spray, completely saturating the tree until the material starts to drip.

It is well to let the material run down around the base of the tree, as it aids in controlling diseases and insects there.

Make the fall application for pear psylla and peach leaf curl. Make the delayed dormant application for aphis, pear thrips, leaf roller and tent caterpillars Make either fall or spring application for scale, bud moth, case-bearer, cankers, both fungous and blight and collar rot.

Be sure your spray-tank is clean before you start to spray.

#### SPECIAL SPRAY NO. 1.

Sometimes called the "Scab," "Cluster-bud" or "Pink" spray, and is almost becoming a Standard Spray,

#### For Apples, Pears and Ouinces,

For Apples, Pears and Quinces.

When the buds are still in cluster, just before the blossoms begin to show color, use "Sulfocide" 1 gal. to 200 gallons of water, without any poison.

For chewing insects use arsenate of lead or cal-arsenate combined with Sulfocide, one heaping teaspoonful to each gallon of spray (¾ of a pound to 50 gallons). Dilute Sulfocide, 1 quart to 50 gallons of water. Cal-arsenate may be combined with Sulfocide with or without Kayso. When arsenate of lead is used be sure to follow these directions: Use the same quantity of Kayso as of arsenate of lead; mix Kayso in the water first, arsenate of lead second, and Sulfocide last, after all the water has been added.

#### For Peaches, Plums, Apricots and Stone Fruits.

When the buds are ready to open and just show color, use "Sulfocide," I gallon to 200 gallons of water. Use soap or Kayso

as a spreader.

as a spreader.

A poison spray at this time is usually not necessary on stone fruits, but if it is desirable use the Kayso, arsenate of lead and Sulfocide combination described above. Three pounds of arsenate of lead to 200 gallons of water is all that is considered safe on stone fruits. Never use cal-arsenate on stone fruits.

#### SECOND STANDARD SPRAY.

For Apples, Pears and Quinces.
For the control of Codling Moth (wormy fruit) and fungous troubles, but generally too late for scab.
This spray is most important and should never be omitted or delayed, and must be very thorough.
As soon as the bees leave the blossom, and not later than ten days after the petals fall, spray with one pound of Kayso, one pound of arsenate of lead and one quart of Sulfocide to 50 gallons of water; or ½ pound of Kayso, one pound of cal-arsenate and one quart Sulfocide to 50 gallons of water. Follow directions carefully: Mix Kayso in the water first, arsenate of lead second and Sulfocide last, after all the water has been added. Never spray in full bloom. Direct the spray into the open calyces.

#### For Peaches and Stone Fruits.

For Peaches and Stone Fruits.

Just as the shucks or withered blossoms are falling from the newly-formed fruit, spray with ¾ pound Kayso, ¾ pound arsenate of lead and one quart Sulfocide to 50 gallons of water. Follow directions carefully: Always mix Kayso in the water first, arsenate of lead second and Sulfocide last, after all the water has been added. This spray is for brown rot and for curculio, the little insects that sting the peaches and plums and make wormy fruit. Never use calarsenate on peaches, plums or stone fruits.

For later spraying of peaches, plums, cherries and apricots, use Sulfocide and soap alone every few weeks until picking time. Peaches sprayed with Sulfocide and soap from one to three days before picking, will keep in marketable condition five to ten days longer than where not sprayed. The spray material does not show on the fruit, cannot be tasted and is non-poisonous.

#### SPECIAL SPRAYS NO. 2 and NO. 3.

Where leaf spot or black rot is prevalent, or a late batch of codling moth is feared, repeat Second Standard Spray ten days later, and for the second brood, six weeks after the petals fall.

Never use Lead Arsenate with "Sulfocide."

#### ORANGES AND CITRUS TREES.

"Scalecide" has been used for many years for the control of scale insects on citrus trees.

Use "Scalecide" I to 50 or 60 parts of water during the dormant season as you would Lime-Sulfur for scale. Repeat as often as necessary. For white fly, rust mites, etc., use one gallon of Sulfocide and two gallons of Scalecide to 200 gallons of water—mix Sulfocide in the water first. In some citrus sections this combination has also proven very effective for the control of citrus scab and citrus sphie

#### **EVERGREENS AND CONIFERS.**

Spray with "Scalecide," 1-25, just before the new growth starts in the spring.

#### SPRAYING SMALL FRUITS.

### Grapes, Currants, Gooseberrles, Raspberrles and Blackberrles.

Never omit a dormant spray with "Scalecide," 1 gallon to 15 gallons of water, before the leaves come out—it will repay many times the cost and trouble. It cleans them of many insects and diseases, making the summer spray with "Sulfocide," more effective. Spray just before blossoming with "Sulfocide," 1 part to 200 parts of water, and again when the fruit sets and as often as occasion demands.

demands.
Add soap or **Kayso** as described under spraying peaches.
Dust with 1 part Cal-Arsenate and 2 parts Lime for chewing

#### SPRAYING VEGETABLES.

SPRAYING VEGETABLES.

We spray everything in the garden subject to fungi once every two weeks according to weather conditions.

Beans, tomatoes, eggplant, peppers, cucumbers, squash and melons should be sprayed every ten days or two weeks from the time they start through the ground with "Sulfoclde." 1 gal. to 200 gallons of water (one quart to 50 gallons, or one ounce to 1½ gallons water). For chewing insects use ¾ pound of cal-arsenate or arsenate of lead to 50 gallons of water. When combined with Sulfocide, cal-arsenate can be used with or without Kayso. But if arsenate of lead is used, use an equal amount of Kayso and follow the directions: Mix Kayso in the water first, arsenate of lead second and Sulfocide last, after all the water has been added. Or dust the plants with one part cal-arsenate and two parts hydrated or slacked lime.

"Sulfocide" has been used for years by the vegetable growers of Florida with wonderful results: String beans and tomatoes are sometimes dipped in "Sulfocide" after picking to insure safe arrival at market.

Several years ago two men planted three acres of beans together. One wanted to spray and the other did not, so the patch was divided in two equal parts. The man who sprayed with "Sulfocide" sold his crop for over \$1,100; the man who did not spray picked only 36 hampers. (Address furnished on request.)

#### SPRAYING POTATOES.

We have not had occasion to use any other fungicide on our potatoes for ten years.

potatoes for ten years.
Potatoes require a little stronger mixture than other vegetables. Use one gallon of Sulfocide and six pounds cal-arsenate to 150 gallons of water (with or without Kayso). Or use arsenate of lead instead of cal-arsenate, but be sure to use an equal quantity of Kayso: mix Kayso in the water first, arsenate of lead second and Sulfocide last, after all the water has been added. Start when the vines come through the ground and keep the new growth covered.

For aphis on potatoes and tomatoes, first add one gallon of Sulfocide to 200 gallons of water and then add two gallons of Scalecide. Do not use any poison with this combination.

#### SPRAYING FLOWERS.

FORMAYING FLOWERS.

For mildew and blight on roses, hollyhocks, carnations, chrysanthemums, peonies, etc., spray with 2 ozs. of "Sullocide" to 3 gals. of water (1 part to 200 parts of water) every ten days or two weeks, to which a little soap is added.

If 2 ozs. common laundry soap is softened by boiling and added to each 3 gals. "Sulfocide" spray, it will spread better and leave practically no marking on rose leaves.

If Aphis are present, add I teaspoonful Black Leaf 40 to each gallon of spray. "Sulfocide and Scalecide" as recommended for potatoes and fruits, cannot be used on roses and some flowers.

## PROPORTIONS FOR MEASURING SMALL QUANTITIES OF "SULFOCIDE."

One ordinary cup or tumbler—8 oz. or ½ pint or ¼ of a quart,
1 to 200.

1 teaspoonful to 1½ qts. water or 6 cupfuls.
1 oz. to 6 qts. water (1½ gals.)
1 cupful (8 oz.) to 12½ gals. water.
1 pint to 25 gals. water.
1 quart to 50 gals. water.
2 quarts to 100 gals. water.

#### CAL-ARSENATE AND ARSENATE OF LEAD.

One heaping teaspoonful to 1 gal. of water makes approximately the proportion of 3 lbs. to 200 gallons of water.

We are the Western Distributing Agents for "Scalecide" and "Sulfocide," for the B. G. Pratt Co., New York, N. Y., and Hackensack, N. J.

Write us for booklets and price list on Insecticides.

# Fruit Department

ATTENTION, BUYERS OF NURSERY STOCK! Please note that we specify age, caliper and approximate height of our fruit trees; there is no guesswork when you buy from us.
Kindly remember this when placing your

### STANDARD APPLE

Our supply of 2-year apple for spring 1926 delivery will be limited, and on account of the heavy demand we kindly ask our patrons to place their orders promptly upon receipt of this catalogue.

PLANT standard apple trees from 30 to 40 feet apart each way, according to the nature of the soil.

At 30 feet apart it takes 48 trees per acre; 40 feet apart it takes

27 trees per acre.

	Each		100
Extra selected trees	\$0.90.		<b></b>
2-year, 11/16 to 1 inch, 5 ft. and up	.70	\$6.00	\$50.00
2-year, 9/16 to 11/16, 4 ft, and up	.60	5.00	40.00
2-year, $7/16$ to $9/16$ , $3\frac{1}{2}$ ft. and up	. 55	4.50	35.00

#### SUMMER OR EARLY VARIETIES

Early Harvest.—Medium to large, flat, pale yellow; good. Tree a fair grower and bearer. July.

Fameuse (Snow Apple).—Medium to large; a handsome, deep crimson, white-fleshed apple of high flavor and best quality; very productive. August and September.

Oidenburg (Russian).—Medium to large; striped, mostly red. Best summer cooking apple; tree hardy, early and a good bearer. July and August.

July and August.

Red June.—Medium size, red; flesh white, tender, juicy, subacid; an abundant bearer. July.

Yellow Transparent (Russian).—Skin clear white, changing to pale yellow when fully ripe; flesh white, tender, sprightly subacid; good early bearer. July.

#### **AUTUMN VARIETIES**

King David.—A beautiful apple, resembles Jonathan in color. Tree strong, vigorous grower, healthy, bears young. September.

Malden Blush.—Large, flat, pale yellow; beautiful blush; mild, sub-acid; valuable for market, cooking and drying. September.

Wealthy.—Fruit medium, oblate, skin smooth, whitish-yellow, shaded with deep red in the sun, splashed and spotted in the shade. Flesh white, tender, juicy, sub-acid, very good. August to September.

tember.

#### EARLY WINTER VARIETIES

**Grimes.**—Medium to large, roundish, oblate, slightly conical, large specimens oblong. Skin yellowish-white, with a mild sub-acid, agreeable good to best flavor. September to December.

Jonathan.—Medium size, unless thinned on tree, when It becomes a 'air size; form roundish, conical; skin thin and smooth, the ground clear, light yellow, nearly covered with lively red stripes and deepening into brilliant or dark red in the sun; flesh white, rarely a little pinkish; very tender and juicy; mild, sprightly vinous flavor. September to December.

#### WINTER VARIETIES

Arkansas (Mammoth Black Twig).—A seedling of Winesap, which it resembles in every way except that the tree is a better and much more vigorous grower, more hardy, and the fruit is much larger. Color dark red; flesh firm; flavor mild. A good keeper. One of the best. October to May.

Balley's Sweet.—Tree hardy, vigorous, upright, spreading, productive. Fruit large, roundish, conical, color yellowish shaded and slightly striped with red. Thickly covered with small dots. Flesh white, tender, with a honeyed sweet flavor. Good. November to March.

Arkansas Black.—Large, very dark red, smooth, roundish flat, lightly dotted white; flesh yellow, sub-acid; long keeper. November to April.

Newton Pippin.—Fruit medium, oblate, slightly conic, yellow. Washed with light red, richly splashed with deeper red. Flesh yellow, crisp, tender, with a rich vinous flavor. October to February.

Black Ben.—Of the Ben Davis type, said to be better than Gano. Fruit large, deep red, long keeper, good shipper and sells well on the market. September to February.

Delicious.—This variety should be in every orchard. Fruit large, almost covered with beautiful dark red, blending to yellow at the blossom end. Sweet, pleasant flavor, only enough acid to make it pleasing. Flesh crisp, juicy, fine grained, melting. September to February.

Ben Davis.—Large, roundish, oblong, red striped, very hand-some, Mild, sub-acid, not rich. Tree very vigorous, hardy and productive. This is one of the safest and most profitable market apples grown in this country at present. October to March.

Gano.—Tree very healthy, vigorous, hardy, having stood 32 degrees below zero without injury. A rapid grower, large and spreading in orchard. Color bright red without stripes or blotches. Similar but superior to Ben Davis. Large and even in size. Prolific bearer and a good keeper. October to March.

Northwestern (Greening).—A Wisconsin seedling of great promise, having taken first prize at their State societies. Tree a good grower and hardy. Fruit yellow, smooth, rich, of good size, resembling Grimes' Golden in shape and color. Good quality. November to December.

Rome Beauty.—Large, roundish flat; bright red, mild, sub-l, very good. A good grower and early bearer. November to March.

**Spitzenburg** (Esopus).—Large, round, brilliant red, with gray dots. Flesh firm, rich, crisp, juicy, delicious. A fine apple where it succeeds. October.

**Stayman.**—Tree is a vigorous grower, drooping in habit and adapts itself to soils and situations; fruit large size, bright red color and produced in large quantities. A profitable market variety. October to March.

Winesap.—Medium, conical, dark red; very smooth, Acid to sub-acid, juicy and rich, very valuable for both family and market. Tree very hardy and an early and constant bearer. December to April.

**Huntsman.**—Fruit large, flat, deep yellow; very mild, subacid, fine-grained. Very good. Valuable for family and market, Tree fair grower and good bearer, but does not bear heavily while young. October to April.

Yellow Beliflower.—Large to very large; oblong, pale yellow, sometimes blushed; acid to sub-acid, rich and good. Tree a fine spreading grower and hardy. October to January.

York Imperial.—Medium to large, oblate; color white, shaded with crimson; flesh firm, crisp, juicy and sub-acid; a good bearer and keeper; one of the best winter apples. November to April.

Jamet (Rawles).—Also called Geneton. Medium to large when grown on good soil and not allowed to overbear; flat, conical striped, red, sub-acid; very good for market and family use. Good cider apple. October to April,

#### CRAB APPLES

Same price as Apple.

Florence.—Originated in Minnesota. Fruit medium in size; color carmine when well colored; flesh yellowish, fine, acid. Excellent for cooking and for jelly. Valuable for early market. Tree hardy and spreading; bears when young and inclined to overbear.

Transcendent.—Medium size; flavor pleasant and agreeable; extremely hardy.


Hysiop.-Large size, beautiful dark crimson. Hangs in clus-September.

#### A Table Showing the Number of Trees or Plants to the Acre.

	Distance.	No. of	trees.
1	foot apart each way43,560	12 feet apart each way	302
	feet apart each way 10,890	13 feet apart each way	257
	feet apart each way 4,840	14 feet apart each way	222
	feet apart each way 2,702	15 feet apart each way	193
	feet apart each way 1,742	16 feet apart each way	170
	feet apart each way 1,210	17 feet apart each way	150
	feet apart each way 888	18 feet apart each way	134
	feet apart each way 680	19 feet apart each way	128
9	feet apart each way 537	20 feet apart each way	109
	feet apart each way 434	25 feet apart each way	68
11	feet apart each way 360	30 feet apart each way	40


Rule—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,550), will give the number of plants or trees to the acre.

Distances for planting various fruits will be given under respective headings in this catalogue.





# Weber's Collection Leading Varieties of Apple



# Peach

The Peach is probably the finest of our fruits; everybody delights in the flavor of a fine, juicy Peach. In this section, select high, dry lands, northern or western exposure preferred.

In order to preserve the continued healthy growth of the trees and the fine quality of the fruit, the trees should have careful and severe pruning at least every two years, so as to preserve a round, vigorous head, with plenty of young wood. The land should not be seeded to grass, but kept in constant cultivation. Fertilize with occasional crops of Cowpeas, Rye or other legume, plowing the crop in while in green state. Wood ashes are a fine fertilizer where it can be obtained. When borers appear on trees under five years it is best to hunt them and destroy. This should be done annually in May and September. They are found just under the ground level, directly above the roots. When the trees attain the age of five years, the borer can be killed by using "Paradichlorobenzene." This is a new crystal, which when put around in the fall after leaves have fallen.

We have this year arranged our Peach list as nearly as possible according to time or ripening. We think this will make it easier for our customers to make up their order, beginning with the earliest and on through the list to the latest.

Plant Peach 20 feet apart, 109 trees to the acre.

Each 10 100

J. H. Hale.—"Everybody has heard of this variety: ripens

Each 

Peach are in exceedingly heavy demand and stock is limited. Place your order early while our stock is complete.

#### VARIETIES.

Wheeler (Red Bird Cling).—Fruit larger than Greensboro, round, flesh white, juicy; tough skin nearly covered with deep red. A good shipper. July 1st to 5th.

Mayflower.—Originated in North Carollna; very early; color perfectly red; a valuable market sort. Perfectly hardy in bud and a heavy cropper. July 5th to 10th.

Greensboro.—The largest and most beautifully colored of the extra early peaches. A freestone; flesh white, juicy and excellent. July 10th to 15th.

Carman.—Large, resembles Elberta in shape; color creamy white, with deep blush; skin very tough; flesh tender, fine flavor and quite juicy. One of the hardiest in bud. In shipping qualities and freedom from rot it is unsurpassed. Profitable market variety. July 10th to 15th.

Belle.—Very large; skin white, with red cheek; flesh white, firm and excellent flavor; the fruit is uniformly large and showy; a very prolific bearer. July 15th to 20th.

Mamle Ross (Cling).—Very large, oblong: color similar to Chinese Cling, but has more of a red cheek. With us one of the best early clingstones. July 20th to 25th.

Rochester.—A new yellow freestone variety. The fruit is large, yellow, sweet, juicy and of delicious flavor, keeping and shipping well; skin prettily blushed. Tree strong grower and hardy; prolific bearer. Ripens about July 25th.

Crawford Early.—The best early yellow freestone; one of our oldest varieties. Ripens about August 1st.

Champion.—Originated at Nokomis, Ili. Flavor delicious, sweet, rich, juicy, surpassing all other early varieties. Skin creamy white with red cheek. Early, productive and large. Perfect free stone. August 10th to 15th.

Goldfinch (Ey. Elberta).—Color beautiful yellow, red on the sunny side; flesh juicy and sweet. August 10th to 15th.

Ede.—Large to very large; a rich orange yellow; flesh yellow, small stone; melting, rich, highly flavored. Freestone. August 15th to 20th

15th to 20th.

Elberta.—Supposed to be a seedling of Chinese Cling, but is entirely free. Very large, yellow, with red cheek; flesh yellow, firm, juicy and of high quality; exceedingly prolific; sure bearer and hardy. August 15th to 20th.

J. H. Hale.—"Everybody has heard of this variety: ripens about the same time as Elberta; said to be larger and better flavored; highly colored." We have only a limited number to offer this year. August 15th to 20th.

August 15th to 20th.

Wilma.—A splendid new variety. In growth it is strong and stocky, with large, dark green foliage. A seedling of Elberta: ripens about ten days later. This variety is being largely planted up in the Lake regions and is believed by many to be the coming leading commercial variety. End of August.

Rex (Late Elberta).—Almost identical with Elberta, but ripens several weeks later. Fine market peach, good shipper.

Crawford Late.—Ripens from 14 to 20 days later than the Crawford Early and is larger in size; color about the same, only a little darker red and yellow. One of the best and finest yellow freestones; moderately productive. August 25th to 30th.

Stump.—Very large, roundish; skin white, with bright red cheek; flesh white, juicy. One of the best late freestones. September 1st to 5th.

Dulce.—Free, rich orange color, dark red cheek, firm, small seed.

Dulce.—Free, rich orange color, dark red cheek, firm, small seed.
Golddust.—A large, fine peach in every respect; color, bright
yellow shaded with red; juicy, sweet; valuable for canning.
Picquet.—Large yellow with red cheek. Rich and sweet and
a better flavor than Salway.
Laura Cling.—Identical with Krummel's Late, only that it is a

clingstone

clingstone.

Ringold.—A good late clingstone.

Salway.—Large, creamy yellow, with crimson cheek; flesh deep yellow, juicy, rich, sweet. September 15th to 20th.

Heath Cling.—One of the finest canning peaches; good size; lemon shape; tree a good grower and excellent bearer. September 15th to 20th.

Krummel's Late.—Found in an orchard on property of Mr. Krummel of St. Louis. Color a rich golden yellow, with bright red cheek; round; free-stone; juicy. Ripens here about October 5th, and is a good keeper.

October Beauty.—A late yellow cling. When ripe, a dark purple. Originated on the grounds of Judge Hugo Muench of St. Louis. We recommend it as the best late yellow cling. October 5th to 10th.

Louis. We recommend it as the best late yellow cling. October 5th to 10th.

Grebling Peach.—Originated on the farm of Grebing near Perryville, Perry Co., Mo. A new introduction. Fruit medium to large, almost round, free-stone; color, white in shade, blending into a beautiful red, thence to a very deep red, almost black, where exposed to full sunlight; something on the order of Mountain Roses, only darker. Flesh white, juicy, vinous, melting. Small stone. Tree a tremendous bearer, hardy in fruit, bud bearing when others fail. Fruit should be thinned and trees kept under cultivation, with proper fertilization, to produce the enormous crop of fruit. We have only a limited number of trees to offer this year. Ripens in July. Price, \$1.00 each; three trees for \$2.00.

# lherry

The Cherry is one of the finest and most delicate dessert fruits. The acid varieties are also highly esteemed for preserving and cooking purposes. Although a very perishable fruit, the period of its use may be prolonged to six weeks by a proper selection of varieties. The trees thrive well in any soil which is sufficiently well drained, but will not succeed a long time where the sub-soil is wet.

Our Cherry trees are all budded on Mahaleb stock, which makes a healthy tree, and does not sprout from the roots, which is a nuisance when common Morello stocks are used. Plant 18 feet each way; 135 trees to the acre. **DUKE AND SOUR VARIETIES.** 

#### Cherry trees are very scarce. Place your orders early.

	Each	10	100
2-year, extra selected trees	\$1.25		
2-year, 11/16 and up, 4 ½ ft. and up	1.00	\$9.00	\$75.00
2-year, 9/16 to 11/16, 3½ ft. and up	. 85	7.50	60.00
1-year, 3/4 ft	.80	7.00	60.00
1-year, 2½ ft		6.00	<b>50</b> .00

### **DUKE VARIETIES**

May Duke.—Medium, dark red, meiting, rich, juicy, excellent. A reliable early cherry, nearly sweet.

Late Duke.—Fruit similar to May Duke, but later and not

so sweet.

#### SOUR VARIETIES

Dyehouse.—A very early and sure bearer. Ripens a week before the Early Richmond.

Richmond.—Medium size, light red; melting, juicy, sprightly flavor. Tree healthy and productive. One of the most popular acid flavor. T

Montmorency.—Large red cherry, ripening ten to fourteen days after Early Richmond. Tree a slow but stiff grower; very profitable bearer; valuable late sour cherry.

Morello.—Good size, very dark red when fully ripe, rich, acid, juicy, excellent for canning. Later than Montmorency.

#### SWEET VARIETIES

		10	
Extra selected	\$1.50		
2-year, 11/16 and up, 5 ft, and up	1.30	\$12.00	\$110.00
2-year, 9/16 to 11/16, 4 ft. and up			85.00
			85.00
1-year, 4/5 ft			


Blng.—Very large, dark brown—almost black; flesh firm, sweet, rich and delicious. A noted western sort. Late.

Spanish (Sweet) .- Large. pale yellow, firm, juicy and excellent. One of the best light colored cherries. Tree productive and a fine grower.


Schmldt .-- Immense size, deep black, flesh dark, tender, very juicy, fine flavor; productive. July.

Tartarlan (Black).—Very large, black, juicy, rich. End of June.

Wood.—Large, light red, juicy, rich, delicious.



Montmorency



# Pear

The cultivation of this noble fruit is extending as its value is appreciated. The Pear, like most things highly desirable and valuable cannot be had without attention, labor and skill. One of the most important points in the management of the pear is to gather them in the proper time. Summer pears should be gathered at least ten days before they are ripe; and August pears at least a fortnight. Winter varieties, if they hang so long, may be left until there is danger of frost; gather when, on gently lifting the fruit, the stem will readily separate from the limbs.

Place in a dark room until fully matured. The Pear succeeds on most soils, but probably does better on rather sandy loam.

Dwarf pears must always be planted deep enough to cover the junction of pear and quince three or four inches, and about one-half of the previous summer's growth cut off each spring. The side branches should not be removed higher than one foot from the ground in Dwarfs, while Standard Pears may be trimmed to the height desired.

(The letters "D" and "S" appended to the descriptions of varieties indicate favorable growth, either as Dwarfs or Standards, or both.) Plant Standard varieties 20 to 25 feet apart; Dwarfs 10 to 12 feet apart.

12 feet apart.

#### **AUTUMN VARIETIES**

Bartlett (S).—One of the most popular pears; large, buttery and melting, with rich flavor. Tree a vigorous and erect grower; bears young and abundantly.
Clargeau (S).—Very large, yellow and red. Flesh yellowish.
Keeps solid a long time after gathering. Free grower and abundant

Angouleme (Duchesse) (D).--The largest of our good nears:

Angouleme (Duchesse) (D).—The largest of our good pears; succeeds on pear, but attains its highest perfection on quince, and is a beautiful and vigorous tree. Most profitable for market.

Anjou (S).—A large, fine pear, buttery and melting, with sprightly vinous flavor. Tree a vigorous grower and good bearer. Best on quince.

Garber (S).—One of the Japan Hybrids; the best and hand somest of its class. Earlier than Kleffer, larger and much better quality; free from blight; very hardy. Immensely productive; bears young; excellent for canning or preserving.

Howell (S).—One of the finest American pears. Large, handsome sweet and melting; tree very vigorous, hardy and productive. Kleffer (S).—This is a seedling raised from the Chinese Sand Pear crossed with the Bartlett. Skin rather rough. Color yellow, with red cheek in the sun. Flesh white, juicy, buttery and rich. Tree a very strong, upright grower. Very profitable for market. Seckel (S).—The standard of excellence in pears. Small but of highest flavor. Tree a strong, slow, erect grower; very hardy and bears abundantly.

Sheldon (S).—Fruit medium; color greenish yellow, mostly

Sheldon (8).—Fruit medium; color greenish yellow, mostly covered with russet and a little brownish crimson in the sun. Juicy, rich, aromatic and sweet.

#### WINTER VARIETIES

Lawrence (S).—Size medium to large; obovate; color a golden yellow; flesh melting, with a rich, aromatic flavor. Tree a moderate grower and an abundant bearer.

The Plum tree will accommodate itself to most situations not absolutely wet, but produces its best fruit and most certain crops on heavy, clayey soil.

The great enemy of this, as well as other smooth-skinned fruits, is the curculio, and as a knowledge of a practical remedy for this pest is essential to the raising of good crops, a description of the only method for its destruction yet known is here given.

Shortly after the blossoms fall, and as soon as the presence of the insect is ascertained by his crescent-shaped mark upon the young fruit, procure a sheet large enough to spread over the entire surface of the ground covered by the branches of the trees; siti in the middle part way through to allow it to pass on each side of the trunk, then jar the tree thoroughly either with a heavy mallet upon the stump of a limb or by shaking suddenly all the larger branches. The insects, which closely resemble pea bugs, or dried buds, will fall upon the sheet and remain dormant for some minutes; gather them up with the thumb and finger and destroy them. This operation repeated every morning for two or three weeks will save the crop. All stung fruit must be carefully destroyed to prevent increase of insects, and thus render the work of the season comparatively easy. This remedy is sure and

Plant 18 fort appart; 125 trees to the agree.

Plant 18 feet apart; 135 trees to the acre.

Our plums are budded on imported plum roots.

	Each	10	100
11/16 and up, 5 ft, and up	\$1.00	\$9.00	\$75.00
9/16 to 11/16, 4 ft. and up	. 90	8.00	70.00
$7/16$ to $9/16$ , $3\frac{1}{2}$ to $4\frac{1}{2}$ ft	. 80	7.00	60.00

#### EUROPEAN VARIETIES

Black Beauty.—A cross between a Japan Plum and Damson. Color almost black. Said to be one of the most productive and profitable varieties. Ripens in August.

Damson (Common Blue).—A valuable market sort. It bears enormous crops. Thousands of bushels are annually sold on our markets. It is the best plum for preserving. August and September.


Deck's Damson.-Larger than the common blue and an earlier Freestone.


German Prune.—Large, dark purple, sweet, good. One of the most popular and desirable for canning. September.

Lombard.—Medium, violet red, juicy, good, hardy and productive; the leading market variety. August. Shropshire.—An English variety of great merit for preserving.

An abundant bearer and hardy.

Moore's Arctlc.—Small, purplish-black, juicy, sweet, immense bearer; one of the hardiest in bud and bloom. September.





Lombard Plums

# Plums-Continued JAPAN OR ORIENTAL VARIETIES

This class of plums and their hybrids are strong-growing trees with light green foliage and attractive bloom, productive and usually commence bearing the third to fourth year after planting. They bloom very early, should be planted on north or west slopes and in sections not subject to late spring frosts.

Each 10 100
9/16 to 11/16, 4 ft, and up. \$1.00 \$9.00 \$75.00
9/16 to 11/16, 4 ft, and up. \$90 \$8.00 70.00
7/16 to 9/16, 3 ft, and up. \$80 7.00 60.00

Botan.—Beautiful lemon-yellow ground, nearly overspend with bright cherry. Large to very large; oblong, tapering to a point like the Wild Goose; flesh orange yellow, melting, rich and aromatic. August.

Burbank.—Large, nearly globular; clear cherry red, with a thin lilac bloom; flesh a deep yellow, very sweet and agreeable flavor. Hardy; one of the best for both garden and market planting. August.

Wickson.—A sturdy, upright grower productive almost to

Wickson.—A sturdy, upright grower, productive almost to a fault; fruit remarkably handsome, deep maroon; stone small; flesh fine texture, firm, sugary and delicious. Excellent keeper and fine shipper.

#### HANSEN HYBRIDS

Each ..... \$1.00 \$9.00 11/16 and up. 5 ft. and up.....

The varieties we are offering are all selected varieties that have proven profitable over a wide territory. We request our customers to try out some of these varieties. Trees do not grow large, hence can be planted quite close together, 15 feet being sufficient.

The fruit is fine for culinary purposes and fine for eating fresh when fully ripe. Trees should be grown more in bush form for best results. We recommend the planting of several varieties close together as the blossoms fertilize each other. Try a few of these new plums, you will be more than pleased with them.

Waneta.—Good red color, skin free from acidity and with delicious flavor. Two inches in diameter. Bear heavy and often have to have some picked from the tree to keep limbs from breaking. Often bears second year when tree is well cultivated.

Sapa.—Very fine, perfectly hardy. Glossy, dark purple skin with rich dark purplish-red flesh.

Opata.—Very beautiful when in bloom. Color of flesh green. flavor very pleasant. Ripens with us about July 10th, and will hang on the trees in good condition for about two weeks,

Hanska.—Bright red, heavy blue bloom, firm flesh, good quality, rich fragrance, bears early in abundance. When cooked has the flavor of an Apricot. Keeps well and has proven to be a good shipper.

shipper.

Surprise.—Large bright red, flesh yellow, fine flavor. Ripens



Black Beauty Plum

#### CHICKASAW VARIETIES

Wiid Goose .- Well known, large, deep red when ripe. Good quality; one of the best native plums; should be in every orchard

	LICCII	10	100
11/16 and up, 5 ft. and up	\$1.00	\$9.00	\$75.00
9/16 to 11/16, 4 ft. and up	. 90	8.00	70.00
$7/16$ to $9/16$ , $3\frac{1}{2}$ ft. and up	. 80	7.00	60.00

# Miscellaneous Fruits, Nuts and Berries



Champion Quince

QUINCE

The Quince is hardy and prolific, bearing its crops with great regularity. The fruit always commands a good market, and with most families is considered indispensable for canning and jelly. The trees or bushes should have a good, rich soil, clean cultivation and an annual dressing of well rotted manure. Thinning out the twigs so as to keep the head open to the sun and air, and removing dead or decaying branches, is all the pruning that is required. Plant 10 feet apart each way, 435 trees to the acre.

Champlon.—Originated in Connecticut. The tree is a prolific and constant bearer; fruit averaging larger than the Orange, but not so high colored; more oval in shape. Quality equally as fine, and a good keeper.

Orange.—Fruit large, bright yellow color; a good bearer. The standard variety in quince.

Each 10

Each 5/8 and up, 4 ft. and up....

### APRICOT

There is no fruit more delicious or beautiful than the Apricot, and its ripening between cherries and peaches renders it especially valuable. Its chief enemy is the curculio, which can be kept in check by the method suggested for plums. Plant the same as plums.

Early Golden.—Small size; color pale orange yellow; juicy and sweet; exquisite flavor.

Royai.—Large, yellow, juicy, rich and delicious; a very fine variety.

9/16 to 11/16, 4 ft. and up......

#### **MULBERRIES-MORUS**

Downing .- Very large, black, handsome, sweet, rich and excellent. 

# Raspberries

Will do well on any soil that will produce a good corn crop. Land should be thoroughly prepared and well enriched; ground bone is one of the best fertilizers. Keep well cultivated and free from weeds and suckers. As soon as they have done bearing, cut out the old wood to give vigor to the young canes. Spring is the best season to plant. Plant in rows six feet apart, three feet apart in rows, 2,420 plants to the acre.

Write us for prices on larger quantities.

If wanted by parcel post add 10c to the 10 price, 15c to the 25 price, 50c to the 100 price to cover cost of postage and extra packing. 1,000 lots should be sent by express.

#### RED SORTS

Cuthbert.—A remarkably strong, hardy variety; berries very large, rich crimson, very handsome, sweet, rich and luscious; highly

Each, 10 cents; per 25, \$1.75; per 100, \$5.00; per 1,000, \$35.00.

King.—Said by many to be the best early red raspberry.

Plant a strong grower, hardy and productive. Berry firm; good shipper; large size; color bright scarlet.

Each, 10 cents; per 25, \$1.75; per 100, \$5.00; per 1,000, \$35.00.

St. Regis.—This variety has proven its worth again during the season of 1917, producing fine crops of fruit. Begins to ripen with the earliest and continues to bear on young wood until October. Berries bright crimson, large size, rich sugary raspberry flavor. Flesh firm and meaty, a good shipper. Wonderfully productive, the first or main crop, equalling any red variety known. Canes stocky, of strong growth, with abundant dark green leathery foliage.

Try it.

Each, 10 cents; per 25, \$1.75; per 100, \$5.00; per 1,000, \$35.00

#### PURPLE SORTS

Columbian.—An improvement on Shaffer's, which it resembles, but the berry is much firmer, adheres to the bush much longer and retains its shape better, both on the market and for canning. Bush a stronger grower, attaining a very large size. One of the hardiest and wonderfully prolific. Unexcelled for productiveness, and stands at the head for canning, making jam, etc.

Each, 15 cents; per 25, \$2.00; per 100, \$6.00; per 1,000, \$50.00.

#### **BLACK SORTS**

Cumberland.—The largest of all black caps. A healthy, vigorous grower, throwing up stout, stocky, well-branched canes, that produce immense crops of magnificent berries. Fruit very large, firm; quality about the same as Gregg; keeps and ships well as any of the blacks. The most profitable market variety.

Each \$0.10 \$1.50 \$5.00 \$30.00

Kansas.—A strong, vigorous grower, standing extremes of drought and cold and bearing immense crops. Early, berries size of Gregg, of better color; jet black and almost free from bloom; firm, of best quality; presents a handsome appearance and brings highest price in market.

Each 25 100 1 000

Each 25 100 1,000 ..... \$0.10 \$1.50 \$5.00 \$30.00

Plum Farmer.—A few days later than Kansas; matures its crop in a very short period, making it one of the most profitable early market sorts. Berries are thick-meated, firm, with a bloom similar to Gregg. Large berries.

Each 25 Tips..... \$0,10 \$1,50 \$5.00 \$30.00

## Gooseberries

Can not be shipped to states west of Iowa, Missourl and Arkansas, or to Minnesota, account embargo.

This fruit requires the same cultivation as the currant. The surest method to prevent mildew is to plant thickly in the rows and mulch deeply six or more inches with straw, tan bark, coal ashes, etc. Plantations thus treated have borne large crops for twenty years. The mulch retains moisture in the driest weather; the few weeds that push up are easily pulled, and the fruit is large and more evenly ripened. In mulching be sure that the ground is underdrained, or it is worse than useless. Good cultivating is better than half mulching. Put it on thick. In a dry season the extra amount of fruit will double pay for the material used, not to speak of the saving of labor and cleanliness of the fruit. The price is remunerative and the demand is yearly increasing. The American varieties are not subject to mildew. To prevent mildew, spray the bushes as soon as the leaves appear in the spring, and several times during the summer, with potassium sulphide (liver of sulphur), one ounce to four gallons of water.

Plant in rows five feet apart and the plants three feet apart in the rows—2,904 plants to the acre. Write for prices on larger quantities than quoted.

quantities than quoted.

If wanted by parcel post add 5c per plant to the price quoted to cover postage and extra packing.

**Downing.**—Size medium to large, oval, greenish white; plants vigorous, upright, very productive; never mildews,

Each 10 100

2-year, No. 1...... \$0.25 \$2.00 \$15.00 Houghton.—A vigorous grower; very productive; not subject to mildew. Flesh tender and very good. Red when ripe.

Each 10 100

2-year, No. 1...... \$0.20 \$1.75 \$13.00

### Currants

Cannot be shipped to states west of Iowa, Missourl and Arkansas, or to Minnesota, account embargo. Currants should be planted in good, very fertile soil, with liberal manuring, and the tops should be cut back nearly to the crown, allowing only three or four canes to grow the first year. Prune more or less every year to get rid of old wood and keep the bushes open. Currant worms can be destroyed by white hellebore, one ounce to three gallons of water, and applied with a sprinkling can. Be sure to use the remedy as soon as, or before, the worms appear. Plant the same as Gooseberries.

Write for prices on larger quantities than quoted.

If wanted by parcel post, add 5 cents per plant to cover postage and extra packing.

Fay.—The best currant yet introduced; berries are large, uniform in size, with long stems, good flavor, and is very and easy to pick.

..... \$0.20 \$1.50 \$13.00 2-year, No. 1.....

Each 10 100 ... \$0.20 \$1.50 \$13.00 White Grape.—Large, yellowish white; sweet or very mild acid; excellent quality and valuable for table use. Productive.

Each 10 100 \$0.20 \$1.50 \$13.00

**Cherry.**—Very popular in market and brings several cents more per quart than any other old variety.

## Blackberries

Many kinds of blackberries will succeed, not only on good fruit land, but even on the most sandy, porous soil. They require the same treatment as recommended for raspberries, but in field culture should be planted in rows seven feet apart and three feet distant in the rows; in garden culture, plant rows five feet apart and three feet distant in the rows. The pruning should be governed by the growth of cane and should be severe. Pinch back the canes in summer when three feet high, causing them to throw out laterals. When planting 7 by 3 feet it takes 2,078 plants for an acre. Our Blackberry plants are all grown from root cuttings; they are free from disease.

when planting 5 by 3 lete a part it takes 2,904 plants for an acre.

Our Blackberry plants are all grown from root cuttings; they are free from disease.

If wanted by parcel post, add 10c to the 10 price, 15c to the 25 price, 50c to the 100 price, to cover postage and extra packing, 1,000 lots should be sent by express.

Blowers.—Originated in Chautauqua County, New York. Claimed to be the hardiest, most productive and the finest quality of all the blackberries. Large size, jet black, good shipper. We believe this variety has special merit.

Per 10, \$1.10; per 25, \$1.85; per 100, \$6.00; per 1,000, \$50.0).

Early Harvest.—This is one of the earliest blackberries in cultivation; a compact, dwarf grower; fruit medium size and fine quality; an enormous bearer

Per 10, 75c; per 25, \$1.50; per 100, \$4.75; per 1,000, \$36.00.

Eldorado.—Very vigorous and hardy, enduring the winters of the far Northwest without injury, and their yield is enormous. The berries are large, let black, borne in clusters, and ripen well togother; they are very sweet, melting and pleasing to the taste; have no hard core.

Per 10, \$1.00; per 25, \$1.75; per 100, \$5.50; per 1,000, \$45.00.

## Dewberries

Lucretia.—One of the low-growing, trailing blackberries; in size and quality it equals any of the tall-growing sorts. Perfectly hardy, healthy and remarkably productive, with large showy flowers. The fruit, which ripens early, is often one and one-half inches long by one inch in diameter; soft, sweet and luscious throughout, with no hard core; ripe before late raspberries are gone. Should be mulched to keep berries from the ground.


If wanted by parcel post add 10c to the 10 price, 15c to the 25 price, 50c to the 100 price.

Each, 10 cents; per 25, \$1.75; per 100, \$5.00; per 1,000, \$40.00.

# Weber's Three Best Varieties Raspherries



# Weber's Three Best Varieties Blackberries



# Grapes

There is scarcely a yard so small, either in country or city, that room for one-to a dozen or more grape vines cannot be found. They do admirably trained up to the side of any building, or along the garden fence, occupying but little room and furnishing an abundance of the healthiest fruit. Make the soil mellow and plant the vines somewhat deeper than they stood in the nursery. Plant about eight feet apart, along the fence or building. For vineyard nursoes make rows eight feet apart, six feet in rows purposes make rows eight feet apart, six feet in rows.

To plant an acre, 6 by 8 feet, requires 908 plants. Write us for prices on larger quantities.

If wanted by parcel post add 2c per plant to the prices quoted up to 100 lots to cover postage and extra packing. 1,000 lots should be sent by Express or Freight.

Campbell Early.—A fine healthy and early variety, profuse bearer. Ripens with the Moore's Early but keeps on the vine or in the house for weeks.

Concord.—The old stand-by. A large, purplish black grape; remarkably hardy, vigorous and productive. Very popular; market sort. Each 10 100 1000 best market sort.

Moore.—Bunch medium, berry large, round, with heavy bloom; vine exceedingly hardy, entirely exempt from mildew or discase. Its earliness makes it desirable for an early market. Two weeks earlier than Concord.

2-year, No. 1. Each 10 100 1000 \$170.00

#### RED OR AMBER SORTS

**Delaware.**—Bunches small, compact, shouldered; berries rather small, round; skin thin, light red; flesh very juicy, without any hard pulp, with an exceedingly sweet, spicy and delicious flavor.

2-year, No. 1 ...... \$0.50 \$4.30 \$38.00

#### WHITE SORTS

Diamond.—Grape from Concord seed, fertilized with Iona. In vigor of growth, color and texture of foliage and hardiness of vine it partakes of the nature of its parent Concord, while in quality the fruit is equal to many of the best tender sorts, and ripens two weeks earlier than the Concord.


Each 

Niagara.—Vine remarkably hardy; strong grower; bunches very large and compact, sometimes shouldered; berries large; light greenish white; semi-transparent; slightly ambered in the sun; skin thin but tough, and does not crack; quality good; very little pulp; melting and sweet to the center.

# Strawberries

As we have not grown Strawberry plants for the past few years and have accommodated our patrons by securing them from reliable growers, we wish to announce that we have discontinued handling these plants on account of the heavy loss sustained each year, owing to delays in delivering after being shipped. We would advise our patrons to buy direct from the growers. Get plants while they are in good condition.

# Map Showing Location of Our Nurseries




# Weber's Grapes

# Weber's Red, White and Blue Collection No. 1



# Weber's Red, White and Blue Collection No. 2



Collection	No.	1-1	Each,	3	Above	Named	Varieties,	Postpaid	81.00
Collection	No.	21	Each,	3	Above	Named	Varieties,	Postpaid	.85
Collection	No.	3-1	Each,	6	Above	Named	Varieties,	Postpaid	1.75

#### NUT TREES

The growing demand for nuts and the immense quantities imported annually is giving an impetus to the planting of nutbearing trees in America. Many farms contain land that would be far better planted to nut trees than in anything else, and would pay better than farm crops, besides annually growing more valuable as timber. In planting ordinary nut trees we would advise planting the smaller size stock—say one or two year seedlings—for best results.

the smaller size stock—say one or two year seedings—for pessents.

Chestnut (Japan or Giant),—A dwarf grower. Very distinct from other kinds, the leaf being long and narrow, of a dark green color. A fine ornamental tree in any situation. Commences bearing very young; two-year trees in nursery row frequently produce nuts. Nuts are of good size. The productiveness, early bearing and enormous size render these of great value.

Each 10

of these where the soil is adapted to their growth.

Each 10 \$1.25 \$10.00 4 to 5 ft 4 to 5 ft

Walnut (American Black).—The large, oily nuts are borne in heavy crops. They are much relished and always bring a fair price in market. The tree grows quite fast; its wood is exceedingly valuable.

4 to 5 ft. S1.25 \$10.00

They are much relished and always bring a fair price in market. Each 10

Each 10

\$0.90 \$8.00 Valuable, San 10

4 to 5 ft. S0.90 \$8.00

5 to 6 ft. 1.10 10.00

6 to 7 ft. 1.25 11.00

Walnut (Japan Sieboldi).—From the mountains of Northern Japan. Leaves of immense size, a charming shade of green. Nuts resemble pecans and are produced in abundance, grow in clusters of ten to fifteen.

3 to 4 ft. 10

5 to 6 ft. 1.00

1 to 4 ft. 10

5 to 6 ft. 10 3 to 4 ft..... 3 to 4 to 5 ft. 5 to 6 ft.

#### HARDY GRAFTED ENGLISH WALNUT TREES

These are not the tender varieties grown in the South, but are the hardy variety grown in New York State, Pennsylvania and Ohio.

Mayette. — Probably the largest, thin shell, smooth and attractive.
Franquette.—Tree hardy and reliable, nuts medium large,

shell fairly thin, cracks easily. Each

#### 3 to 4 ft..... \$1.50 \$13.00 HARDY GRAFTED NORTHERN-GROWN PECAN TREES

We have arranged with one of the best known growers of Grafted Nut Trees to supply us with a limited stock of Pecan Trees for Spring 1926 Delivery. The following varieties are recommended for this

section:
Indiana.—From Knox County, Indiana. One of the largest and best. Nut is thin shelled, full meated and good quality. Heavy cropper.
Greenriver.—Originated in Henderson County, Kentucky. Nut medium size, shell thin, kernel full and plump and of the best quality.

best quality.

Butterick.—From Grayville, Illinois. One of the oldest Pecan trees of the Indiana group. A real paper-shell of excellent quality.

Marquardt.—Originated in Iowa. Tree is a very rapid grower.

Nuts are large and long, with thin shell and a very large and plump kernel. One of the best for general planting.

Niblack.—Originated in Knox county, Ind. Nut medium to large; shell very thin; kernel full and plump.

Of the best quality.

Each 10

Each Grafted or Budded Trees, 3 to 4 feet..... \$2.75 \$25.00



NO FARM-Whether Grain, Dairy or Truck, is complete without a family orchard, consisting of selected fruits for home consumption, canning, etc.

Greenriver





**English Walnut** 

### PERSIMMON (AMERICAN)

The Persimmon makes a very handsome ornamental tree, and is hardy in this section. The fruit, although pungent when green, becomes sweet and palatable if allowed to remain on the tree exposed early frosts. 4 to 5 ft., each . . .





Rhubarb

## Asparagus

For garden culture dig a trench 18 inches wide and 12 inches deep, trenches 4 feet apart; fill in some well rotted manure in bottom of trench; then cover same with top soil about 2 inches. Plant on top of that, 18 inches apart in the row, and only cover the plant about 2 inches with good, fine soil, filling in the balance by degrees as the plant grows up. Give them a top dressing of manure annually early in spring after loosening the beds on top by forking them over.

Write us for prices on larger quantities.

If wanted by parcel post, add 10c for 25 plants; 30c for 100 plants; 1,000 lots should be sent by Express or Freight.

25 100 1,000

\$1.00 \$2.00 \$15.00 

size; attractive color, sweet and teachers early.

Conover.—A mammoth variety of vigorous growth; an old and well-tried sort; very popular.

Palmetto.—Of Southern origin. It is earlier, a better yielder, more even and regular in its growth, and in quality equal to that old favorite, Conover's Colossal.

Washington (New)—A new rust-resistant pedigreed Asparagus.

### Rhubarb or Pie Plant

This deserves to be ranked among the best early fruits of the garden. It affords the earliest material for pies and tarts, continues long in use and is valuable for canning. Make the bed very rich and deep. Plant in rows four feet apart and the plants three feet distant. Set the roots so that the crowns are about an inch below the surface.

Linnaeus.—Large, early, tender and fine; the very best of all.

It wanted by parcel post, add 10c per plant to cover postage and extra packing.

\$2.00 \$15.00 1.25 10.00 Large sets. 0.15

# Ornamental Department

### **Brief Suggestions to Planters**

A few dollars spent for trees and shrubs to Improve your property will increase its value far more than the expenditure.

what to Plant.—Impressed with the Importance of planting only the most hardy ornamental trees and shrubs, and in order that our patrons may be spared much disappointment and expense, we have, as far as possible, omitted from our catalogue anything that is liable to suffer from severe cold. We have with great pains secured, both at home and abroad, all valuable hardy material, so as to render our assortment of this class as complete as possible. An examination of this catalogue shows what an extensive variety of stock is offered, enabling the planter, by a judicious use of the same, to accomplish any desired result with perfectly hardy trees, shrubs and plants. For convenience we have grouped the trees under the following heads: Deciduous Trees, Weeping Deciduous Trees, Ornamental Shrubs, Vines and Climbers, Hedge Plants, Roses (Hybrid Perpetual, Everblooming, Climbing, Trailing, etc.), Evergreens, Perennials and Greenhouse Plants.

For Parks and Extensive Grounds.—No difficulty can be

Koses (Hybrid Perpetual, Everglooming, Chimbing, Training, etc.), Evergreens. Perennials and Greenhouse Plants.

For Parks and Extensive Grounds.—No difficulty can be experienced by anyone in making selections for this purpose. But we cannot impress too strongly the importance and value of flowering sbrubs for effective masses and groups. There are many who imagine that Rhododendrons and Azalea are indispensable. This is a great error. In this latitude both Rhododendrons and Azaleas require prepared soil and protection, while hardy shrubs like the Weigela, Deutzia, Spirea, Hardy Hydrangea, Japan Quince, Double-Flowering Almonds, Lilac, Snowball, Althea, Paeony, Phlox and Japan Anemone, when planted in masses, produce a magnificent effect, need no protection and demand little skill or care in their management. What grand masses of bloom can be had throughout the season by the proper use of the various families. Then the purple and variegated-leaved trees and shrubs may also be planted in such a manner as to afford a rich and striking contrast. Groups of flowering trees form superb objects at the blossoming season, and it is strange that planters do not employ them more.

Highly effective groups can be formed of trees and shrubs possessing bright colored bark in winter.

For Lawns and Small Places.—Whatever specimens are

For Lawns and Small Places.—Whatever specimens are planted should be of the finest species, of moderate size, of graceful habit of growth and handsome foliage. A pendulous tree or one with variegated foliage may be occasionally introduced and will add to the beauty of the grounds. Depend mainly upon dwarf shrubs for small places, and in selecting, aim at securing a succession of bloom. Dwarf evergreens are very useful, and in small grounds hardy herbaceous border plants can be used with the most satisfactory results. A proper selection will afford as much bloom as ordinary bedding plants, and at half the trouble and expense.

When to Plant—Deciduous Trees Shrubs and Vines can be

When to Plant.—Deciduous Trees, Shrubs and Vines can be planted either in Spring or Fall. Spring is the best time for Evergreens generally. They can also safely be planted from September 15th to October 20th greens generally. The 15th to October 20th.

How to Plant.—Preparation of the Roots: Cut off smoothly all bruised or broken roots up to the sound wood; this prevents their decaying and hastens the emission of new roots and fibers.

Preparation of the Top.—This consists in cutting back the top and side branches in such a way as to correspond with the more or less mutilated roots, as follows:

Trees with branching heads should have the small branches cut clean out, and the larger ones, intended for the framework of the tree, cut back till within two or three buds of their base. In cases where there is an abundant root, and small top or few branches, the pruning need be very light; but where the roots are small and the top heavy, severe pruning will be necessary. These remarks are applicable to all Deciduous Trees and Shrubs. Evergreens seldom require pruning, but Arborvitae and other Evergreens planted in hedge rows may be advantageously shorn immediately after planting.

Pruning, as practiced by some people, has the effect to

Pruning, as practiced by some people, has the effect to render trees and shrubs unnatural and inelegant. We refer to the custom of shearing trees, particularly Evergreens, into cones, pyramids and other unnatural shapes. Every tree, shrub and plant has a habit of growth peculiar to itself, and this very peculiarity is one of its beauties. If we prune all trees into regular shapes we destroy their identity. The pruning knife, therefore, should be used to assist nature, and handled with judgment and care; to top off straggling branches, to thin the head of a tree which sometimes becomes too dense, and to remove dead wood. Sometimes it becomes necessary to prune severely to keep a tree from attaining too great size.

Shearing may be practiced on hedges, but never on trees or

Shearing may be practiced on hedges, but never on trees or shrubs.

Pruning Shrubs.—Many persons train and shear them into regular shapes, imagining that regular outline adds to their effect and beauty. While symmetry and regularity of outline are to be admired in a shrub, this quality should never be gained at the expense of health and natural grace. Each shrub has its peculiarities of habit and foliage, and we should aim to preserve them as far as possible. Judicious pruning to secure health and vigor is necessary, but trimming all kinds of shrubs into any one form shows a lack of appreciation for natural beauty, to say the least. Welgelas, Spireas, Deutzias, Forsythia and Mock Orange flower on the wood of the previous season's growth, hence these shrubs should not be pruned in winter or spring, but in June, after they have finished flowerling, when the old wood should be shortened or cut out, thus promoting the growth of the young wood which is to flower the following season. Altheas and Honeysuckles may be trimmed during the winter or early in the spring, but the branches should only be reduced enough to keep them in good shape. The old growth should be occasionally thinned out and the suckers and root sprouts removed when they appear. The best time, however, for pruning all shrubs is when they have done flowering.

The Hydrangea Paniculata Grandiflora should be severely cut back and thinned early in spring.

Pruning Evergreens.—Use the knife occasionally to thicken the growth and preserve the shape. This can be done in April or May, just before the trees start to grow.

Large specimen ornamental trees are planted with less risk when dug with ball of earth. We make extra charge for this, but where it is possible to do so, it well repays the extra expense.

#### CLASSIFICATION OF ORNAMENTAL TREES

For the convenience of purchasers we have classified the various ornamental trees as follows:

#### Class I-Trees Suitable for Street and Avenue Planting:

Class I—Trees Sultable for Street and Avenue Pla
Acer Saccharinum (Silver Leaved Maple).
Acer Platanoides (Norway Maple).
Acer Saccharum (Sugar Maple).
Fraxinus Alba (White Ash).
Liriodendron (Tulip Tree).
Platanus Occidentalls (American Sycamore).
Platanus Ocidentalls (European Sycamore).
Populus Fastigiata (Lombardy Poplar).
Populus Monolifera (Carolina Poplar).
Populus Nigra (Grecian Poplar).
Quercus Palustris (Pin Oak).
Quercus Rubra (Red Oak).
Salisburia (Maiden Hair).
Tilia Americana (American Linden).
Tilia Platyphyllos (Large Leaved European Linden).
Ulmus Americana (American Elm).

#### Class II-Trees with Cut or Lanceolated Foliage:

Acer Saccharinum var. Weirii (Weir's cut-leaved Maple). Betula Alba var. Lacinata Pendula (Cut-leaved Weeping Birch).

Sorbus Quercifolia (Oak-leaved Mountain Ash).

#### Class III-Trees with Colored Follage:

Acer Platanoides var. Schwedlerii (Schwedler's Maple). Purple foliage in spring.

Prunus Pissardi (Plum), Purple foliage. Populus Alba Bolleana (Poplar), Silver folia Salix Regalis (Silver Wiliow), Silver foliage. Silver foliage. Class IV-Trees Producing Conspicuous Flowers:

Class IV—Trees Producing Conspicuous Flow
Aesculus (Horse Chestnut).
Aralia (Angelica Tree).
Catalpa Speclosa.
Cercis (Red Bud).
Chionanthus (White Fringe).
Cornus (White and Red Flowering Dogwood).
Crataegus (Thorn). White and Scarlet Flowering.
Cytisus (Golden Chain).
Halesia (Silver Bell).
Liriodendron (Tulip Tree).
Magnolia, in variety.
Persica (Peach). Double Flowering.
Prunus Triloba (Plum). Double Flowering.
Pyrus (Crab) in variety.

Class V-Weeping Trees. See Weeping Trees in this Catalog.

For descriptions, see under proper headings in this catalog.

For sizes larger or smaller than quoted herein, write ns. We frequently have specimen stock of certain varieties and always have younger or smaller stock than we quote. Describe the class of stock desired and we will quote on such as we can supply.

In order to make it easier for planter to select trees for particular purposes, we have adopted letters to denote the various classes, as follows:

-Denotes trees that attain a height of 50 feet and over at maturity.

M-Denotes trees that attain a height of 25 to 40 feet at maturity.

S--Denotes trees that attain a height of 8 to 15 feet at maturity.

D--Denotes trees that attain a height of 2 to 8 feet at maturity.

A House is only a Building, unless surrounded by Trees and Plants, then it's a Home,



Modern Home After Planting the Weber Way

# Deciduous Ornamental Trees

## Nomenclature

The names of Trees, Shrubs, Perennials, etc., published in this Catalog are in accordance with the recommendations adopted by the American Joint Committee on Horticultural Nomenclature, representing the American Association of Nurserymen, Ornamental Growers' Association, American Society of Landscape Architects, American Pharmacutical Association, American Association of Park Superintendents.

#### ACER—MAPLE

A. platanoides. (Norway). T.—A native of Europe. Its large, compact habit, broad, deep green shining foliage, render it one of the most desirable species for streets, parks and lawns.

	raen	10
1 to 11/4-in., 8-10 ft	\$4.50	\$42.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ -in., 8-10 ft		52.50
1½ to 1¾-in., 10-12 ft		62.50
1 ¾ to 2-in., 12 ft	7.50	70.00
A alatamatidas una Calematical	(D	1. 31

A. platanoides var. Schwedierl. (Purple Norway Maple.) M.—The beautiful leaves attract attention at all seasons, but are especially fine in spring, when their gleaming red and purple contrasts brightly with the delicate green of other trees. In mid-summer they are purplish-green, in autumn golden-yellow.

In adding Poston Jessons		Per 10
6-8 ft	\$5.00	

A. saccharinum. (Silver Leaved) T.—A hardy rapid-growing native tree of large size, valuable for producing a quick shade. Excellent for street

	Each	Per 10	Per 100
6 to 8 ft	\$1.50	\$12.50	\$100.00
8 to 10 ft, 1 to 1 1/4 in	2.00	17.50	150.00
1 1/4 to 1 1/2 inch, 8 to 10 ft	3.00	25.00	200.00
1 ½ to 1 ¾ inch, 10 to 12 ft.	4.50	35.00	300.00
1 ¾ to 2 inch, 12 to 14 ft.	5.00	42.50	*****

A. saccharinum var. Wierii. (Wier's Cutleaved Silver Maple.) T.—One of the best cut or dissected-leaved trees; being of rapid growth it soon produces an effect. Young shoots slender and drooping.

8 to 10 ft., 11/4 to 11/2 in. 2.50 22.50 .....

A. saccharum (Sugar). T.—A very popular American tree, and for its stately form and fine foliage justly ranked among the very best, both for lawn and avenue.

	Each	10
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	.\$4.50	\$40.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	. 4 50	50 00

#### AESCULUS—Chestnut

A. hippocastanum (Horse). T.—This mag-nificent, large-sized tree has no superior on the lawn. In the spring it is profusely covered with panicles of white flowers dotted with red.

Each
 \$4.50
 6.00

#### AILANTHUS—Tree of Heaven

A. altissima (glandulosa). T.—A rapid-growing, lofty tree, long, elegant foliage. A distinct ornamental tree with pinnate foliage, exempt from diseases and insects. Useful in producing tropical effects.

6	to	8 ft .																\$2		
8	to	10 ft.	٠.		4	<										•		2	5	

#### AMELANCHIER-Mespilus

A. canadensis. (Service Tree or Shadblow.) M.—A small, slender tree that bears a profusion of drooping spikes of white flowers, rendering the tree quite conspicuous about the time that shad are running up the river. Also grown for its fruit.

		rer to	
2 to 3 ft	\$0.90	\$7.50	
3 to 4 ft		10.00	

#### AMYGDALUS-Almond, Peach and Plum

Amygdalus. (Almond Double-flowering.)—See Deciduous Shrubs.

double; superb.

Each Per 10 1,60 14,00 4 to 5 ft..... A. Persica rubra. (Double red-flowering Peach.) -Flowers semi-double, bright red, fine.

Each Per 10 . 1.60 14.00 4 to 5 ft..... A. triloba. (Double-flowering Plum.) D.—beautiful small tree or shrub of fine habit, with elegant, double, rosy flowers, set very closely on slender branches.

Each Per 10 

ARALIA—Angelica Tree A. spinosa. (Hercules Club.) S.—A very showy sort, yet which produces suckers quite freely. Immense clusters of small, white flowers in July.

Each Per 10

4 to 5 ft..... \$1.25 \$11.00

A. pentaphylla. See Acanthopanax, Deciduous Shrubs.

BETULA—Birch B. alba. (European White Birch.) T.—Of which Coleridge says: "Most beautiful of forest trees, the lady of the woods."

Each Per 10 Per 100 6 to 8 ft.....\$3.00 \$27.50

B. alba laciniata pendula. (leaved Birch.) See Weeping Trees. (Weeping Cut-

CATALPA—Indian Bean

CATALPA—Indian Bean
C. bignonioides nana. (Chinese Catalpa.)
(Bungei.) D.—A small species that grows 8 to
10 feet high, as broad, forming a broad head
clothed with a dense mass, heart-shaped leaves.
Among our hardy trees there are but few, if any,
that are more effective for park or lawn. Grafted
on stems of the common Catalpa 5 to 6 feet from
the ground, forming an umbrella-shaped top.
Each Per 10 Per 100
2-year heads, standard... 2.00 17.50 150.00
C. speciosa. (Western.) T.—One of the most
rapid growers. Large heart-shaped, downy leaves.
and compound panicles of white flowers, tinged
with violet and dotted with purple and yellow.
Each Per 10 Per 100

			Per 100
8 to 10 ft	\$1.50	\$13.50	\$120.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. dia	2.00	17.50	150.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. dia	3.00	27.50	250.00

#### CERCIS—Red Bud


C. canadensis. (American Judas.) M.—A small tree of irregular rounded form, with pretty foliage, and very showy when in bloom; the branches and twigs are covered with a dense mass of small pink flowers before the leaves expand.

Each Per 10 Per 100

3 to 4 ft. S1 50 \$13 50 ...
4 to 5 ft. 175 15 00 ...

#### CERASUS—See Prunus

CHIONANTHUS—White Fringe C. virginica. S.—A small native tree, with ash-like leaves and clusters of snow-white flowers, 



#### DECIDUOUS TREES—Con.

#### CORNUS-Dogwood

C. florida. (White Flowering.) M.—An American species, of spreading irregular form, growing from 16 to 20 feet high. The flowers are produced in spring before the leaves appear; they are white and very showy. Popular.

													Per 100
3	to	4	ft.			 					\$2.00	\$17.50	
4	to	5	ft.	٠.		 					2.25	20.00	

C. florida rubra. (Red Flowering.) M.—Recently introduced. A variety producing flowers suffused with bright red; blooms when quite young. One of the finest flowering trees.

	Each	Per 10	
3 to 4 ft	\$5.00	\$45.00	

#### CRATAEGUS—Thorn

C. coccinea. (Scarlet-fruited Thorn.) M.—A fine native variety. Single white flowers in spring, scarlet fruit in autumn.

Each Per 10
3 to 4 ft.... \$2.00 \$17.50

C. crus-galll. (Cockspur Thorn.) S.—A well known native thorn; has long sharp spines or thorns; fruit bright red; valuable for hedging.

C. oxycantha var. alha plena. (Double White Thorn.) S.—Has small double white flowers. A highly ornamental variety, on account of hoth foliage and flowers. Makes a striking contrast when planted with the double scarlet.

Each Per 10 3 to 4 ft. \$2.50 \$22.50

C. oxycantha var. Paulii. (Paul's Double Scarlet Thorn.) S.—Flowers bright carmine red. Superior to any of its color. Each Per 10

3 to 4 ft..... \$3.00

#### FRAXINUS-Ash

(American White.) americana. M .-- A r. american. (American white.) M.—A rapid-growing native tree, valuable for planting along streets or in parks; may he extensively planted for timher; largely used in the manufacture of agricultural implements.

8 to 10 ft., 1½ to 1½-in... \$2.50 \$22.50 \$200.00 10 to 12 ft., 1½ to 1¾ in... 3.00 27.50 250.00

For Mountain and Oak-Leaved Ash—See Sor-hus—Deciduous Trees.

#### GINKGO-Salisburia (Maiden Hair Tree)

G. hiloba. T.—A native of China and Japan, forming a medium or large tree; leaves fan-shaped. Tree of a rapid growth and belonging to the Conif-

	Each	Per 10	Per 100
6 to 8 ft., 3/4 to 1 in	\$2.50	\$22.50	\$200.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in	3.00	27.50	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	32.50	300.00
10 to 12 ft., 1½ to 1¾ in	4.00	37.50	350.00

#### GYMNOCLADUS-Kentucky Coffee Tree

G. dloica. (Canadensis.) M.—A strikingly ornamental, irregular, open-topped tree, with peculiar rough-barked and twigless branches and Immense broad, double-compound foliage of a peculiar hluish-green color. The flowers are white, in open racemes, followed by immense long, brown pods. A picturesque and desirable tree.

									Per 10
8 to 10 ft	 							. \$2.5	\$22.50
10 to 12 ft	 			 				. 3.0	27.50

#### HALESIA-Silver Bell

Brown light green foliage, dense growing trees of small size and well adapted for lawn culture and grouping with other plants. Their chaste, pure white flowers are produced in ahundance along the entire length of the hranches as the leaves appear in the spring, and give a very charming picture. Best grown in well-drained soil in somewhat shetered position.

H. tetraptera. (Carolina.) S.—The hardiest species. Very choice.

	Each	Per 10
3 to 4 ft	\$1.50	\$12.50
4 to 5 ft	1.75	15.00

## JUGLANS—Walnut See Nut Trees.

#### LIQUIDAMBER-Sweet Gum

L. styraciflua. T.—A large native tree, with rough, corky hark and shining, deep lobed, starshaped leaves, changing to deep crimson in the

		Per 10
4 to 5 ft	\$2.50	\$22.50
5 to 6 ft	3.00	27.50
6 to 8 <b>f</b> t	3.50	32.50

The Gum, like the Tulip and Birch, are hard trees to transplant; we recommend digging the larger sizes with hall and burlapping. We charge extra for this work, according to size tree.

#### LIRIODENDRON—Tulip Tree

L. tulipifera. T.—One of our very largest native trees, with large, smooth, shining leaves, greenish-yellow flowers and an umbrageous head. Each Per 10

6 to 8 ft	\$2.00	\$17.50
8 to 10 ft	2.50	22.50

#### **MAGNOLIA**

M. glauca. (Sweet Bay or Swamp Magnolia.) S.—When planted in moist soil this makes a handsome tree of medium size. Its leaves are glossy, laurel-like, almost evergreen. In June its pure white flower-cups are lovely and grand. Per 10

3 to 4 ft............. \$5.00

#### MAGNOLIA-Chinese Species and Their Hybrids

Owing to Government embargo we are unable to import this class of Magnolias.

#### MALUS-Crab

M. ioensis. (Bechtel's Double Flowering Crah.) S.—The beauty and delicate fragrance of the bloom of the sweet-scented crah is a theme for poets and this new variety is a gem among hardy plants. The flowers are sometimes mistaken for small plink roses, and the perfume tends to increase rather than correct the delusion.

Each Per 10 3 to 4 ft. \$2.00 \$17.50

3 to 4 it. 2.75 25.00 M. florihunda (Single-Flowering Crab). S.—Flowers beautiful carmine in hud; white when open; May. Fruit very ornamental in autumn. 4 to 5 ft. Each. \$1.75

M. Atrosanguinea (S).-Red flowers. used in landscape work. Each

\$1.25 \$10.00 1.50 12.50 3-4 ft..... M. Parkmannii (S) (Parkman's Crab.).-Dwarf hahit, foliage dark green, hangs on late; flowers double dark rose.

4 to 5 ft. Each..... Malus Purpurea—A form of Florihunda with darker red flowers.

Each Per 10 4 to 5 ft..... \$2.00 \$17.50

#### PLATANUS—Sycamore or Plane

The Sycamore is probably the hardiest of all street trees for our larger cities. It can stand more ahuse than any other tree we know of, ls not affected with many of the injurious insect pests that infect other varieties of trees; it can

stand the smoke and gases hetter than can most other ornamental street trees. We recommend the Sycamore for general planting in large cities, nanufacturing cities and cities lying along rivers and lowlands where the other finer trees would stand very little chance of surviving for any length of time.

P. occidentalis. (American Plane.) T.—A tree of the largest size, growing rapidly, very ornamental and entirely hardy. Fine for street plant-

P. orientalis. (European Plane.) T.—A lofty, wide-spreading tree; large five-lobed leaves; valuable for its handsome foliage and free growth; makes an excellent street tree.

This is undoubtedly the best variety of the Sycamores for general street planting, on account of its more compact growth than the American variety. Holds its foliage later in the fall.

European and American

-	Each	Per 10	Per 100
6 to 8 ft	\$2.00	\$17.50	\$150.00
8 to 10 ft	3.00	25,00	200.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. dia	3.75	35.00	300.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. dia	4.50	40.00	
1 3/4 to 2 in. dia	6.50		
2 to 2 ½ in dia	7.50		

#### POPULUS-Poplar

P. alha pyramidalis. (Bolleana) (Silver). M .-New pyramidal form, leaves dark green on upper side, brilliant silver underneath. Very beautiful.

								Each	Per IU	
6	to	8 ft	 					\$2.00	\$17.50	
8	to	10 ft	 					2.50	22.50	

P. deltoides monilifera. (Carolina Poplar) (Carolina.) M.—A vigorous, healthy native tree of rapid growth, pyramid in form, with large, glossy leaves; valuable for park or street planting.

	Each	Per 10	Per 100
6 to 8 ft., 1 to 11/4 in	\$0.60	\$5.00	\$40.00
8 to 10 ft., 1 1/4 to 1 1/2 in	.80	7.00	60.00
10 to 12 ft., 1 1/2 to 1 3/4 in.,	1.30	11.50	100.00
10 to 12 ft., 1 3/4 to 2 in	2,00	17.50	150.00
12 to 14 ft., 2 to 2 ½ in	2,50	22.50	200.00

P. nigra italica. (Lomhardy Poplar) T .grows to an immense height, and is remarkable for its columnar growth. In landscape work hreaks the monotony of the lower, round-topped trees. One of the characteristic trees of Lomhardy and other parts of Italy.

	Each	Per 10	Per 100
6 to 8 ft	\$0.90	\$8.00	\$70.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in	1.25	11.00	100.00
10 to 12 ft., 1 1/4 to 1 1/2 in.,	2.00	17.50	150.00
12 to 14 ft., 1 ½ to 1 ¾ in	2,50	22.50	200 00
14 to 15 ft., $1\frac{3}{4}$ to 2 in	3.50	32.50	
15 ft. and up, 2 to 2 ½ in	5.00		

#### PRUNUS-Plum, Cherry

Comprises the genus cerasus (Cherry) and Prunus (Plum). These contain many heautiful flowering and hright foliaged varieties.

P. avium alha piena. (Double Flowering Cherry) (Cerasus.) M.—The double white flowers, like little roses, cover the tree completely.

Each

4 to 5 ft..... \$3.00 ....


P. cerasifera Pissardii. (Purple-leaved Plum.) S.—A very remarkable and beautiful tree with hlack bark and dark purple leaves, remaining so until late in the fall. Each Per 10

#### QUERCUS—Oak

Q. palustris. (Pin Oak.) M.—Foliage deep green, finely divided; assumes a drooping form when it acquires age. One of the most valuable for street planting.

(Red Oak.) Т.rubra. species, of large size and rapid growth, foliage purplish red in the fall.

Each 1¼ to 1½ in. dia: \$3.75 \$35.00 1½ to 1¾ in. dia 4.50 42.50 1¾ to 2 in. dia. 5.50 52.50 . . . . . .



#### DECIDUOUS TREES-Continued

#### SALIX-Willow

All Willows should be pruned annually for best results.

(Goat Willow.) S.-Also known саргеа. as Pussy Willow, catkins silky, preceding the leaves; very useful for early effects.

S. pentandra. (Laurel Willow.)—A fine ornamental tree, with large shining leaves.

Each Per 10 4 to 5 ft ..... \$0.75 \$6.00

S. vitellina aurea. (Golden Willow.) M.—Grows into a massy low-headed tree. Light green leaves and brilliant golden-yellow bark in winter.

Each Per 10 5 to 6 ft..... \$0.75 \$6 50

S. vitellina britzensis. (Salmon Barked Willow.) L.—A form of the above with yellow bark on the younger wood, tinted with red.

Each Per 10 See Weeping Trees.

#### SORBUS-Mountain Ash

S. aucuparia. M.—A small tree with shining, pinnated leaves and large cymes of white flowers, followed by clusters of bright red fruit.

Each Per 10

5 to 6 ft. \$2.00 \$17.50

6 to 8 ft. 2.50 22.50

S. quercifolia. (Oak-Leaved Mountain Ash.) M.—A hardy tree of pyramidal habit. Foliage simple and deeply lobed, bright green above and downy beneath. A fine lawn tree.

Each Per 10 6 to 8 ft..... \$2.50 \$22.50

#### TILIA-Linden

T. americana. (American.) T.—A fine pyramidal tree with large-sized leaves and fragrant flowers.

Each Per 10 8 to 10 ft., 1¼ to 1½ in... \$3.00 \$27.50 10 to 12 ft., 1½ to 1¾ in... 3.50 30.00 T. platyphylos. M.—A tree of about the same size as T. vulgaris, but readily distinguished from it by its larger and rougher leaves. Each Per 10 Per 100

Each Per 10 Per 100 8-10 ft., 1 ½ to 1 ½ in. dia. \$3.00 \$27.50 ...... 10 to 12 ft., 1 ½ to 1 ¾ in. 3.50 30.00 .....

T. vulgaris (Europaea). M.—A fine pyramidal tree, with medium-sized leaves and fragrant

Each Per 10 Per 100 8 to 10 ft., 1¼ to 1¼ in. . \$3 00 \$27 50 10 to 12 ft., 1½ to 1¾ in. . 3 50 30.00

#### ULMUS-Elm

U. americana. (American.) T.—The drooping, spreading tree of our woods. the grandest of park and street trees. -The noble. Select specimens. Per 10 Per 100

8 to 10 ft.—11/4 to 11/2 in. dia.... 10 to 12 ft.—1½ to 1¾ in. \$2.75 \$25.00 \$200.00 dia 3 50 32 50 300 00 10 to 12 ft.—13/4 to 2 in. 4.50 40.00

to 14 ft.—2 to  $2\frac{1}{2}$  in. 5.00 47.50 dia...

#### WEEPING DECIDUOUS TREES

#### ACER-MAPLE

saccharinum var. Wierii (Wier's Cut-leaved Maple) .- See Deciduous Trees.

#### BETULA—Birch

B. alba laciniata pendula (Cut-leaved Weeping Birch.) T.—Trunk straight, slender, white as snow; branches hanging in long pendulous threads from a great height; leaves finely cut; a universal favorite.

#### MORUS-Mulberry

M. alba pendula (Weeping Mulberry.) S.—
A graceful and beautiful hardy tree, forming a perfect umbrella-shaped head, with long, stender, willowy branches, drooping to the ground and gracefully swaying in the wind. Foliage small-lobed and of a delightful fresh, glossy green. Admirably adapted to cemetery planting.

Each Per 10 Per 100 1 year heads.......\$3.75 \$34.00 \$300.00

#### SALIX-Willow

babylonica (Babylonian Weeping Willow). M.—A well-known and most graceful tree of large size. Its fresh, bright green tint and long, wavy branches make it very attractive.

Each Per 10 Per 100 6 to 8 ft. \$1.25 \$11.00 \$95.00 8 to 10 ft. 1.75 15.00 ....

S. blanda (Wisconsin Weeping Willow). M.—Of drooping habit and beautiful form. The most hardy of all Weeping Willows.

Each Per 10. 8 to 10 ft..... 1.75 15 00

S. elegantissima. (Thurlow's Weeping Willow.) M.—Larger, hardier and more spreading than the Babylonica. A fine variety where a large size tree is desired.

Each Per 10 Per 100 6 to 8 ft..... \$1.25 \$11.00 \$95.00 8 to 10 ft..... 1.75 15.00

SORBUS—ASH

Each Per 10 W. P. Mountain Ash....

**ULMUS-Elm** 

U. var. Camperdown Pendula (Camperdown Weeping Elm). S.—One of the finest weeping trees for the lawn. With broad foliage and branches drooping gracefully to the ground.

Per 10 2-year heads, 5 ft. stems........ \$5.00

NOTICE

In the future our Office, Nurscry and Greenhouses will be closed on Sundays and Legal Holidays during the months of June, July, August, September, December, January and February. During March, April, May, October and November we will be open from 8 to 11:30 a. m. on Sundays to accommodate customers who can not come on week days.

## LANDSCAPING

Our business is the growing and supplying of trees and plants of all kinds described in our catalogue for Landscape work.

If you are contemplating any Landscape work write us, giving description of what is desired and we will be pleased to refer you to someone who can take care of your proposition and make estimate of cost, etc.

It will save time it you will make a sketch showing size of grounds, location of building, present driveways, walks, etc. Indicate any large trees that may be on the place, give name of same, and if possible send us photographs showing front and sides of house and grounds. We can then answer more intelligently.

A few dollars spent for trees and shrubs to improve your property will increase its value far more than the expenditure.



Before Consulting a Landscape Architect



After Planting With Trees and Shrubbery (This is now a home.)

# Deciduous Ornamental Shrubs

Our collection of Hardy Shrubs is one of the finest and most complete in the West. To parties desiring to lay out new grounds, or to fill out missing sorts, we would kindly ask correspondence.

To make it easier for planter to select shrubs for particular purposes we have adopted letters to denote the average height to which the various shrubs grow at maturity.

S—Denotes shrubs that grow 3 to 6 feet high. D—Denotes shrubs that grow 2 to 3 feet high.

T—Denotes shrubs that grow 12 to 15 feet high. L—Denotes shrubs that grow 8 to 12 feet high. M—Denotes shrubs that grow 6 to 8 feet high.

## Classification of Ornamental Shrubs

Shrubs elassified as to height, eolor of flower and time of blooming.	SHRUBS THAT GROW 6 TO 8 FEET HIGH-Cont'd.
	NAME. COLOR OF FLOWER. BLOOMING.
SHRUBS THAT GROW 12 TO 15 FEET HIGH.	Spires billardii Pose Midaummer
SHROBS HAT GROW II TO IVILLE MIGH.	Spirea Douglassi Deer rose Line-July
Time of	Spirea Fontenavii alba. White Midsummer
NAME, COLOR OF FLOWER. BLOOMING.	Spirea Douglassi. Deep rose June-July. Spirea Fontenayii alba. White. Midsummer. Spirea Fontenayii rosea. Rose. Midsummer. Spirea Margaritea. Soft pink. May.
	Spirea MargariteaSoft pinkMay.
Amorpha fruitieosaJune.	Spirea Magartea.  Spirea Prunifolia.  Spirea Reevesiana.  Spirea Reevesiana fl. pl.  White.  May.  Spirea Reevesiana fl. pl.  White.  May.  Spirea saficifolia.  Rose.  June-July.  Spirea sorbifolia.  White.  July.
Eleagnus angustifoliaYellowJune.	Spirea ReevesianaWhiteMay.
	Spirea Reevesiana fl. pl
	Spirea saheifoliaRoseJune-July.
SHRUBS THAT GROW 8 TO 12 FEET HIGH.	Spirea sorbifolia
	Syringa Japonica
TIME OF	Syringa josikeaLilacApril.
NAME. COLOR OF FLOWER. BLOOMING	Syringa rothomagensis. Rose April. Syringa villosa. Purple shaded white May. Syringa vulgaris. Purple. April.
Colutea arboreseens	Syringa vinlosa ru pie snaded white.May.
	Syringa vulgaris
Euonymus europaeus	Syringa vulgaris alba
Exochorda grandifloraWhiteMay.	Viburnum dentatumWhiteMay.
Euonymus americanus. Small yellow. May. Euonymus europaeus. Small yellow. May. Exoehorda grandiflora. White. May. Hibiscus in variety. Red, white, purple, pink. AugSept. Philadelphus coronarius. White. June. Philadelphus coronarius fl. pl. Double white. June. Philadelphus coronarius grandi- florus grandi- White. June.	Viburnum molle Greenish-white June.
pinkAugSept.	Viburnum molle
Philadelphus coronarius WhiteJune.	Viburnum tomentosum plieatum, White
Philadelphus eoronarius n. pi Double white June.	Weigela in varietyRed. pink, whiteJune. Weigela variegatedPinkJune.
Philadelphus coronarius grandi-	Weigela variegatedPinkJune.
Didd delphys coronarius lewisii White lune	
Phodotypos korbiolos White Uno-Luly	SHRUBS THAT GROW 3 TO 6 FEET HIGH.
Rhus cotinus Purple Midsumpor	TIME OF
Rhus glabra Crimson seed Fall	NAME. COLOR OF FLOWER. BLOOMING.
Rhus typhina	AbeliaJune.
Rhus typhina laciniataCrimson seedFall.	Acanthopanax
Sambueus canadensis	AmygdalusPink and whiteApril.
Sambueus canadensis aureaWhiteJune.	Aronia arbutifolia
Sambucus nigra	Aronia melanoearpa
Philadelphus coronarius grandiflorus. White. June. Philadelphus eoronarius lewisii. White. June. Rhodotypos kerrioides. White. June-July. Rhus cotinus. Purple Midsummer. Rhus glabra. Crimson seed Fall. Rhus typhina Crimson seed Fall. Rhus typhina laciniata. Crimson seed Fall. Sambueus canadensis. White. June. Sambueus canadensis aurea White. June. Sambueus nigra. White. June. Sambueus racemosus. White. June. Tamarix africana Rose-purple. April.	Acanthopanax Green June. Amygdalus Pink and white. April. Aronia arbutifolia White. April-May. Aronia melanoearpa White. April. Benzoin aestivale Inconspicuous. April.
Tamarix africanaRose-purpleApril.	BuddleiaJuly-August.
Tamarix galliea	Ceanothus white April
Tamarix odissina. Pink May	Cepnalanthus
Sambucus racemosus. White. June. Tamarix africana. Rose-purple. April. Tamarix gallica. Delicate pink. May. Tamarix odissina. Pink. May. Tamarix hispida estivalis. Bright carmine. July. Tamarix tetandra purpurea. Purplish pink. July. Viburnum lantana. White. May. Viburnum lentago. Creamy white. May. Viburnum opulus. White. May.	Doutrie lemoinei White Mer
Viburnum lantana White May	Dietvilla lemonen Vellow Inv
Viburnum lentago Creamy white May.	Eleagnus longines Yellow June
Viburnum onulus White May.	Hydrangea arborescens White July
, is a fact of the second of t	HyperieumYellowJuly-August.
	Kerria JaponicaSingle yellowAll summer.
SHRUBS THAT GROW 6 TO 8 FEET HIGH.	Kerria japonica fl. plDouble yellowAll summer.
	Lonieera ledebouri
TIME OF	Lonicera ruprechtiana
NAME OF THE PROPERTY OF THE PR	Lonicera Iedebouri Red. June. Lonicera ruprechtiana Pink June. Rhus canadensis. White April.
NAME OF THE PROPERTY OF THE PR	Lonicera ruprechtiana Pink June. Lonicera ruprechtiana Pink June. Rhus canadensis White April. Rhus copalina Greenish yellow August.
NAME OF THE PROPERTY OF THE PR	Lonicera ruprechtiana Pink June.  Lonicera ruprechtiana Pink June.  Rhus canadensis White, April.  Rhus copalina Greenish yellow August.  Rubus odoratus. Rosy purple May.  Sping Rumalds Pink Midsummer
NAME OF THE PROPERTY OF THE PR	Lonieera ledebouri Red. June. Lonieera ruprechtiana. Pink. June. Rhus canadensis. White. April. Rhus canadensis. Gre $\epsilon$ nish yellow August. Rubus odoratus. Rosy purple May. Spirea Bumalda. Pink. Midsummer. Spirea multiflora arguta White April.
NAME OF THE PROPERTY OF THE PR	Lonicera Idebouri Red. June. Lonicera ruprechtiana Pink June. Rhus canadensis. White. April. Rhus copalina Greenish yellow August. Rubus odoratus. Rosy purple May. Spirea Bumalda Pink Midsummer. Spirea multiflora arguta White. April. Spirea Thunbergil White. April
NAME OF THE PROPERTY OF THE PR	Lonieera ledebouri Red. June. Lonicera ruprechtiana Pink June. Rhus canadensis. White April. Rhus copalina. Greenish yellow August. Rubus odoratus. Rosy purple. May. Spirea Bumalda Pink Midsummer. Spirea multiflora arguta White. April. Spirea Thunbergil. White April. Symboricarpus racemosus. Rose June-July.
NAME OF THE PROPERTY OF THE PR	Lonieera ledebouri Red. June. Lonieera ruprechtiana. Pink. June. Rhus canadensis. White. April. Rhus copalina. Greenish yellow August. Rubus odoratus. Rosy purple May. Spirea Bumalda. Pink. Midsummer. Spirea multiflora arguta. White. April. Spirea Thunbergil. White. April. Symphoricarpus racemosus. Rose. June-July. Vitex agnus castus. Purple August-Sept.
NAME OF THE PROPERTY OF THE PR	Lonieera ledebouri Red. June. Lonieera ruprechtiana Pink June. Rhus canadensis. White. April. Rhus copalina Gree nish yellow August. Rubus odoratus. Rosy purple May. Spirea Bumalda Pink Midsummer. Spirea multiflora arguta White. April. Spirea Thunbergil. White. April. Symphoricarpus racemosus. Rose. June-July. Vitex agnus castus Purple August-Sept. Vitex agnus castus alba White. Age.
NAME OF THE PROPERTY OF THE PR	Lonicera ledebouri Red. June. Lonicera ruprechtiana Pink June. Rhus canadensis. White April. Rhus copalina. Greenish yellow August. Rubus odoratus. Rosy purple May. Spirea Bumalda Pink Midsummer. Spirea multiflora arguta White. April. Spirea Thunbergil. White April. Symphoricarpus racemosus. Rose June-July. Vitex agnus castus. Purple August-Sept. Vitex agnus castus alba. White AugSept.
NAME OF THE PROPERTY OF THE PR	Aronia melanoearpa White. April. Benzoin aestivale Inconspicuous. April. Buddleia. Lilac. July-August. Ceanothus. White. April. Cephalanthus White. July. Clethra. White. July. Deutzia lemoineii White. May. Diervilla lutea. Yellow June. Hydrangea arborescens. White. July. Eleagnus longipes. Yellow June. Hydrangea arborescens. White. July. Kerria japonica. Single yellow. July-August. Kerria japonica Single yellow. All summer. Kerria japonica Red. June. Lonicera ruprechtiana Pink. June. Lonicera ruprechtiana Pink. June. Rhus canadensis. White. April. Rhus copalina. Gree nish yellow August. Rubus odoratus. Rosy purple. May. Spirea Bumalda Pink. Midsummer. Spirea multiflora arguta. White. April. Spirea Thunbergil. White. April. Symphoricarpus racemosus. Rose. June-July. Vitex agnus castus. Purple August-Sept. Vitex agnus castus alba White. AugSept.
NAME OF THE PROPERTY OF THE PR	TIME OF
NAME OF THE PROPERTY OF THE PR	TIME OF COLOR OF FLOWER. BLOOMING.
NAME OF THE PROPERTY OF THE PR	TIME OF COLOR OF FLOWER. BLOOMING.
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	Time of   Name.   Color of Flower.   Blooming.
NAME OF THE PROPERTY OF THE PR	TIME OF NAME. COLOR OF FLOWER. BLOOMING. Berberis illicifolia
NAME OF THE PROPERTY OF THE PR	Time of   Name.   Color of Flower.   Blooming.
NAME OF THE PROPERTY OF THE PR	TIME OF NAME,  COLOR OF FLOWER.  Berberis illicifolia.  Berberis Thunbergii.  Callicarpa.  Desmodium.  Desmodium.  Color of FLOWER.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  Spirea callosa, var. Froebelli.  Bright-red.  June.  Spirea callosa, var. Superba  Rosy-red.  June.  Stephandra flexuosa.  White.  June.  Stephandra flexuosa.  White.  June.  Stephandra flexuosa.  White.  June.
Name.  Calycanthus.  Calycanthus.  Maroon-purple.  June.  Green-white.  June.  Cornus amomum.  Creen-white.  Cornus amomum.  Creen-white.  Cornus mas.  Yellow.  May.  Cornus sanguinea.  Green-white.  June.  Cornus stolonifera.  Green-white.  June.  Cornus stolonifera aurea.  Green-white.  June.  Cornus stolonifera aurea.  Green-white.  June.  Corylus.  Catkins.  May.  Cydonia.  Scarlet.  April.  Peutzia in variety.  White.  May-June.  Forsythia in variety.  Yellow.  March-April.  Hamamelis.  Yellow.  SeptOct.  Hydrangea paniculata grandifora.  June.  Jushammum officinalis.  White.  June.  Ligustrum amourense.  White.  June.  Ligustrum ibota.  Ligustrum regelianum.  Ligustrum regelianum.  White.  June.  Ligustrum regelianum.  Ligustrum regelianum.  White.  June.  Ligustrum regelianum.  Lonicera fragrantissima.  Pink.  May.  Lonicera tartarica alba.  White.  June.  Lonicera tartarica rosea.  Rose.  June.  Lonicera tartarica rosea.  Rose.  June.  Lonicera tartarica rosea.  Rose.  June.	Name.  Name.  Color of Flower.  Berberis illicifolia.  Berberis Thunbergii.  Yellow.  April.  Callicarpa.  Insignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. aba.  White.  All summer.  Spirea callosa, var. Froebelli.  Bright-red.  June.  Spirea callosa, var. Superba.  Rosy-red.  June.  Stephandra flexuosa.  White.  June.  Stephandra flexuosa.  White.  June.  SHRUBS THAT GROW 1 TO 2 FEET HIGH.
Name.  Calycanthus.  Maroon-purple. June. Cornus alba Green-white June. Cornus amomum Green-white June. Cornus mas Cornus mas Yellow May. Cornus sanguinea Green-white June. Cornus stolonifera Green-white June. Corplus Catkins May. Cydonia Scarlet April. Deutzia in variety White May-June. Forsythia in variety Yellow March-April. Hamamelis Jyellow Sept-Oct. Hydrangea paniculata flora Jasminum officinalis White July to Oet, Jasminum nudiflorum Yellow Midsummer, Lagerstroemia Rose, red, white June. Ligustrum abouta Ligustrum ibota White June. Ligustrum regelianum White June. Ligustrum regelianum White June. Lonicera fragrantissima Pink May Lonicera tartarica alba Lonicera tartarica rosea Rose June Lonicera Lonicera Rose June Lonicera Rose June Lonicera Rose June Rose	TIME OF NAME.  COLOR OF FLOWER.  Plooming.  Color of Flower.  Color of Flower.  Plooming.  Color of Flower.  Color of Flower.  Blooming.  May.  Berberis illicifolia.  Yellow.  April.  Yellow.  April.  August.  April.  Potentilla fruiticosa.  Yellow.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  All summer.  Spirea callosa, var. Froebelli.  Bright-red.  June.  Spirea callosa, var. Superba.  Rosy-red.  June.  Stephandra flexuosa.  White.  June.  SHRUBS THAT GROW 1 TO 2 FEET HIGH.  Time of  Name.  Color of Flower.  Blooming.
Name.  Calycanthus.  Maroon-purple. June. Cornus alba Green-white June. Cornus amomum Green-white June. Cornus mas Cornus mas Yellow May. Cornus sanguinea Green-white June. Cornus stolonifera Green-white June. Corplus Catkins May. Cydonia Scarlet April. Deutzia in variety White May-June. Forsythia in variety Yellow March-April. Hamamelis Jyellow Sept-Oct. Hydrangea paniculata flora Jasminum officinalis White July to Oet, Jasminum nudiflorum Yellow Midsummer, Lagerstroemia Rose, red, white June. Ligustrum abouta Ligustrum ibota White June. Ligustrum regelianum White June. Ligustrum regelianum White June. Lonicera fragrantissima Pink May Lonicera tartarica alba Lonicera tartarica rosea Rose June Lonicera Lonicera Rose June Lonicera Rose June Lonicera Rose June Rose	TIME OF NAME.  COLOR OF FLOWER.  BLOOMING.  Berberis illicifolia.  Berberis Thunbergii.  Callicarpa.  Insignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  Spirea callosa, var. Froebelli.  Bright-red.  June.  Spirea callosa, var. Superba.  Rosy-red.  June.  Spirea callosa, var. Superba.  Rosy-red.  June.  Stephandra flexuosa.  White.  June.  Stephandra flexuosa.  White.  Color of Flower.  Time of Name.  Color of Flower.  Belooming.
Name.  Calycanthus.  Maroon-purple. June. Cornus alba Green-white June. Cornus amomum Green-white June. Cornus mas Cornus mas Yellow May. Cornus sanguinea Green-white June. Cornus stolonifera Green-white June. Corplus Catkins May. Cydonia Scarlet April. Deutzia in variety White May-June. Forsythia in variety Yellow March-April. Hamamelis Jyellow Sept-Oct. Hydrangea paniculata flora Jasminum officinalis White July to Oet, Jasminum nudiflorum Yellow Midsummer, Lagerstroemia Rose, red, white June. Ligustrum abouta Ligustrum ibota White June. Ligustrum regelianum White June. Ligustrum regelianum White June. Lonicera fragrantissima Pink May Lonicera tartarica alba Lonicera tartarica rosea Rose June Lonicera Lonicera Rose June Lonicera Rose June Lonicera Rose June Rose	TIME OF NAME.  Rerberis illicifolia.  Berberis Thunbergii.  Calloar of FLower.  Yellow.  April.  Callicarpa.  Lnsignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  All summer.  Spirea callosa, var. Superba.  Spirea callosa, var.  Spirea callosa, v
Name.  Calycanthus.  Maroon-purple. June. Cornus alba Green-white June. Cornus amomum Green-white June. Cornus mas Cornus mas Yellow May. Cornus sanguinea Green-white June. Cornus stolonifera Green-white June. Corplus Catkins May. Cydonia Scarlet April. Deutzia in variety White May-June. Forsythia in variety Yellow March-April. Hamamelis Jyellow Sept-Oct. Hydrangea paniculata flora Jasminum officinalis White July to Oet, Jasminum nudiflorum Yellow Midsummer, Lagerstroemia Rose, red, white June. Ligustrum abouta Ligustrum ibota White June. Ligustrum regelianum White June. Ligustrum regelianum White June. Lonicera fragrantissima Pink May Lonicera tartarica alba Lonicera tartarica rosea Rose June Lonicera Lonicera Rose June Lonicera Rose June Lonicera Rose June Rose	TIME OF NAME.  Rerberis illicifolia.  Berberis Thunbergii.  Calloar of FLower.  Yellow.  April.  Callicarpa.  Lnsignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  All summer.  Spirea callosa, var. Superba.  Spirea callosa, var.  Spirea callosa, v
Name.  Calycanthus. Calycanthus. Maroon-purple. June. Cornus abla Green-white Orener Centus amomum Green-white June. Centus amomum Green-white June. Cornus mas Yellow May Cornus sanguinea Green-white June. Cornus stolonifera Green-white June. Cornus tolonifera Green-white June. Corpuls. Catkins May Cydonia Scarlet April Deutzia in variety White May-June Forsythia in variety Yellow March-April Hamamelis. Yellow Sept-Oct. Hydrangea paniculata flora. June Jasminum officinalis White July to Oet, Jasminum nudiflorum Yellow Midsummer, Lagerstroemia Rose, red, white June. Ligustrum amourense White June Ligustrum regelianum White June Ligustrum regelianum White June Lonicera fragrantissima Pink May Lonicera tartarica rosea Rose June Lonicera tartarica rosea Rose June Physocarpus opulifolia White June Physocarpus opulifolia White June Physocarpus opulifolia White June Physocarpus opulifolia White June Rhamnus catharticus White June Physocarpus opulifolia White June Rhamnus catharticus White June Rhamnus catharticus White June Rhamnus catharticus White June May-June, Rhemous Catharticus White June Myorune	TIME OF NAME.  Rerberis illicifolia.  Berberis Thunbergii.  Calloar of FLower.  Yellow.  April.  Callicarpa.  Lnsignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  All summer.  Spirea callosa, var. Superba.  Spirea callosa, var.  Spirea callosa, v
Name.  Calycanthus.  Calycanthus.  Maroon-purple.  June.  Gornus alba  Green-white  June.  Cornus amomum  Creen-white  June.  Cornus amomum  Green-white  June.  Cornus mas  Yellow  May.  Cornus sanguinea  Green-white  June.  Cornus stolonifera  Green-white  June.  Corplus  Catkins  May.  Cydonia  Scarlet  April.  Deutzia in variety  White  May-June.  Forsythia in variety  Yellow  March-April.  Hamamelis  Yellow  Sept-Oct.  Hydrangea  paniculata  flora  Jasminum officinalis  White  July to Oet  Jasminum nudiflorum  Yellow  Midsummer.  Jasminum officinalis  White  June.  Lagerstroemia  Rose, red, white  June.  Ligustrum amourense  White  June.  Ligustrum regelianum  White  June.  Ligustrum regelianum  White  June.  Lonicera fragrantissima  Pink  May.  Lonicera tartarica alba  Lonicera tartarica rosea  Rose  June.  Lonicera tartarica rubra  Red  June.  Physocarpus opulifolia  White  June.  Physocarpus opulifolia	TIME OF NAME.  COLOR OF FLOWER.  Blooming.  Perberis illicifolia.  Berberis Thunbergii.  Yellow.  April.  Yellow.  April.  August.  April.  Potentilla fruiticosa.  Spirea callosa, var. alba.  Spirea callosa, var. Froebelli.  Spirea callosa, var. Superba.  Spirea callosa, var.  Superba.  Rosy-red.  June.  SHRUBS THAT GROW 1 TO 2 FEET HIGH.  NAME.  COLOR OF FLOWER.  BELOOMING.  Berberis Thunbergii (Box)  New  dwarf variety.  Ligustrum Lodense.  "New Dwarf Privet Hedge"  Lonicera nitida.
Name.  Calycanthus. Calycanthus. Cornus alba Green-white Ornus amomum Green-white June. Cornus amomum Green-white June. Cereagantissima var Green-white June. Cornus mas. Yellow May. Cornus sanguinea Green-white June. Cornus stolonifera aurea Green-white June. Cornus stolonifera aurea Green-white June. Corylus. Catkins May. Cydonia Scarlet April. Deutzia in variety White May-June. Forsythia in variety Yellow March-April. Hamamelis. Yellow Sept-Oct. Hydrangea paniculata flora. White July Juse Jasminum officinalis. White Juse Jasminum officinalis White June Ligustrum amourense White June Ligustrum regelianum White June Ligustrum regelianum White June Lonicera fragrantissima Pink May Lonicera tartarica alba White June Lonicera tartarica rosea Rose June Lonicera tartarica rosea Rose Physocarpus opulifolia White June Physocarpus opulifoli	TIME OF NAME.  COLOR OF FLOWER.  Blooming.  Perberis illicifolia.  Berberis Thunbergii.  Yellow.  April.  Yellow.  April.  August.  April.  Potentilla fruiticosa.  Spirea callosa, var. alba.  Spirea callosa, var. Froebelli.  Spirea callosa, var. Superba.  Spirea callosa, var.  Superba.  Rosy-red.  June.  SHRUBS THAT GROW 1 TO 2 FEET HIGH.  NAME.  COLOR OF FLOWER.  BELOOMING.  Berberis Thunbergii (Box)  New  dwarf variety.  Ligustrum Lodense.  "New Dwarf Privet Hedge"  Lonicera nitida.
Name.  Calycanthus.  Calycanthus.  Maroon-purple.  June.  Gornus alba  Green-white  June.  Cornus amomum  Creen-white  June.  Cornus amomum  Green-white  June.  Cornus mas  Yellow  May.  Cornus sanguinea  Green-white  June.  Cornus stolonifera  Green-white  June.  Corplus  Catkins  May.  Cydonia  Scarlet  April.  Deutzia in variety  White  May-June.  Forsythia in variety  Yellow  March-April.  Hamamelis  Yellow  Sept-Oct.  Hydrangea  paniculata  flora  Jasminum officinalis  White  July to Oet  Jasminum nudiflorum  Yellow  Midsummer.  Jasminum officinalis  White  June.  Lagerstroemia  Rose, red, white  June.  Ligustrum amourense  White  June.  Ligustrum regelianum  White  June.  Ligustrum regelianum  White  June.  Lonicera fragrantissima  Pink  May.  Lonicera tartarica alba  Lonicera tartarica rosea  Rose  June.  Lonicera tartarica rubra  Red  June.  Physocarpus opulifolia  White  June.  Physocarpus opulifolia	TIME OF NAME.  COLOR OF FLOWER.  Berberis illicifolia.  Berberis Thunbergii.  Yellow.  April.  Callicarpa.  Insignificant.  August.  Desmodium.  Rose-purple.  September.  Deutzia gracillis.  White.  April.  Potentilla fruiticosa.  Yellow.  All summer.  Spirea callosa, var. alba.  White.  All summer.  Spirea callosa, var. Superba.  Spirea callosa, var.  Spirea callosa, var

#### SHRUBS SUITABLE FOR HEDGES.

Baby Rambler Roses.—For low hedges in the Rose garden, all of the Baby Ramblers are excellent, giving a wide range of color. Berberis Thunbergii.—One of the finest and hardiest. Berberis Thunbergii (Dwarf Box variety).—Excellent for low

dwarf hedges.

Hibiscus Syriacus in varieties.—For large screens.

Lighstrum amourense (North).—The hardy Amoor River
Privet for sections north of Quincy, Illinois, where the Ovalifolium ls not hardy enough.

Ligustrum Lodense—A new dwarf hcdge to take the place of

Ligustrum ovalifolium (California Privet).—The great, almost evergreen hedge so largely planted in St. Louis.
Philadelphus in variety.—Fine for screening, and where a tall informal hedge is desired.

informal nedge is desired.

Rhodotypos.—Makes a beautiful informal hedge 6 to 8 feet high.

Spirea Anthony Waterer.—Makes a beautiful low hedge, and if
flower heads are kept cut as soon as petals fall will bloom all summer.

Spirea Van Houttei.—Makes a beautiful hedge or screen.

Sbould be more largely used on large grounds.

#### SHRUBS WITH BERRIES IN FALL AND WINTER.

SHRODD WITH DERRIE	GENERAL WELLEN AND AND AND AND AND AND AND AND AND AN							
NAME.	Неіснт.	Color of Fruit.						
Aronia arbutifoliaAronia melancarpa	3 to 6 ft 3 to 6 ft	. Scarlet.						
Benzoin aestivale	3 to 6 ft	. Scarlet.						
Berberls Thunbergii	2  to  3  ft	. Red.						
Colutea arborescens	2 to 3 ft 8 to 12 ft	. Bladder-like seed						
		pods.						
Cornus alba siberica								
Cornus mas	6 to 8 ft	. Scarlet.						
Cornus sanguinea Eleagnus augustifolia	6 to 8 ft	. White.						
Eleagnus longines	3 to 6 ft	. Orange-red.						
Euonymus alatus	3 to 6 ft	. Red.						
Euonymus americanus Euonymus europaeus								
Hex verticillata	6 to 8 ft	. Red.						
Ligustrum amourenseLigustrum ibota	6 to 8 ft	. Black,						
Ligustrum Regelianum	6 to 8 ft	. Black.						
Lonicera Bella albida	6 to 8 ft	. Red.						
Lonicera morrowi Lonicera ruprechtiana	3 to 6 ft	. Red.						
Rhamnus catharticus	8 to 12 ft	.Black.						
Rhus canadensis	3 to 6 ft	. Scarlet seed.						
Rhus copanna	6 to 8 ft	. Crimson seed.						
Rhus typhina	8 to 12 ft	. Scarlet seed.						
Rhus typhina laciniata Sambucus canadensis	8 to 12 ft 8 to 12 ft	. Scarlet seed.						
Sambucus nigra	8 to 12 ft	. Purplish-black.						
Sambucus racemosus	8 to 12 ft	Red.						
Symphoricarpus racemosus Viburnum dentatum								
Viburnum lentana	8 to 12 ft	Red.						
Viburnum lentago	8 to 12 ft	. Bluish-black.						
Viburnum molleVjburnum opulus	8 to 12 ft	Red.						

#### SHRUBS WITH COLORED FOLIAGE.

NAME.	HEIGHT.	COLOR OF FRUIT.
Cornus stolonifera aurea	6 to 8 ft	. Yellow.
Eleagnus augustifolia		
Eleagnus longipes	.3 to 6 ft	. Silvery.
Euonymus alatus	.3 to 6 ft	. Red in fall.
Hamamelis	.6 to 8 ft	. Bright red in fall.
Hibiscus variegated	.6 to 8 ft	. Variegated.
Ligustrum ovalifolium aurea	.3 to 6 ft	. Yellow.
Philadelphus coronarius aureus		
Physocarpus opulifolia luteus,.	.6 to 8 ft	. Yellow.
Rhus canadensis	.3 to 6 ft	. Red in fall.
Rhus copalina	.3 to 6 ft	. Red in fall.
Rhus glabra	.6 to 8 ft	. Red in fall.
Rhus glabra laciniata	. 6 to 8 ft	. Red in fall.
Rhus typhina	. 8 to 12 ft	. Red in fall.
Rhus typhina laciniata	,8 to 12 ft	. Scarlet in fall.
Sambucus canadensis aurea	.8 to 12 ft	. Yellow.
Sambucus nigra variegata		
Spirea callosa var. Froebelli		
Stephanandra flexuosa		
Weigela nana variegata	.3 to 6 ft	. White and green

#### SHRUBS WITH COLORED BARK IN WINTER.

NAME.	HEIGHT.	COLOR OF BARK
Cornus alba	.6 to 8 ft	. Crimson.
Cornus amomum	.6 to 8 ft	. Purple.
Cornus sanguineum	.6 to 8 ft	. Deep red.
Cornus stolonifera	.6 to 8 ft	. Red and green.
Cornus stolonifera aurea	.6 to 8 ft	. Yellow.
Eleagnus angustifolia	. 12 to 14 ft	. Silvery.
Eleagnus longipes	.3 to 6 ft,	. Reddish-brown.
Euonymus alatus	.3 to 6 ft	. Corky bark.
Kerria japonica	.3 to 6 ft	. Green.
Kerria japonica fl. pl		

#### SHRUBS WITH CUT OR LANCEOLATED FOLIAGE.

NAME.		GHT.
Rhus glabra laciniata	, 6 to	8 ft.
Rhus typhina laciniata		
Sambucus nigra laciniata	8 to	12 ft.

#### SHRUBS FOR SHADY LOCATIONS.

Name.		HEIGHT.	
Berberis Thunbergii		2 to 3 ft	
Ceanothus americanus,		3 to 6 ft	,
Clethra alnifolia			٠.
Cornus alba siberica	(	6 to 8 ft	
Cornus amomum	(	6 to 8 ft	
Cornus sanguinea	(	6 to 8 ft	
Cornus stolonifera	(		
Deutzia gracillis	:		
Deutzia lemoneii			
Forsythia (in variety)	!	6 to 8 ft	
Hydrangea arborescens		3 to 6 ft	
Hypericum Henryii		3 to 6 ft	
Ligustrum (in variety)	(	6 to 8 ft	
Rhus canadensis			
Ribes (in variety)			
Rubus odoratus			
Symphoricarpus racemosus		3 to 6 ft	
Viburnum dentatum			
Vlburnum lentago		8 to 12 ft	ċ.
Viburnum tomentosum		6 to 8 ft	t.

# Ornamental Shrubs

#### **ABELIA**

A. grandiflora. S.—In the south this shrub is evergreen, but witb us it sheds its leaves during the late winter. One of the most beautiful and satisfactory plants. Foliage is dark green and glossy, with a pronounced tinge of red in the young branches; a very graceful plant, covered with white flowers, tinged with pink. Should be given protection during winter in this climate.

			Per 100
18 to 24 incb			
2 to 3 ft	1.25	11.00	

#### ACANTHOPANAX—Aralia

A. pentaphylium. S .- Shrub with long, slender branches and few spines. Fine for rocky slopes; foliage bright green, shiny. Flowers green in long

umbeis.	Thomb	Don 10	Per 100
2 to 3 ft	\$0.60	\$5.00	\$45 00
3 to 4 ft			

#### AMORPHA—False Indigo

A. fruticosa. T.—A large, spreading bush with pinnate leaves and slender spikes of deep purple flowers; blooms in June, after most of the spring-flowering shrubs are over.

	Each	Per 10	Per 100
2 to 3 ft	\$0.60	\$5.00	\$40 00
3 to 4 ft		6.00	50.00

#### AMYGDALUS—Almond

A class of ornamental shrub or small tree introduced from the mountains of Asia Minor, and succeeding well in common garden soil. The flowers are very showy, produced in great abundance, and useful for their earliness. Fine plants to use in

grouping or for lawns.

A. nana rosea (Double Pink.) S.—Sn pink flowers borne in abundance in May.

		Per 10	
1½ to 2 ft	. \$1.00	\$9.00	
2 to 3 ft	. 1.25	11.50	
3 to 4 ft	. 1.50	12.50	
A. nana alba (Double W	7hite)。	S.—Small	double
white flowers borne in ab	undance	in May.	
	T71.	Don 10	

 
 Each
 Per 10

 1½ to 2 ft
 \$1.00
 \$9.00

 2 to 3 ft
 1.25
 11.50

 3 to 4 ft
 1.50
 12.50
 2 to 3 ft.....

#### ARONIA—Chokeberry

A. arbutlfolla. S.—Uprigbt habit; very pretty in April and May with an abundance of white flowers; its fruit carries well into the winter.

	Each	Per 10	
2 to 3 ft	\$1.25	\$11.50	
3 to 4 ft	1.40	13.00	
A. Melanocarpa (nigra	).—Bla	ick-fruite	d form
of above.	Each	Per 10	
2 to 3 ft	\$0.75	\$6.50	
3 to 4 ft		8 00	

#### BACCHARIS—Groundsel Tree

B. Halimifolia. M.—A pretty shrub with dark green foliage; especially attractive in autumn, with its fluffy white seed pods. Each Per 10 18 to 24 inch ... \$0.75 \$5.00 ... 2 to 3 ft ... 90 7.50 ... 3 to 4 ft ... 1.25 10.00 ...

BENZOIN-Spice Bush.

BENZUIN—Spice busil.

B. aestivallis.—An attractive sbrub, valued for its bandsome flowers, which come before the leaves in early spring. The foliage turns bright yellow in autumn. Fruit scarlet and conspicuous.

Each Per 10.


10.0 \$9.00 2 to 3 ft...... \$1.00 \$9.00


Landscape Views

















#### BUDDLEIA-

#### Butterfly Bush

B. davidii mag-nifica. S.—A most beautiful shrub and one that should be in every garden. A splendid shrub for park planting. It makes large shrubs even from small small even from small plants the first sea-son. Single plants son. Single plants will often have 50 or will often have 50 or more flower spikes the first year. The second year after planting it generally begins to bloom in June and continues throughout the summer until frost nips it. The flowers nips it. The flowers are produced on long, graceful stems that terminate in tapering panieles of beautiful 1 i a colored flowers of miniature size and borne by the hundred on flower heads frequently 10 inches frequently 10 inches long. This admir-able shrub should be



classed as semi-herhaceous, as it sometimes freezes classed as semi-herhaceous, as it sometimes freezes back to the ground in severe winters, but comes up again from the roots. A mulch of manure, leaves or other suitable material should be given before heavy freezing weather sets in. You should try some of these; you will be delighted with them. Each Per10 Per100 2-year-old plants. \$0.45 \$3.75 \$30.00

#### CALLICARPA

24 to 30 in.....

## CALYCANTHUS—Carolina Allspice

C. floridus. M.—A well-known native bush, bearing double, purple, fragrant flowers.

Each Per 10 Per 100

18 to 24 in. \$0.60 \$5.50 \$50.00

2 to 3 ft. \$0.7.50 70.00

CARYOPTERIS (Blue Spirea.)
C. incana (Mastacanthus) (Blue Spirea), D.—
A handsome, hardy perennial plant recently introduced from China. It is of a vigorous growth, producing flowers in great profusion the whole length of its branches, even young plants in small pots flowering freely. The color is of a rich lavender or sky blue. A valuable plant either for bedding or pot culture

Each Per 10 Per 100

#### CEPHALANTHUS—Button Bush

CLETHRA—Sweet Pepper Bush
C. alnifolia. S.—A pretty little shrub that
blossoms freely for several weeks in summer;
very fragrant white flowers, in slender racemes;
an excellent honey plant for bees.

Each Per 10
18 to 24 in... \$0.65 \$5.50 ...
24 to 30 in... 75 6.50

#### COLUTEA—Bladder Senna

COLUTEA—Bladder Senna
C. arborescens (Tree Colutea). L.—July.
Foliage compound, of a pleasing green; flowers pea-shaped, yellow and brownish red, followed by showy, curiously inflated, reddish seed pods. This is the shrub which grows native on Mount Vesuvius, and the last one seen in ascending the crater.

Each Per 10
2 to 3 ft. \$0.60 \$5.00
3 to 4 ft. 70 6.00

#### CORNUS-Cornel or Dogwood

C. alba siberica (Siberian Red Dogwood).
M.—A possible form of the Cornus Sanguinea, with intensely colored bark of the deepest crimson. Fine.

Each   Per 10   Per 100
3 to 4 ft. Each Per 10 \$1.20 \$10.00 C. Amomum (sericea) (Silky Dogwood). S.—Varies in height according to conditions, from 3 to 10 feet. Purplish hranches and black fruit in winter. Flowers in dense cymes, greenish white in early summer.
Each Per 10 Per 100 2 to 3 ft
white fruit.  Each Per 10 2 to 3 ft
Each Per 10 Per 100 2 to 3 ft. \$0.50 \$4.00 \$30.00 3 to 4 ft. 60 5.00 40.00 C. stolonifera (Wild Red Dogwood). M.—A native species with smooth, slender branches, which are usually red in winter.
### Species with smooth, siender branches, which are usually red in winter.    Each

### A Practical Hand-Book of Trees, Shrubs, Vines and Herbaceous Perennials

\$40.00 45.00

By John Kirkegaard

This practical reference book gives valuable information regarding TREES, SHRUBS, PERENNIALS, EVERGREENS, ETC. Gives valuable planting instructions and plans for the beautification of grounds. Glves adequate space to articles on insect pests, plants for certain purposes, planting, pruning, spraying and cultivation.

By SPECIAL ARRANGEMENT with the publishers we can now offer to our patrons copies of this valuable book for \$2.00, postage paid. Regular prices, postage paid, \$2.71.

We offer this book as a premium to anyone purchasing fifty-dollars (\$50.00) worth or more of ornamental trees, shrubs, vines and perennials in one order, spring 1926. This offer does not apply on orders for fruit trees, small fruit plants, roses or greenhouse plants, insecticides and spray pumps or on special collections.

#### CORYLUS-Hazel or Filbert

## CYDONIA—Japan Quince or Fire

CYDONIA—Japan Valle Bush
C. japonica, M.—Flowers very abundant, brilliant crimson scarlet. Fine for hedging.

Each Per 10 Per 100
18 to 24 in \$0.70 \$6.00 \$50.00
2 to 3 ft. 90 8.00 70.00

#### DESMODIUM

D. penduliflorum.—A low-growing shrub with rose-colored flowers in September. Dies to the ground in winter.

ground in winter. Each Per 10 Per 100 2-year plants..... \$0.80 \$7.50 \$70.00

#### DEUTZIA

Showy Japanese shrubs of the highest ornamental merit, and adapted to all good soils. Their clean foliage, upright, dense growth, free flowering nature, renders them especially valuable.

renders them especially valuable. **Prices unless otherwise noted:**Each Per 10

2 to 3 ft. \$0.40

\$3.50

\$33.00

\$3.50

\$30.00

D. seabra canddissima (Double White). M.—

Very pretty pure white

Each Per 10 Per 100
18 to 24 in. \$0.70 \$6.50 \$60.00
24 to 30 in. .90 8.50 80.00

#### DIERVILLA

D. Sessilifolia (Lutea). S.—Loose clusters small yellow flowers in June. A good shrub for a shady position on account of its fresh green foliage. Grows three to four feet high.

Each Per 10 Per 100 2 to 2½ ft... \$0.60 \$5.00 ....

### DIERVILLA-Weigela

See Weigelia, page 31.

#### **ELEAGNUS**

E. Angustifolia (Russian Olive). T.—A large shrub, sometimes of tree form, with long, narrow, silvery green foliage. The flowers are yellow followed by yellow fruit.


Each Per 10 Per 100 3 ft. \$0.60 \$5.00 \$40.00 \$10.00

#### EUONYMUS-Strawberry or Spindle Tree

Tree

E. alatus (Cork-barked Euonymus). S.—Dwarf compact habit; wood very corky; leaves small; fruit red. Foliage turns bright red in fall. One of the very finest shrubs for autumn effect.

Each Per 10 Per 100
2 to 3 ft. \$1.35 \$12.50 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$12.50 \$1.35 \$1.35 \$1.35 \$1.35 \$12.50 \$1.35 \$1



These are a few of the many places and homes which have been furnished by us. Your place can be made attractive by having us figure with you. Ask us about it.

#### EXOCHORDA—Pearl Bush

E. grandiflora. L.—A very hardy and bandsome shrub from Northern China and Japan. Pure white flowers in clusters, on light wiry branches. Unexpanded buds are like small, round beads of pearly whiteness.

	Each	Per 10
2 to 3 ft		
3 to 4 ft	1.25	11.00

#### FORSYTHIA—Golden Bell

Each Per 10 Per 100 to 3 ft. \$0.50 \$4.50 \$40.00 to 4 ft. 60 5.50 50.00

slender.
F. Fortunii. M.—Grows upright; foliage deep green; flowers bright yellow.
F. viridissima. M.—A fine hardy shrub. Leaves and bark deep green; flowers yellow. Very early in spring.

#### HALESIA TETRAPTERA See Deciduous Trees.

#### HAMAMELIS-Witch Hazel

H. virginica M.—A tall shrub; yellow flowers; late in fall, just before the leaves fall. Foliage changes to bright colors in the fall.

Each Per 10 Per 100 2 to 3 ft. \$0.90 \$8.00 .....

#### IIIBISCUS SYRIACUS-Althea or Rose of Sharon

These are very fine, hardy, free-growing, flowering shrubs, of very easy cultivation, and very desirable on account of their late summer blooming. Should be in every garden. Our collection comprises a great variety of colors and shades. (See descriptions below)

H. ancinoneflora. L.—Very large flower, measuring 3½ to 4 inches across; semi-double, red with a very deep red base on outer petals. Stamens

with a very deep red asse on outer petais. Stathens showing prominently.

H. ardcns. L.—Double violet, 2½ to 3 inches across flower; petals quilled; vigorous; very fine.

H. boule de feu. L.—Large flowers, very double, well formed, light rose; petals flecked at base with cardinal; one of the finest reds.

H. duchesse deBrabant. L.—Large, reddish like flowers

H. Jean d'Arc. L.—One of the best; flowers pure

white, double; strong grower.

H. Lady Stanley. L.—Very double, white with beautiful blush markings, cardinal base.

H. lucy. L.—Double, bright red, the brightest of our collections. A shade deeper than Anemone-

H. paneoniaflora. L.—Double, bright rose, dwarf

grower, free flowering.
H. Totus Alba.—Single white.
Each \$20.00 30.00 40.00

H. variagata fl. pl. M.—Variegated leaves, flowers very double, seldom open. This variety is very scarce. Have only limited stock.

2 to 3 ft..... \$1.75

#### HYDRANGEA

H. arborescens. S.—This beautiful shrub is being sent out under various names, as "Snowball Hydrangea," "Hills of Snow," etc. This new American Hydrangea is believed to be the most beautiful, hardy flowering shrub introduced for many vers

The plant and the same breadth, is far more graceful than the old form of Hydrangea Arborescens. Flowers are borne in large trusses, beautifully formed and of dazzling whiteness, rendering it a plant of peerless beauty. Seems to do best in rather damp or shady location.

The flowers, when cut, remain in good condition a long time, thus making the plant especially useful for cut flowers.

\$\frac{\text{Each}}{2} = \frac{\text{Each}}{2} = \frac{\text{Pot}}{2} = \frac{\text{Pot}}{2} = \frac{\text{Dot}}{2} = \frac{\text{Each}}{2} = \frac{\text{Pot}}{2} = \frac{\text{Pot}}{2} = \frac{\text{Dot}}{2} = \frac{\text{Dot}}{

#### HYPERICUM-St. John's Wort

H. Henryii.— A new hardy St. John's Wort of shrubby habit, growing from 2½ to 4 feet high, producing masses of large clear yellow flowers during July and August, and retaining its neat foliage until late in the autumn.

Each Per 10 Per 100

2-year..... \$0.70 \$6.00 .....

ILEX—Black Alder or Winterberry
I. verticillata. M.—Hardy native shrub, with
attractive foliage and habit. Very ornamental in autumn and winter when covered with brilliant 
 red berries.
 Each Per 10 Per 10 Per 100

 18 to 24 in.
 \$0.85 \$7.50 ...

 2 to 3 ft.
 95 8.50 ...

### LAGERSTROEMIA—Crepe Myrtle

L. Indica rosea. M.—Flowers bright pink, very handsome; petals curled, on long claws; panicle many-flowered, summer blooming. Not hardy here without protection.

L. Indica Purpurea.—Fine lavendar blue.

			Per 100							
18 to 24 in	\$0.70	\$6.50								
2 to 3 ft	1.00	9 50								
L. Indica Rubrum.—Dwarf crimson.										
	Each	Per 10	Per 100							
18 to 24 in	\$1.00									

#### LIGUSTRUM-Privet

The Privet is now one of the best known shrubs, both for hedging and for ornamental planting on the lawn. All of the varieties offered have merit, some for their foliage, some for their berries. They are almost evergreen and of dense habit and bear shearing to any extent.

L. amourense (North). (Amour River Privet.) A distinct type which has been found hardy in the North. Foliage and habit of growth almost identical with the variety grown in the South. Flowers

cal with the variety grown in the South. Flowers 
 white, fruit black.
 Each 80.25
 Per 10
 Per 100

 18 to 24 in.
 \$0.25
 \$2.00
 \$15.00

 2 to 3 ft.
 30
 2.50
 20.00

 3 to 4 ft.
 40
 3.50
 25,00

California Privet and the hardiness of Ibota.

Each Per 10 Per 100 ..... \$0.40 \$3.50 \$30.00 

varieties.

iness. It is particularly useful where a dwarf low growing hedge is desired, such as cemetery lots, formal gardens, etc.

formal gardens, etc.

2-year old, 12 to 15 in... \$0.35 \$3.00 \$25.00
3-year-old, 15 to 18 in... 50 4.50 40.00
L. ovalifolium. (California Privet.) M.—A vigorous, hardy variety, of fine habit, and follage nearly evergreen. Makes a desirable ornamental shrub as well as hedge. California Privet has long been recognized as one of the very best plants for hedge purposes, as it is remarkable for its beautiful, dark green, glossy foliage, its quick, strong and symmetrical growth, its freedom from insects and scale, and its ability to withstand pruning and trimming into any desired shape. Our stock comprises upwards of 100,000 plants in the various sizes.

the various sizes. 12 to 18 in, 1-year ... 80 18 to 24 in, 2-year ... 1.00 24 to 30 in, 2-year ... 1.25 30 to 36 in, 2-year ... 1.50 L. ovalifolium aureum (Golden).

-Same habit of growth as California privet but not as strong a grower. Foliage golden. Each Per 10 Per 100 24 to 30 in., heavy...... \$0.90

#### LONICERA TARTARICA—Upright Honeysuckle

Prices unless otherwise noted:

to 3 ft. \$0.50 \$4.00 \$35.00 to 4 ft. .55 \$5.00 \$45.00 3 to 4 ft.....

L. tartarica rubra. M.—Pink flowers, which contrast beautifully with the foliage. June.
L. Bella Albida. M.—Flowers white, bright red fruit in great profusion; very fine.
L. morrowi. M.—A fine variety from Japan: valuable for its handsome red fruit.
L. ruprechtiana. S.—A fine variety from Manchuria, especially valuable for its showy red fruit.
L. tartarica alba. M.—Creamy white, fragrant flowers; forms a high bush. May and June.
L. tartarica grandiflora rosea. M.—A beautiful shrub, very vigorous, and producing bright red flowers striped with white in June.
L. fragrantissima. M.—In sheltered situations the dark green leaves of this shrub are retained nearly all winter. Its pretty pink and white flowers are numerous, but not very showy. Delightful fragrance. It is easily trained into a handsome bush.

	Each	Per 10	Per 100
2 to 3 ft	\$0.60	\$5.00	\$40.00
3 to 4 ft	.70	6.00	50.00

#### PHILADELPHUS—Syringa or Mock Orange

For grouping with other shrubs, forming large screens or hedges which may not require pruning, or used as single specimen lawn plants they are desirable. They will bear heavy pruning and quickly resume their free, semi-pendulous, pictures of fact turesque effect.

Prices, unless otherwise noted:

	Each	Per 10	Per 100
2 to 3 ft	\$0.50	\$4.00	\$30.00
3 to 4 ft	. 60	5.00	40.00

P. coronarius (Mock Orange). L.—Early June. Fragrant pure white flowers, in dense clusters so numerous as to bear the branches down when flowering. One of the best.

P. coronarius flore plena (Double-flowered yringa). L.—Partially double flowers; very Syringa).

P. coronarious grandiflorus (Large Flowering). L.—Has showy large flowers, slightly fragrant; branches somewhat straggling.

P. coronarious lewisi (Gordon's Syringa). Vigorous grower and profuse bloomer; flowers slightly fragrant; late bloomer.

P. lemolnel. M.—A charming variety of upright growth; flowers small yellowish white, fragrant, completely covering the plant. Each Per 10 Per 100

2 to 3 ft.....

P. Virginalis.—A magnificent new variety. The bush grows moderately tall, with good foliage and compact habit. The flowers are the largest, handsomest and most sweetly fragrant of any known variety, with longest blooming season.

2 to 3 ft.....

#### PHYSOCARPUS—Opulaster P. opulifolius (Spirea). (Nine Bark.) strong-growing shrub with white flowers. M.---A

Each Per 10 Per 100 \$4.00 \$30.00 5.00 40.00 2 to 3 ft......\$0.45 

from the golden hue of its foliage; of strong growth.

Each Per 10 Per 100
2 to 3 ft. \$0.45 \$4.00 \$30.00
3 to 4 ft. 55 5.00 40.00

#### POTENTILLA—Cinquefoil

P. fruticosa. D.—A good dwarf shrub with dense narrow foliage, gray-green leaves with numerous single yellow flowers throughout the summer. Particularly good for swamps and rocky


Each Per 10 Per 100 \$4.50 \$40.00 6.50 60.00

#### RHAMNUS

R. catharticus. (Buckthorn.)—A stiff, twiggy shrub with white flowers in June and July, suc-ceeded by black berries. Splendid for massing in parks and public grounds.

•	•	Each	Per 10	
2 to 3 ft		 . \$0.45	\$3.50	
3 to 4 ft		 55	4.50	

# HEDGE PLANTS









SPIREA VAN HOUTTIT HEDGE




THE RESIDENCE OF THE PARTY OF T









#### RHODOTYPOS—White Kerria

R. kerrioides. L.—A choice and rare Japanese shrub, recently introduced. It is a slender branched bush, with very pretty, deeply veined leaves, and pure white flowers, borne at intervals all summer.

Each Per 10 Per 100
2 to 3 ft. \$0.80 \$7.50 \$70.00
3 to 4 ft. \$9.90 \$9.00 \$85.00

#### RHUS-Sumaeh

R. canadensis (aro	natica) (Fragrant Sumach).
	, exhaling a strong odor.
Flowers greenish white	; leaves lobed.

	Each Per 10	
18 to 24 in	\$0.80 \$7.00	
2 to 3 ft	.90 8.00	

R. copallina (Dwarf Sumach). S.—Shining green foliage, changing to rich crimson in autumn; greenish yellow flowers in August.

	Lacn	Per 10	
2 to 3 ft	\$0.60	\$5 50	
3 to 4 ft	.70	6.50	
R. glabra (Smooth Suma	ch). L	-Very	effective
the section of the terms of		A J C 15	

 $\begin{array}{ccc} \text{in autumn with its crimson seeds and foliage.} \\ & \quad \text{Each} & \text{Per 10} \\ 2 \text{ to 3 ft.} & \quad \text{$0.50} & \$4.00 \\ \end{array}.$ 

P			. 6.	-,	P	-		Ī	-	_	_	Each	Per 10		
													\$7.00	٠.	
18	to	24	in.									.95	8.50		

R. typhina (Staghorn Sumach). L.—A large shrub or tree, brilliant foliage and scarlet fruit in

R. typhina laciniata (Staghorn Sumach). L.—A large shrub or tree, brilliant foliage and scarlet fruit in autumn. A very pretty effect among shrubbery collections. Each Per 10 Per 100
3 to 4 ft. \$0.80 \$7.00 \$60.00

#### RIBES—Currant

#### ROBENIA-Locust or Acacia

R. hispida (Rose or Moss Locust). M.—A native shrub of spreading, irregular growth. Flowers rose-colored in long clusters in June and at intervals through the summer.

			,									Each	Per	10	Per 100
2	to	3	ft									\$1.00	89.	00	
3	to	4	ft									1.25	11.	00	

#### RUBUS—Bramble

R. odoratus (Flowering Raspberry). S .-- Foliage 

#### SAMBUCUS—Elder

Rapid growing shrubs with ornamental foliage, flowers and fruit. Will thrive in all soils, but give best fruiting results in that of a moist nature. The Golden Elder is one of the finest golden-leaved shrubs, and is very useful. It shows its color best on a dry soil.

on a dry son.	E- al-	Day 10	Per 100
2 to 3 ft	\$0.60	\$5.50	\$50.00
3 to 4 ft	.80	7.50	70.00

S. canadensis (Common American Elder). L.— Broad panicles of white flowers in June; reddish purple berries in autumn. A well-known native shrub.

shrub.

S. canadensis aurea (Golden). L.—A beautiful golden-foliaged form. Very useful for foliage effect.
S. nigra (Black-berried Elder). L.—Of medium growth, with purplish-black berries in September.
S. nigra laciniata (Cut-leaved). L.—Deeply cut

S. figra variagata (Variegated). L.—Foliage beautifully variegated with silver and green.
S. racemosous (Red-berried Elder). L.—White flowers in panicles in spring, followed by bright red

#### SPIREA—Meadow Sweet

An indispensable class of small to medium-sized An indispensable class of small to include sale shrubs, embracing a wide range of foliage, habit of growth, color of flowers and season of blooming. All of easiest culture in all soils.

#### Prices on following varieties:

	 Each	Per 10	Per 100
2 to 3 ft.	 \$0.55	\$4.50	\$35.00
3 to 4 ft	 65	5.50	45.00

S. Billardi. M.—Medium sized shrub, producing spiked panidles of flowers, bright rose color.
S. Douglasii. M.—Immense terminal spikes of deep rose-colored flowers. One of the best.
S. Fontenayii alba. M.—A pretty variety, with white flowers in summer. Upright grower.
S. opulifolia. (See Physocarpus.)
S. salicifolia (Willow-leaved). M.—Long, narrow, pointed leaves, and rose-colored flowers in June and July.

row, pointed leaves, and rose-colored flowers in June and July.

S. Van Houtte. M.—The grandest of all the Spireas. It is a beautiful ornament for the lawn at any season, but when in flower it is a complete fountain of white bloom, the foliage hardly showing. Clusters of twenty to thirty flat, white florets make up the racemes, and these clusters are set close along the drooping stems. Perfectly bardy and an early bloomer.

#### Special varieties quoted below:

S. Bumalda. S.—A spreading, low bush, with dark leaves brightened by corymbs of pretty, light pink flowers in May, and at intervals all summer.

	Each	Per 10	Per 100
12 to 18 in	. \$0.50	\$4.50	\$36.00
18 to 24 in	. 60	5.50	50.00

S. Callosa var. Froebelli. D.—Flowers bright rosy-red, in flat umbels. This is one of our finest Spireas, excellent as a border shrub. Foliage turns purple in the fall. Branches willowy. Should be in every garden.

					Per 100
	o 18 in.				\$30.00
18 t	o 24 in.	 	.60	5.00	40.00

S. callosa alba. D .- Of compact growth, with

Each Per 10 Per 100 S. Multiflora arguta. S.—Of dwarf habit; flowers clear white. The best early-flowering White Spirea. Early May.

	Each	Per 10	Per 100
18 to 24 in	. \$0.60	\$5.00	\$40.00
24 to 30 in			
30 to 36 in			
S. prunifolia. M.—Very			
small, double white flowers	. bloomi	ng early	r.

S. Reevesiana (Lance-leaved—Single). M.—One of the most ornamental; sbowy flowers, pure white, in umbels and very numerous.

8 to 24 in. \$0.50 \$4.00 \$36.00 \$2 to 3 ft. \$6.00 \$1.00

#### **STEPHANANDRA**

S. flexuosa. D.—A beautiful low shrub with very ornamental deep green, dense foliage. Branches spreading and drooping. Flowers insignificant, in small terminal panicles. Freezes back during the winter.

\$7.00 5.50 18 to 24 in.....

#### SYMPHORICARPUS-St. Peter's Wort

S. racemosus (Snowberry). S.—Flowers inconspictious, rose-colored in June and July; leaves thin, dark green; fruits large, milk-white, clustered; Conspiration of this large, many thin, dark green; fruits large, many thin, dark gree

#### SYRINGA—Lilae

S. japonica. M.—A species from Japan, becoming a good-fized tree, Foliage dark green, glossy; leathery; flowers creamy white, odorless, in great panicles. A month later than other

other Lilacs have done blooming. Esteemed for its fine habit and foliage.

2 to 3 ft. \$1.00 \$9.00 \$3.0

#### NAMED VARIETIES OF LILACS

This class of lilacs is very scarce this season owing to the shortage in available plants. We are therefore only offering these in limited quantity.

#### SYRINGA—Single and Double Varieties

Each Per 10 

Alphonse Lavanc.
Double.
Congo.—Deep red purplish single flowers.
Belle de Nancy.—Great panicles of satiny rose,
almost white center. Double.
Marie Legrave.—Single white flowers in large

Michael Buchner.—Double flowers of pale lilac.

Mine. Abel Chatenay.—Double pure white flowers in large panicles.

Negro.—Very dark violet-purple single flowers.

President Carnot.—Pale blue double flowers with

white in center.


President Grevy.-Beautiful blue flowers in huge panicles.

Souvenir de Ludwig Spaeth.—Single dark purplish-blue flowers in long panicles.

#### PROTECT YOUR TREES

from the ravages of the "SAN JOSE SCALE" by spraying with "SCALECIDE," the best known spray for the control of all kinds of "SCALE INSECTS."

We are WESTERN DISTRIB-UTING AGENTS for this material; we have used it in our orchards for the past 20 years and know what it will do. Send for price list and circular.



#### TAMARIX—Tamarisk

The Tamarisks are hardy shrubs, of strong growth, foliage light and feathery, their flowers delicate and fringing, usually in some light shade of red or pink. Will grow anywhere,

Prices, unless otherwise noted:

			Each	Per 10	Per 100
2	to 3	ft	\$0.55	\$4.50	\$35.00
3	to 4	ft	.65	5.50	45.00

- T. odessana (Caspian Tamarisk). A new variety with pale rose flowers, blooming earlier than Gallica.
- T. tetranda purpurea. L.—Of dwarfer and more dense growth than T. Africana. Purplish-pink flowers in mid-summer.
- T africana. L.—A tall, graceful shrub with small foliage like a Juniper, and delicate small rosypurple flowers, produced in spikes; very pretty.
- T. gallica. L.—Delicate pink or white flowers in slender panicled racemes; leaves bluish-green. An exceedingly pretty species.
- T. hispida estivalis. L.—A new variety, raised from T. Hispida. More vigorous and not so compact. In July the branches are covered on the half of their length with numerous inflorescences of large flowers of a nice bright carmine. Foliage silvery.

	Each	Per 10	Per 100
2 to 3 ft	80.60	\$5.50	\$50.00
3 to 4 ft	75	7,00	65.00

If in need of a Spray Pump send for catalogue and price list. We are distributing agents for the Deming Company.

#### VIBURNUM-Snowball

V. dcntatum (Arrow-wood). M.—A fine shrub for massing for foliage effect. Flowers greenish white.

Fach Por 10

2	to	3	ft.									\$0.80	\$7.00			
3	to	4	ft.				٠					.90	8.00			

- V. lantana. L.—A large, robust shrub, with soft, heavy leaves and large clusters of white flowers in May, succeeded with red fruit; retains its foliage very late.
- V. Opulus (High Bush Cranberry). L.—Very ornamental. Berries resembling small cranberries, hang until destroyed by frost late in fall.

	Each	Per 10	Per 100
18 to 24 in			
2 to 3 ft	1.00	9.00	89.00
3 to 4 ft	1.25	11.50	100.00

V. Opulus sterile (Common Snowball), L.—An old and well-known shrub, bearing large balls

of pure white nowers.	Each	Per 10	Per 100
18 to 24 in			
2 to 3 ft			80.00
3 to 4 ft	1.25	11.50	100.00

V. tomentosum. M.—The single form of V. Plicatum; flowers pure white, borne along the branches in flat cymes, in the greatest profusion early in June. Perfectly hardy, vigorous and free blooming. Desirable.

_	$_{ m Each}$	Per 10	Per 100
2 to 3 ft			
3 to 4 ft	1.10	10.00	90.00

V. tomentosum plicatum (Japan). M.—A rare and exceedingly beautiful species of Japan; flowers in large, globular heads; pure white, hanging long on the bush; a very choice and desirable shrub.

	Each	Per 10	
18 to 24 in	\$0.95	\$8.50	
2 to 3 ft	1.10	10.00	

#### VITEX—Chastise Tree

Vitex Agnus Castus.—A graceful shrub, growing from 5 to 6 feet high, with dense spikes 6 to 8 inches long, of lilac-colored flowers late in summer.

V. Agnus Castus Alba.—Same as Agnus Castus in growth, but has white flowers.

#### WEIGELIA—Diervilla

Beautiful shrubs that bloom in June and July. The flowers are produced in so great profusion as almost entirely to hide the foliage. They are very desirable for the border or for grouping, and also as specimen plants for the lawn.

#### Prices, unless otherwise noted:

											Each	Per	10	Per 100
2	to	3	ft								\$0.70	86	50	\$60 00
3	to	4	ft.								0.80	7	50	70.60

W. Hendersonii.—Dark pink, strong grower.

W. nana variegata. S.—An exceedingly pretty variety, the variegation being very distinct.

W. van houttel. M.—A good grower, with clear carmine flowers.

W. Abel Carriere. M.—Bright rose. One of the best.

W. Candida. M.—Flowers pure white and produced in great profusion in June and continue to bloom at intervals through the summer.

W. Desboisii. M.—Deep rose colored flowers W. Rosea. M.—Flowers bright rose. Very popular.

W. Floribunda. M.—Flowers dark red. A profuse bloomer.

2 to 3 ft. \$1.00 \$9.00 3 to 4 ft. 10 10.00

# Ornamental Vines and Climbers

A. quinata.—A beautiful, hardy Japanese vine, with unique foliage and chocolate purple flowers of delightful fragrance, in large clusters. Per 10

2-year-old plants..... \$0.70

AMPELOPSIS

A. quinquefolia Engelmanni (Engelmanni Ivy),-Shorter jointed than Quinquefolia. A goo cllmber; grows 6 to 10 feet in a season.

Each Per 10 Per 100
2-year-old plants.....\$0.45 \$3.50 \$25.00
A. quinquefolia (American Ivy or Virginia Creeper).—Has beautiful digitate leaves that hecome rich crimson in autumn; a very rapid grower. One of the finest vines for covering walls, verandas or trunks of trees. or trunks of trees.

A. tricuspidata Veitchi (Boston Ivy).—Of Japanese origin; entirely hardy, with foliage turning brilliant red in autumn. It clings tightly to walls, and is unsurpassed as a basket or vase olant. Each Per 10 Per 100 2-year-old plants.....\$1.00 \$9.00 \$80.00

BIGNONIA—Trumpet Vine

B. radicans (American Climbing Trumpet Vine).
A splendid, hardy climbing plant, with large trumpet-shaped scarlet flowers in August.

Each Per 10 Per 100
2-yr.-old plants.......\$0.50 \$4.00 \$30.00

CELASTRUS-Bitter Sweet

C. scandens.—A native climber, with handsome, glossy foliage and large clusters of beautiful orange-crimson fruits, retaining all winter. Very bright in effect and charming for winter decorations.

Each Per 10 Per 100
2-yr.-old plants.....\$0.50 \$4.00 \$30.00

CLEMATIS

A beautiful class of hardy climbers, excellent for pillars or trellises. They delight in a rich soil and sunny situations, and are perfectly hardy. C. coccinea.—A native Southern species, quite hardy, flowers small, bright scarlet; a very interesting plant. esting plant.

Each Per 10 Per 100 2-yr.-old plants.......\$0.50 \$4.50 .....

C. Henryil.—A magnificent, large white flower, a free grower and bloomer.

Each Per 10 Per 100 2-yr.-old plants.......\$1.25 ...... 2-yr.-old plants, potted... 1.50 .....

C. Jackmannii.—Deep violet purple, with a rich, velvety appearance. One of the best.

2-yr.-old plants...... Each Per 10 Per 100 2-yr.-old plants, potted... 1.50 .....

C. paniculata.—A vine of very rapid growth, quickly covering trellises and arbors with handsome, clean, glossy green foliage. The flowers are of medium size, pure white, borne in immense sheets, and of a most delicious and penetrating fragrance.

Each Per 10 Per 100 2-year-old plants...... \$1.25 \$11.00 .....

DOLICHOS JAPONICA—Kudzu Vine See Puerarla Thunbergiana.

**EUONYMUS** 

E. Kewensis.—New variety, small dark green foliage. A fine rock plant or ground cover. Grows close to the ground, fine under trees where grass will not grow.

4-in. pot plants, strong... \$0.60 5.50 ..... E. radicans variegata.—An evergreen vine with variegated foliage that clings to walls like ivy.

Each Per 10 Per 100 4-in. pot plants, strong... \$0.60 \$5.50 ..... E. Radicans vegeta.—A strong growing variety with larger leaves than the type, and producing bright orange-red berries which remain on the plant the greater part of the winter. As an

evergreen, absolutely hardy wall cover this plant is unequaled. An enthusiastic horticultural writer predicts that it will become as popular for this purpose here as the Ivy is in England.

Each Per 10 \$0.75 \$6.50

#### HEDERA—Ivy

The Ivies are evergreens and frequently suffer from exposure to the bright sunlight in winter. For this reason the north side of a wall or building is a better situation than the south.

H. helix (English Ivy).—A familiar evergreen vine, dark green leaves, favors shady location. The young wood sometimes winter-kills in this climate, due to the action of the sun more than the cold. Suitable to cover buildings, rocks, trellis work, graves, and as a carpet under trees in place with severa will not sway. in places where grass will not grow.

3-in pots, strong plants... 50 4.50 4.50 5-in. pots, extra plants... 50 4.50 35.00 5-in. pots, extra plants... 50 5.50 .....

#### LONICERA—Honeysuckle

L. Japonica aurea reticulata.—A variety with beautifully variegated foliage; leaves netted and veined with clear yellow; flowers yellow and fragrant.

L. japonica Halleana.—Color white, changing to yellow, very fragrant, hlooms from June to November.

L. periclymenum Belgica (Monthly Fragrant). A fine, rapid growing variety; flowers large and very fragrant; color red and yellow; a constant

L. scmpervirens (Scarlet Trumpet).—A strong, rapid climber; blooms very freely the entire season; bright red, trumpet-shaped flowers.

Each Per 10 Per 100 2-year-old, strong plants... \$0.50 \$4.00 \$30.00

#### LYCIUM—Matrimony Vine

L. Chinensis.—Very hardy, grows anywhere. The slender, drooping branches are somewhat thorny and bear grayish green leaves. Flowers small, pink and purple, from June to September, and are then succeeded by a profusion of bright scarlet and orange fruits through late fall and winter. winter. A good plant for covering trellis work and bowers; also for covering bare places of rock,

Each Per 10 Per 100 \$0.45 \$3.50 \$30.00 2 to 3 ft..... \$0.45

#### PERIPLOCA-Silk Vine

P. graeca.—A beautiful, rapld growing climber. Fine to twine around an old tree or other sup-port; will grow 30 to 40 feet in height. Flowers purple, brown, in auxiliary clusters. Follage

#### POLYGONUM AUBERTI-Silver Lace Vine

One of the most desirable flowering climbers. The plant is of strong, vigorous growth, attaining a height of 25 feet or more, producing through the summer and fall great foamy sprays of white flowers, and a well established plant during its long flowering period is a mass of bloom.

Each 

#### PUERARIA THUNBERGIANA-Kudzu Vine (Dolichos)

P. thunbergiana.-This is without a doubt the P. Inunergiana.— This is whome a count can fastest growing vine we know of; we have grown and recommend same to our customers wanting a fast-growing vine for covering arbors and trel-lises, also for covering rocky slopes.

1-year-old plants...... \$0.50 \$4.50

WISTARIA

The Wistaria is one of the most decorative of vines, and for porch decoration without too much shade it has no superior. The long, twining branches bear great sprays of foliage, while its charming flowers sway with every passing breeze.

W. Sinensis (Chinese).—Flowers in clusters in the fall.

Each Per 10

to the fall.

2-yr.-old plants (Layers) \$1.00 \$9.00

W. Sinensis alba.—Of similar habit to Chienensis, with pure white flowers. Each Per 10

2-yr.-old plants (Layers) \$1.00 \$9.00

Our Wistaria are grown from layers or grafts from blooming plants, hence are guaranteed to bloom.

Evergreen Shrubs

Evergreen shrubs are coming into use more and more, as they are so desirable in landscape work. The foliage helps out and enlivens the bareness of deciduous trees and shrubs in winter. They are all fond of shady places and are suitable for north sides of houses, garages and north hillsides. The soil for this class of shrubs should be carefully prepared with leaf mold, peaty soil, and should be mulched annually with well decomposed manure or partly decomposed forest leaves. Spring is the proper time to transplant.

AZALEA AMOENA

A bushy, dwarf grower with small green leaves that deepen to a lustrous coppery hue in winter. In April or May the whole plant is covered with a mass of brilliant, claret-colored flowers that retain their beauty for several weeks. Very ornamental and desirable for edging of drives and walks or for bordering beds of Kalmia, Ilex, etc.

10 to 12 in \$22.50

10 to 12 in..... 12 to 15 in....

ILEX-Holly

The Hollies are coming into demand as people get to know what splendid ornamental plants they are. The foliage is always beautiful, the flowers interesting and the fruits ornamental. A group of Hollies is always a source of pleasure.

I. opaca (American Holly).—This is our native Holly, but is a rare plant in our American nurseries.


MAHONIA

Mahonia aquifolia (Holly-Leaved Mahonia),— A native species of medium size, with purplish, shiny, prickly leaves, and showy, bright yellow flowers in May, succeeded by bluish berries. Its glossy foliage and neat habit render it a very popular plant for decorative purposes.

Each 18 to 24 in. B-B. \$2.50 24 to 30 in. B-B. 4.00

Plant Flowers to beautify your home grounds, to hide unsightly foundations, in borders or hedge, or in artistically arranged beds, to make your grounds radiate with their beauty and fragrance.





# Evergreens—Coniferae

Our trees have all been transplanted two or three times, are handsome, selected trees, well branched and rooted, suitable for lawns, etc. Evergreens can be most successfully transplanted a short time before they are ready to start into growth in the spring. They can also be planted safely very early in the fall. All Evergreens are dug the "Weber Way," with Ball and Burlap.

#### ABIES-Fir

A. Canadensis (Hemlock).—See Tsuga.

A. Douglassii.-See "Pseudotsuga."

#### BIOTA—Oriental Arborvitae.

B. orientalis aurea nana (Berkman's Golden Arborvitae). The most popular Biota grown. This conifer is of dwarf, compact and symmetrical habit. A perfect gem for small gardens, cemetery lots or formal planting. For window boxes and vases this variety is most effective.

			Each	Per 10
12 to 15	in	 	\$3 00	\$25 00
18 to 24	in	 	6 00	55.00
30 to 36	in	 	10.00	

T. orientalis (common Chinese Arborvitae).—A tall fast growing tree but not so compact.

		Eiach	Per 10
18 to 24 in .			
2 to 3 ft			
3 to 4 ft	 	 3.00	25.00
4 to 5 ft	 	 5.00	45.00

B. Orientalis Compacta.—A compact form of Chinese Arborvitae. Foliage very dark green. Fine where a slow-growing, compact tree is desired.

	Each	Per 10
24 to 30 in	\$4.00	

B. Orientalis Pyramidalis (Chinese pyramidal Arborvitae).—A fine pyramidal tree, dark green foliage, fine for foundation planting and for tub purposes.

																rer to	
																\$111.00	
5	to	6	ft.												10.00	90,00	
4	to	5	ft.												8.00	.75.00	

T. orientalis pyramidalis (Baker's Strain).—Pyramidal growth, densely clothed with fresh, lively green foliage; very hardy; one of the best.

															ach		
30 1	to	36	in.											\$	5.25	\$5	0,00
361	to	42	in.						,						6.00		
42 1	to	48	in.										i		7.50	7	0.00
48 1	to	54	in.											1	0.50	10	00.00

B. Ponita (Blue form).—A beautiful form of the Oriental Arborvitae, evidently a cross between Retinospora and the Biota varieties. Color of foliage a beautiful bluish-green.

																								Per 10
24	to	30	in.																				\$4.25	\$40.00
30	to	36	in.																	Ĺ		i	5.00	47.50
36	to	42	in.	i		i	i	i	ì	i	ì	ì	ì	i	Ī	i	Ì	Ī	Ì	Ì	÷	Ì	6.00	55.00
								-			•			•		-	-	-	-	•	-			

#### JUNIPERUS-Juniper or Cedar

J. chinensis Pfitzeriana (Pfitzer's Juniper).— Very distinct, being of a striking graceful habit; the color of foliage a bright silvery green; perfectly hardy.

																				Per 10
18 to	$^{24}$	in.	 				 												\$5.50	\$50.00
24 to	30	in.	 				 					ì	i	i			ì	ì	7.00	65,00
30 to	36	in.	 	,	i		 	i	i	i	i	i	i	i	i	i	i	Ì	9.00	85.00
																			r	

J. communis hibernica (Irish Juniper).—One of the most popular Junipers known. Rigidly upright and formal in character, resembling a green column.

green column.	2.3	-
		Per 10
2 to 3 ft. specimens	\$3.50	\$30,00
J. Stricta.—A very compact littl		

J. Stricta.—A very compact little evergreen of pyramidal habit. Foliage dark green. A beautiful evergreen for vases or where a sow-growing dwarf evergreen is desired.

				Per 10
15 to 18	in		 \$3.00	\$25 00
18 to 24	in		 4.00	35.00
24 to 30	in		 5.00	45.00
30 to 36	in		 6.00	55.00
W W/1.		~	 	

J. Virginiana Cannarti (Cannarti Juniper).—Of pyramidal habit, branches graceful, of a pleasing dark green. A beautiful tree in every way.

																	Ī		Each
3	to	4	ft	 		 					,								\$9.00
4	to	5	ft		٠	 													10.00

J. Virginiana (Red Cedar).—One of the most valuable trees for screens and windbreaks; rerfectly hardy; too well known to need description. Our trees are all extra well shaped and have been several times transplanted.

																	Per 10	
																	\$30.00	
3	to	4	ft.													5.00	45.00	
4	to	5	ft.													7.50	70.00	
5	to	6	ft.	,												10.00	90.00	

J. Virginiana glauca (Silvery Red Cedar).—Fine, vigorous grower; cone-shaped, and having a peculiar whitish color.

24 to 30 in		Per 10 \$65.00
3 to 4 ft	10.00	90.00

#### PICEA—Spruce

P. alba (White Spruce).—Of compact, pyramidal form, and greater symmetry than that of the Norway Spruce, but possibly of less vigorous growth; elegant silvery foliage.

		Per 10
18 to 24 in	\$3.00	\$25.00
2 to 3 ft	4.50	42.50

P. canadensis (Black Hill Spruce).—In habit of growth something like P. Alba, except that foliage is of a bluish green. A very pretty, compact growing evergreen.

		Each	Per 10
12 to 18	in	\$1.75	\$15.00
18 to 24	in	2.50	22.50
24 to 30	in	3.50	32.50
30 to 36	in	5.00	45.00

P. excelsa (Norway Spruce).—Rapid in growth, gracefully drooping in habit, dense in structure, regular in outline and perfectly hardy.

9		Per 10
18 to 24 in	\$2.00	\$17.50
2 to 3 ft	3.00	25.00
3 to 4 ft	6.00	55.00

P. pungens (Green From Colorado Spruce).— Of pyramidal habit and compact growth; leaves bluish-green. A free grower and perfectly hardy. This is the common variety.

	LIACH
36-inch	\$9.00
D - T - 1 (77 - 1 D) 0	

P. pungens Kosteriana (Koster's Blue Spruce).—Owing to the extreme shortage, we cannot offer this variety this season.

#### PINUS-Pine

P. nigra austriaca (Austrian Pine).—From Central Europe. Leaves or needles stiff and dark green. Hardy everywhere and one of the most valuable conifers for windbreaks, belts, etc.

	Each	Per	10
2 to 3 ft	\$4.00	\$35	00

P. montana Mughus (Dwarf Mountain Pine).— Very distinct, leaves short, stiff, a little twisted and thickly distributed over the branches; does not grow tall, but spreads over the ground, generally assuming a globular form; very dense.

			Per 10
12 to 18 in		\$5.00	\$45.00
18 to 24 in.	wide	6.50	60.00

P. sylvestris (Scotch Pine).—A rapid grower, very hardy, from the central portion of Europe, with short, rigid, light green leaves. Very valuable for screens and for masses.

		 	Each	Per 10
2 to 3	ft	 	 \$3.00	\$25.00
3 to 4	ft	 	 4.50	40.00

P. strobus (White Pine).—An old and well known native tree of rapid growth and entirely hardy.

			Per 10
2 to 3	ft	 \$2.50	\$20.00
3 to 4	ft	 4.00	35.00

On account of embargo this variety cannot be shipped outside of Missouri.

#### **PSEUDOTSUGA**

P. Douglassii (Douglas Fir).—Large, conical form; branches spreading, horizontal; leaves light green above, glaucous below.

#### THUYA-Arborvitae

T. occidentalis (American Arborvitae).—A well known native species of great value. It forms an upright conical tree of only medium size, and is especially valuable for screens and hedges.

	Each Per 10
18 to 24 in	
2 to 3 ft	4.50 42.50
3 to 4 ft	6.00 55.00

T. occidentalis globosa (Globe Arborvitae).— Same shade of green as Pyramidalis.

								Each	Per 10
. :	15	in.	wide	and	15	in.	high	\$3.50	\$32.50
	18	in.	wide	and	18	in.	high	5.00	45.00

T. occidentalis Wareana (Siberian Arborvitae). Forms a dense, broad, regular pyramid with dark green foliage. Very hardy.

			Each
18 to 24	in	 	\$5.50
24 to 30	in	 	6.50

T. occidentalis pyramidalis (Pyramidalis Arborvitae).—Of upright pyramidal compact habit. Very desirable.

#### 

#### TSUGA—Hemlock

T. canadensis.—A native species of undoubted worth and beauty. Entirely bardy, with drooping branches and dense habit.

	Each	Per 10
2 to 3 ft	\$5,00	\$45.00
3 to 4 ft	7.00	65.00
		00110

### TO OUR FRIENDS AND PATRONS

We would appreciate it if you would show this copy to some of your friends who may be interested in our products. Will gladly send copy to anyone wishing to place an order, upon request.

Nursery stock in many varieties is very scarce and will be more so for a number of years; some varieties are now unobtainable. The embargo on imported nursery stock of all kinds has cut us out of many varieties that were formerly imported from Holland, France, England, Belgium and Japan.

Place your orders at once so that stock can be reserved for you; we ship soon as weather conditions per-

H. J. WEBER & SONS NURSERY COMPANY.

The Evergreen should not be overlooked in arranging your plantings. They make your home cozy in winter, when the shrubs are bare.

# EVERGREENS

REEKWAYS COLDUN MEROROTEM


11-1811/ BIVE



LOTORADA DILLA SPECIAL COLLA COLLA

COLORADO BLUE SERLEL CHIEN FOR

KONTRA BELLANDER



### Roses

Scil.—Roses delight in a clay loam, enriched with well-rotted barnyard manure. Dig up the soil thoroughly to a depth of 12 to 15 inches, pulverize well; do not raise beds above the level of the surrounding soil. Soak the bed occasionally during the summer with weak manure

water.—Roses delight in an open, airy situation, unshaded by trees and buildings.—Always plant in solid beds and each class for

Location.—Roses delight in an open, airy situation, unshaded by trees and buildings. Always plant in solid beds and each class for itself.

When to Plant.—We advocate planting Hybrid Perpetuals, Ramblers, Prairie, Wichuraiana, Moss, Rugosa, Australian and Sweet Briars in the fall, wherever possible. If planted in spring, should be planted as early as possible before growth starts. Hybrid Teas, Tea, China, Polyantha and Climbing Hybrid Teas are best planted in the spring, during April and May. Pot grown plants are best in these classes and can be planted the same as Geraniums or other bedding plants at any time after severe freezing weather is past.

Protection.—As soon as severe freezing weather sets in, raise the earth around the plant three or four inches, cover entire bed with dry light manure, then cover with leaves, straw, or evergreen boughs, weighting with light pieces of wood or tree branches.

Soil Conditions.—No Roses should be planted at any time that the soil is in a wet, soggy condition. The soil should be in a loose, pliable condition. The plants should be firmly packed, first with the hands and then with the foot; be careful not to bruise the roots, or to oreak the ball on the potted class excepting to remove some of the top soil of the ball. Be sure to give your plants a good soaking of water immediately after planting. The following day after planting loosen up the soil around the plants to a depth of about one-half inch, so as to form a loose soil mulch. Water at intervals according to weather conditions, until the plants have become well established, after which little or no watering need be given except in extreme drouth conditions when a good, thorough soaking about once a week will be found very beneficial. Watering should only be done late in the evening at any time, and the ground raked over the following morning. If you will follow these instructions, you should have no trouble in raising a fine lot of Roses.

Pruning.—This should be done during March. For Hybrid Perpetuals remove about

WEBER'S SELECTED

#### LIST

#### HYBRID PERPETUAL ROSES-Rosa Hybrida Cifera

This class of roses is admirably suited for garden culture, for the formation of rose beds, hedges and permanent plantations, where hardy varieties of roses are desired. They are of easy culture and luxuriant in a deep, rich soil. They are benefited by mulching in the fall of the year. Prune according to the habit of growth, cutting back

close all weak shoots and shortening the long cane to a convenient length.

Prices unless otherwise noted.

Dormant Plants, 2-yr. No. 1. Each, 85c; per 10, \$7.50; per 100, \$70.00.

American Beauty—Rich red. 15c per plant higher than other varieties.

Anna de Diesbach-Shell pink. Baron de Bonstettin-Rich dark red.

Capt. Hayward-Bright scarlet. Clio-Flesh color.

Frau Karl Druschke-Pure white.

General Jacqueminot-Velvety crimson. George Ahrendes-Bright carmine rose. Hugh Dickson-Brilliant crimson, shaded scar-

J. B. Clark-Intense scarlet.

Mrs. John Laing-Bright shining pink. Paul Neyron-Beautiful pink.

Ulrich Brunner-Brilliant cherry red.

# Hybrid Tea Roses















#### EVERBLOOMING ROSES

Consisting of Hybrid Teas, Teas, Bourbon, Hybrid Polyantha and China or Bengal Roses

Letters H. T. denote Hybrid Tea Roses. Letter T. denotes Tea Roses. Letter B. denotes Bourbon Roses. Letter C. denotes China or Bengal Roses. Letters H. Pol. denote Hybrid Polyantha.

This class of roses is suitable for general cultivation, as they are usually our very best roses, blooming continuously throughout the season. Require more care in winter protection than do the Hybrid Perpetuals in this climate and further north, but will repay the extra care in a goodly supply of fine flowers when roses of the hardy variety are scarce.

(Not ready for delivery before latter part of April and early May, according to weather conditions. Customers will do well to leave the time of shipment to us.)

NOTICE—In case we are sold out on any one grade, we reserve the right to substitute variety of same color or send either the next larger or smaller grade. changing prices accordingly. If it is not desirable that we do this, please so state on your order.

Each Per 10 Per 100 5 and 6-inch pots, 2-year May 1st delivery.

Clothilde Soupert (H. Pol.)-White shading to deep pink.

Columbia (H. T.)-Peach-blow pink.

Crusader .- A new introduction. Its growth is sturdy, canes erect, foliage heavy; producing a hig crop of large velvety crimson flowers. Each, \$1.25; F € 110, \$11.00.

Dean Hole (H. T.)—Salmon pink.
Duchess of Wellington (H. T.)—Saffron yellow.
Edith Part (H. T.)—Rich red, suffused deep salmon.

Etoile de France (H. T.)-Clear red crimson

Farbenkoenigen (H. T.)—Imperial pink. General McArthur (H. T.)—Vivid crimson

scarlet. General Superior Arnold Janssen (H. T.)-

Deep carmine red.
Gruss an Teplitz (C.)—Fiery crimson, very hardy

Jonkheer J. L. Mock (H. T.)-Clear imperial

Kaiserin Augusta Victoria (H. T.)-Pure white,

Killarney Brilliant (H. T.)-Bright true pink. Lady Alice Stanley (H. T.)—Deep coral rose, shading to delicate flesh.

Lady Hillingdon (T.)—Deep apricot yellow.

La France (H. T.)—Silvery rose.

Laurent Carle (H. T.)-Brilliant velvety carmine.

Miss Lolita Armour (New).—The coloring of this variety is a combination of tints difficult to describe, being absolutely distinct from all other varieties. The plant is a strong, vigorous grower, and free-flowering, producing large sized double flowers of a deep coral-red with a golden, copperyed suffusion, the base of the petals a rich golden-yellow with coppery-red sheen. Each, \$1.25; per 10, \$11.00.

Mad. Butterfly (T.)—An offspring of the favorite variety Ophelia. All the colors of Ophelia are intensified, making it a symphony of bright pink, apricot and gold. Is fuller petaled, more prolific, and of greater color appeal. The buds are a rich Indian red. yellow at base.

Mad. Caroline Testout (H. T.)-Brilliant satiny rose.

Mad. Edouard Herriot or Daily Mail (H. T.)—Coral-red shading of yellow terra cotta, bronze and geranium red, something of every color.

Mrs. Aaron Ward (H. T.)-Indian yellow.

Ophelia.—Brilliant salmon flesh shaded with rose on outer petals, with heart of peach pink.

President Taft (H. T.)-Shell pink.

Premier.—A magnificent new variety of large size and distinct character, very deep rose color, the broad roll of the outer petals creating most interesting lights and shadows. It is practically thornless.

Prince de' Arenburg (H. T.)-Bright scarlet, shaded purple.

Prima Donna-Lovely shade of vermilion-pink changing to silvery-pink; large and full, perfect form and fragrant.

Radiance (H. T.)-Brilliant rosy carmine.

Red Radiance (H. T.)—A bright, cheerful and even shade of pure red.

Sunburst (H. T.)-Golden orange.

Souv. de Claudius Pernet.-The latest introduction of the great French grower Pernet-Ducher. Long buds, large flower, fast color of sunflower-yellow. Each, \$2.00; per 10, \$17.50.

White Maman Cochet—A sport from Maman Cochet. Pure white occasionally tinged with

William F. Dreer (New).—Soft silvery shell-pink. Fine for cutting or table use.

Winnie Davis.-Apricot pink, shading to flesh. Willowmere.-Shrimp pink, shaded yellow and carmine.

Wm. R. Smith (T.)-Creamy white shading to pink.

#### DWARF POLYANTHA, or BABY RAMBLERS

Each Per 10 Per 100 5 and 6-inch pots, 2-year 4-inch pots..... Baby Crimson Rambler (Mme. Norbert Leva-

vasseur).-Brilliant ruby red.

Baby Tausendschoen (Louise Welter).—Rose, veined with soft clear pink.

Baby Dorothy (Maman Levavasseur) .- Pure pink.

Cecil Brunner-White shading salmon.

Ellen Poulsen-Dark, brilliant pink.

Erna Teschendorff-Carmine red.

LaFayette-Large brilliant cherry-crimson flowers in immense branching sprays. valuable kind in any capacity. A remarkable and

Orleans-Brilliant geranium red. Triumph d'Orleans-Very deep red.

### CLIMBING ROSES—Ramblers and Trailing Roses

American Pillar.-Large single flowers, carminerose, with cream and yellow center. Each 

Climbing American Beauty.-Large red flowers, strong grower, blooms off and on during the sum-

Each Per 10 Per 100 2-yr., No. 1. \$0.75 \$7.00 \$60.00

Crimson Rambler.—Rapid producer of long heavy canes with rich clusters of blooms, forming a mass of vivid crimson beauty.

Each Per 10 Per 100 .55\$00 2-yr., No. 1...... \$0.75 \$6.50

Dorothy Perkins .- Beautiful shell-pink. Each Per 10 Per 100 \$0.60 \$5.00 \$40.00 2-yr., No. 1.....

Dorothy Perkins (White) .-- A pure white sport from Dorothy Perkins.

Each Per 10 Per 100 2-yr., No. 1..........\$0.60 \$5.00 \$40.00 Dr. Van Fleet.—Rich, flesh-pink. Each Per 10

Excelsa (Red Dorothy Perkins).—Clear scarlet; similar to Dorothy Perkins. This is probably the finest of all hardy climbing Roses; should be more generally planted.

Each Per 10 Per 100 \$0 60 \$5.00 \$40.00 2-yr., No. 1...... \$0 60

Gardenia.—Bright yellow, opening cream; early flowering, fragrant and free.

2-yr., No.1..... Each Per 10 \$0.60 \$5.00

Mary Wallace (New).—Although a good pillar rose, it makes an ideal door-yard bush. The flowers are semi-double, bright clear rose-pink with salmon base. These are of extreme size, and appear intermittently during the season following the heavy bloom. Each, \$1.75; per 10, \$15.00. their first

Paul's Scarlet Climber.—Brilliant vivid scarlet; color maintained without burning or bleaching until the petals fall. Flowers medium, semi-double, produced in clusters, and covers bush from top to bottom. This is without question the most important addition to our climbing roses.

Each Per 10 Per 100 \$0.75 \$7.00 \$60.00 2-yr., No. 1..... Silver Moon.-Silvery white, with yellow stamens.

Each Per 10 \$0 90 \$8.00 2-yr., No. 1....

Tausendschoen (Thousand Beauties).—Varies from pure white to deep pink. Each

2-yr., No. 1..... \$0.75 Wichuriana.-Single white, trailing habit. Fine for ground covering.

Each 2-yr., No. 1..... \$0.60 \$5.00

#### MOSS ROSES

2-yr., No. 1: Each, \$0.90; per 10, \$8.90. White Moss.—White. Henri Martin.—Large deep red flowers. Crested Moss.—Rose color, beautifully crested. Salet.—Rose-pink, well mossed.

#### RUGOSA AND HYBRID RUGOSA

Price—2-yr., No. 1, each, \$0.85; per 10, \$8.90; per 100, \$70.00, unless otherwise noted.

Conrad F. Meyer.—Clear silvery-pink. Rugosa Alba.—Single white.

Rugosa Rubra.—Red, single.

#### MISCELLANEOUS ROSES

Harrison's Yellow.—Deep yellow, hardy. 2-yr.,

Harrison's Yellow.—Deep yellow, nardy. 2-yr., each, 90c; per 10, \$8.00.

Rosa Blanda (Wild Meadow Rose).—Bright rose. 2-yr., each, 50c; per 10, \$4.00.

Rosa Luciaa (Wild Rose).—The familiar redfruited "Wild Rose." 2-yr., each, 50c; per 10,

Rosa Multiflora.—Strong growing, long arching canes, covered with white clusters in June. 2-yr., each, 50c; per 10, \$4.00.

each, 50c; per 10, \$4.00.

Rosa Palustris (Carolina Rose) (Swamp Rose).—
Flowers pink. Numerous. June to September.
Leaves five to nine lobed. Grows four to seven
feet high. Largely used in shrub plantings in the
east. 2-yr., each, 50c; per 10, \$4.00.

Rosa Rubiginosa (Common Sweet Briar).—The
well known old variety, famous for the fragrance
of its foliage. 2-yr., each, 75c; per 10, \$6.50.

Rosa Setigera.—Single, deep rose-colored flower. 2-yr., each, 50c; per 10, \$4.00. Sweet Briar.—See Rosa Rubiginosa.


#### NEW PERNATENIA ROSES

Juliet.—Fine flowers; petals gold outside, inside rich rosy-red, deepening as the flower expands. Each \$1.00; per 10, \$9.00.

Soleil d'Or.—A fine, hardy outdoor Rose, showing much the same character as the Hybrid Perpetuals. Gold and orange-yellow, varying to ruddy gold suffused with Nasturtium red. Each, \$1.25; per 10, \$11.00.

We are agents for the DEMING line of Spray and Power Pumps. Manufactured by the Deming Co., Salem, Ohio. If in the market for a "Spray Pump," write us, tell us number of trees you have to spray and we will be pleased to suggest and price you a suitable outfit. ¶ If you are in need of Scalecide, Sulfocide, Arsenate of Lead, Cal-Arsenate, Bordeaux Mixture, Bordeaux-Lead Arsenate, Nicotine Sulfate 40 per cent, see pages 46 and 47.

# Weber's Collection of Climbing and Trailing Roses



## Weber's Select Hardy Perennials

Plant Flowers to beautify your home grounds, to hide unsightly foundations, in borders or hedge, or in artistically arranged beds, to make your grounds radiate with their beauty and fragrance.

Although popularly known as old-fashioned plants, Perennials have never been so popular as they are at the present time, and we feel in saying that a permanent taste has been developed which is certain to continue and make Perennials as popular in the United States as they have been in the horticultural centers of Europe for many years. Cultivation is of the simplest, beginning with any good soil for a foundation, which may be enriched with any good fertilizer, such as well decomposed cow manure or bone meal, deeply dug, well pulverized, in season as early as possible, so as to enable them to become well rooted and established before hot, dry weather sets in, keeping the ground well stirred, and where it is convenient to water beds during hot, dry weather, a mulch of any loose material, which will keep the soil from baking, will be found very beneficial.

Short grass, the rakings of the lawn after cutting, will be as good for this purpose as anything.

A covering of manure should be applied in the fall. This may be forked into the soil early in the spring; beyond this little care need be given, the occasional staking of a plant, the cutting off of decaying flowers, which will prolong the flowering season of many species, and the dividing and replanting occasionally of such varieties that have become too large, being all that is needed.

Our Percnnials are mostly all potted in the fall and carried over winter in cold frames. This gives them an excellent root system and they start off in the spring the same as though they had been planted in the fall. They are grown annually from seed or divisions, hence you get only young, thrifty stock that will produce results in the first year. We advise planting during the month of April. But many varieties can be planted all through the month of May.

The Heights given indicate the height Plant attains at maturity.

The Heights given indicate the height Plant attains at maturity.

#### PERENNIAL CLASSIFICATION LIST

			PERENN.	IAL CLAS	SSIFICATION LIST				
Botanical Name.	Common Name.	Ultimate beight in feet.	Color.	Time of blooming.	Botanical Name.	Common Name.	Ultimate height in feet.	Color.	Time of blooming.
PERENNIALS THAT GROW 10 TO 12 FT. HIGH. Arundo Donax	Reed Grass	10/12 ft.	Reddisb plumes	Aug.	Lupinus polypbyllus Lupinus polypbyllus alba Monarda didyma	Hardy Lupine Hardy Lupine Bergamot or	3 ft 3 ft	Purple White	June-July. June-July.
PERENNIALS THAT GROW 8 TO 10 FT. HIGH.					Pbalaris arundinacea	Oswego Tea Variegated Ribbon Grass	3 ft	Bright red White varie-	June to Sept.
Heliantbus Orgyalis	Sunflower	4 ft	Yellow	SeptOct.	Tbalictrum aquillegifolium		Ì	gated foliage	"
PERENNIALS THAT GROW 5 TO 6 FT. HIGH. Aster Tartaricus	Micbaelmas Daisies	5/6 ft	Bluish-violet	SeptOct.	atropur peum Tritoma pfitzeriana	Meadow Rue Flame Flower or Torch Lily	3 ft 3 ft	Rosy purple Vermilion	June-July.
Eulalia gracillima Univittata.	Ornamental grass	5 ft	Red-brown plumes	Oct.		Total Mily		scarlet	Aug. to Oct.
Hollybocks, Double Penstemon barbatus, var. Torreyi	Althea rosea Torrey's Penstemon	5/6 ft 5 ft	All colors Yellow-scarlet.	July-Aug. July-Aug.	PERENNIALS THAT GROW 2 TO 3 FT. HIGH. Asclepias tuberosa	Butterfly weed	2/3 ft	Orange	July-Aug.
Rudbeckia laciniata	Golden Glow	5/6 ft	Lemon yellow.	July to Aug.	Agrostemma coronaria Antbemis kelwayii	Rose Champion Marguerite or	2 ft	Crimson	All summer.
PERENNIALS THAT GROW 4 TO 5 FT. HIGH. Anchusa italica	Sea Bugloss	4/5 ft	Blue	June to Sept.	Aquilegia California Hybrids.	Chamomile California Colum- bine	2/3 ft 2 ft	Deep yellow Yellow and	June to Aug.
Aster Laevis	Micbaelmas Daisies Micbaelmas Daisies	4 ft 4 ft	Reddisb violet.	SeptOct.	Aquilegia Helenae	Hybrid Columbine	2 ft	orange Blue and wbite	May-June. April to June
Aster Novae Angliae Aster Robt. Parker Aster White Queen	Micbaelmas Daisies Micbaelmas Daisies Micbaelmas Daisies	4 ft	Violet purple Pale Heliotrope White	SeptOct. SeptOct. SeptOct.	Aquilegia Mrs. Scott Elliott.	Hybrid Columbine	2 ft	Assorted colors bluc, laven- der, mauve	
Boltonia asteroides Boltonia latisquama Campanula pyramidalis	False Cbamomile False Cbamomile Cbimney Bells	4/5 ft 4/5 ft 4 ft	White Lavender	Sept. Sept.				cream, pink red and yel- low	May to June
Enlalia japonica variegata	Variegated Pampas Grass	4 ft	Purplish-blue Red-brown	July.	Aster Feltbam Blue Campanula medium blue	Micbaelmas Daisies Canterbury Bell	2/3 ft	Aniline blue Blue shades	SeptOct. June-July.
Eulalia Zebrina	Zebra grass	4 ft	plumes Red-brown plumes	Oct.	Campanula medium rose Campanula persicifolia Campanula persicifolia alba	Canterbury Bell Peach Bells Peach Bells	2/3 ft 2/3 ft 2/3 ft	Rose sbades Dark violet Wbite	June-July. June-July. June-July.
Eupatorium ageratoides	Thorough wort or white snakeroot	4 ft	White	AugSept.	Coreopsis grandiflora Delphinium Belladonna	Tickseed Larkspur	2 ft 2/3 ft	Yellow Light blue	All summer. June to July.
Helianthus Soliel d'Or Hibiscus Crimson Eye Hibiscus Mallow Marvels	Double sunflower Mallow Mallow	4/5 ft	Deep yellow Wbite, red eye Red. Crimson		Delphinium Bellamosum Dictamnus fraxinella alba Dictamnus fraxinella	Gas PlantGas Plant	2/3 ft 2/3 ft 2/3 ft	Deep blue White Rose pink	June-July. June-July.
Latbyrus latifolia Lathyrus latifolia alba	Perennial Pea	4/5 ft	and Pink Rose pink	AugSept. July to Sept. July to Sept.	Dielytra or Dicentra Digitalis gloxiniaeflora	Bleeding Heart	2 ft 2/3 ft	Rose White, rose and purple	May-June. June-July.
Tbalictrum dipterocarpum Yucca filamentosa	Meadow Rue Adam's Needle	4 ft	Lemon vellow.	AugSept. June-July.	Digitalis grandiflora Digitails maculata superba Funkia subcordata grandi-	Foxglove Foxglove	2 1/2-3. 2/3 ft	Yellow Spotted	June to July. June to July.
PERENNIALS THAT GROW 3 TO 4 FT. HIGH.				- 1	floraGypsopbila paniculata	Plantain Lily Baby's Breatb	2 ft	White White	AugSept. July-Aug.
Aquilegia chrysantba	Golden spurred Columbine	3 ft	Golden yellow.	May to Aug	Hesperis matronalis Lilium umbellatum	Sweet Rocket	2 1/2 ft. 2 1/2 ft.	Lilac Crimson and Orange	June-July. May-June.
Aquilegia chrysantha alba	White spurred	3 ft	White	May to Aug.	Lychinis chalcedonica Paeonia	Jerusalem Cross Herbaceous Peony.	2 ft 2/3 ft	Scarlet Red, wbite,	June-July.
Aquilegia nivea grandiflora Artemesia abrotanum Aster ametbystinus	Hybrid Columbine. Southernwood. Micbaelmas Daisies	3 ft 3/4 ft 3 ft	White Brigbt yellow Ametbyst blue.	June to July. July. SeptOct.	Onoclea struthiopteris Papaver orientalis	Ostricb Fern Oriental Poppy	2/3 ft 2 ft	pink. See list Scarlet pink	May-June. June-July.
Bocconia cordata Campanula calycanthema	Plume Poppy Cup and saucer	3 ft	Wbite	Aug.	Penstemon South Park Gem.	Foxglove Penstemon	2/3 ft	Deep coral pink	June to frost.
Delphinium, Gold Medal Hybrids	Canterbury Bell.  Larkspur	3/4 ft 3/4 ft	All shades	June-July. June to July.	Phlox paniculata Phlox suffruticosa Miss	Perennial Phlox	2/3 ft	All colors. See list	July to Oct.
Helenium Hemerocallis aurantiaca	Sneeze-wort  Day Lily	3 ft 3 ft	Yellow	AugSept.	Lingard	Smooth leaved Pblox Balloon Flower	2/3 ft 2 ft	White, pink eye Deep blue	June to Aug. July to Sept.
major Hemerocallis flava Hemerocallis kwanso fl. pl	Lemon Lily Double Day Lily	3 ft 3 ft	Orange yellow. Deep yellow Orange	July. June-July. July-Aug.	Platycodon grandiflora Platycodon grandiflora alba Platycodon japonica fl. pl	Balloon Flower	2 ft	White Double blue Reddish purple	July to Sept.
Lilium candidum Lilium auratum	Madonna Lily Golden banded Lily	3 ft	White	May-June.	Rudbeckia purpurea Savlia azurea	Purple cone flower Meadow sage Sea Lavender	2/3 ft 2/3 ft	Reddish purple Sky blue Bluish purple	July to Oct. AugSept. July to Sept.
	<i>M</i> 11y	o 16	White, marked yellow bands spotted pur-		Statice latifolia Veronica longifolia subsessiles	Long-leaved Speed-		Deep blue	Aug Sent
Lilium rubrum	Spotted Lily	3 ft	ple Red pink	July-Aug. AugSept.	Veronica spicata alba Veronica spicata rosea	Spiked Speedwell Spiked Speedwell	2/3 ft 2/3 ft	White Rose	AugSept. AugSept.

#### PERENNIAL CLASSIFICATION LIST—Continued.

Botanical Name.	Common Name.	Ultimate height in feet.	Color.	Time of blooming.	Botanical Name.	Common Name.	Ultimate height in feet.	Color.	Time of blooming.
PERENNIALS THAT GROW 18 TO 24 INCHES. Chrysanthemum	Hardy garden varieties	18/24 in.	All colors. See list	SeptOct.	Carnation Grenadine Chrysanthemum "Alaska" Chrysanthemum "King	Hardy Carnation  Shasta or Moonpenny Daisy Shasta or Moon-	12/18 in. 12/18 in.	Pink, red, mixed colors. White	June-July. June to Sept.
Dianthus barbatus Funkia coerulea. Funkia robusta elegans.	Sweet William Plantain Lily Plantain Lily	18 in 18 in 18 in	Asst. colors Blue Lavender variegated	June to July.	David".  Funkia undulata media picta.  Geum atrococineum fl. pl Iheris gihraltica.	penny Daisy	12/18in. 12 in 12 in 12 in	White Purple variegated foliage Deep red Pinkish white.	June to Sept. July. June. May-June.
Gaillardia grandiflora Gaillardia maxima kermesina splendens.	Blanket flower	18/24 in. 18/24 in.	leaves	June-July. All summer.	Lychnis haegeana Lychnis viscaria. Oenothera Missouriensis. Phlox divaricata.	Shaggy Lychnis Ragged Robin Missouri Primrose . Canadian Phlox	12 in 12 in 12 in		June to Aug. June.
Geranium sanguineum  Hemerocallis Dumortieri Iris germanica	Hardy wild Geraniums Day Lily Fleur deLis	18 in 18 in 18/2‡in.	yellow horder Bright crimson Bright yellow All colors.	May-June. June to Sept.	Ranunculus acris fl. pl Veronica amethystinus Veronica incana	Crow Foot or Bach- elor Button Speedwell	12 in	Golden yellow. Amethyst blue.	June to Sept.
Lastrea Felix-mas Oenothera speciosa. Osmunda cinnamomea Osmunda claytonia.	Male Fern Evening Primrose Cinnamon Fern Flowering Fern	18/24in 18 in 24 in 24 in	See list White	AugSept.	PERENNIALS THAT GROW 6 TO 12 IN. HIGH. Adiantum pedatum	Maidenhair Fern	8/12 in.		
Pyrethrum hyhridum Stokesia cyanez	Stokes Aster	1	Red, rose, white Light blue	June-July. All summer.	Aquilegia canadensis  Convallaria  Dianthus plumarius  Festuva glauca	Lily of the Valley Garden pinks Blue Fescue grass	6 in 6/8 in 6/12 in.	yellow White Asst. colors Blue foliage	May-June. May. May-June.
PERENNIALS THAT GROW 12 TO 18 IN. HIGH.  Achillea millifolium var.	0				Lavendula vera. Pachysandra terminalis. Phlox subulata. Plumbago larpentae.	Japanese Spurge	6 in 6/8 in 6 in 8/12 in.	Violet White Lilac, rose and white Deep blue	July to Sept. June. April-May. AugSept.
roseum. Achillea ptarmica "Boule de Neige".	Yarrow	1	Pink	Aug.	Sedum spectabile brilliant	Showy Sedum Periwinkle or Trail- ing Myrtle	6 in	Amaranth red.	AugSept.  April to June May.
Achillea ptarmica "The Pearl"  Aquilegia coerulea	Double-white Yarrow. Rocky Mountain Columbine. Wood Fern.	15 in 12 in		April to June.	PERENNIALS THAT GROW UNDER 6 INCHES. Bellis Percnnis		2/4 in	Pink	May.
Asplenium Felix Foemina Victoria		12/15in.			Cerastium tomentosum. Sedum acre. Veronica rupestris alba.	Snow in summer Golden moss	4/6 in 3/4 in	White Bright yellow	June.

### Weber's Hardy Perennials

#### ACHILLEA-Milfoil or Yarrow

A. millifolium roseum (Rose-flowered Yarrow).-Rosy-lilac, from June to August. Each, 25c; per doz., \$2.50.

A. Ptarmica "Doule de Neige" (Ball of Snow) .-Pure white, double flowers. Each, 25c; per doz., \$2.50.

A. Ptarmica fl. pl. (The Pearl).—Pure white flowers all summer long. Each, 25c; per doz.,

#### AGROSTEMMA—Rose Campion

Coronaria (Mullein Pink).-Bright rosecrimson. Each, 25c; per doz., \$2.50.

#### ALYSSUM

Saxatile Compactum (Basket of Gold) .-Showy bright yellow flowers; excellent for rock Each, 25c; per doz., \$2.50.

#### ANCHUSA-Sea Bugloss

A. Italica "Dropmore Variety."-Rich gentian blue. Each, 35c; per doz., \$3.50.

#### **ANTHEMIS—Marguerite**

A. Kelwayi.—Daisy-like golden yellow blossoms summer. Nice for cutting. Each, 25c; per all summer. doz., \$2.50.

#### AQUILEGIA—Columbine

A. California Hybrids.-Exquisite flowers, yel-

A. Canadensis.—Exquisite nowers, yellow and orange shades.

A. Canadensis.—Scarlet and yellow native species, one of the brightest.

A. Chrysantha (Golden spurred).—Golden yel-

low.

A. Chrysantha Alba.—Very pretty white variety.

A. Coerulea.—Bright blue and white flowers,

A. Coeruiea.—Dright blue and miles long spurred.
A. Helenae.—Strong grower, producing numerous flowers of a lovely shade of blue and white.
A. Hybrids (Long Spurred).—Large flowers with long spurs in blue, white, yellow, orange, scarlet and bright rose.
A. Nivea Grandiflora.—Beautiful large pure white.

Each, 25c; per doz., \$2.50

#### **ARTEMESIA**

A. Abrotanum.—Dark green, finely cut foliage, with pleasant odor.
A. Stelleriana (Old Woman).—Deeply cut silvery

A. Stelleriana (Old Woman).—Deeply cut silvery foliage. Good for carpet bedding.

A. Lactiflora (Hawtborn scented).—Elegantly cut dark-green foliage and terminated by panicles of Hawtborn-scented creamy white Spirea-like light and graceful flowers.

Each, 25c; per doz., \$2.50.

#### ASCLEPIAS—Butterfly Weed.

A. Tuberose.—Very showy brilliant orange colored flowers in July and September. Each, 30c; per doz., \$3.00.

### ASTERS—Michaelmas Daisies

A. Amethystinus.—Amethyst Blue, 3 ft. A. Feltham Blue.—Pretty sbade of aniline blue, 2½ ft. A. Laevis.—Light heliotrope, 4 ft.

- A. Mrs. F. W. Raynor.—Reddisb violet, 4 ft. A. Novae angliae.—Bright violet purple, 4 ft. A. Robert Parker.—Pale heliotrope, 4 ft. A. Tartarieus.—Bluish violet, late, 6 ft. A. White Queen.—Fine white, 4 ft. Each, 25c; per doz., \$2.50.

#### **BOCCONIA—Plume Poppy**

B. Cordata.—A noble plant, beautiful in foliage and with creamy white flowers during July and August. Each, 25c; per doz., \$2.50.

#### **BOLTONIA**—False Chamomile

Native hardy plant with large single aster-like flowers. Blooms during the summer and autumn months with hundreds of flowers.

B. asteroides.—White.
B. latisquama.—Lavender.
Each, 25c; per doz., \$2.50.

#### CAMPANULA—Bell Flower

CAMPANULA—Bell Flower

C. Medium Blue (Canterbury Bells).—Plants grown from the very best strain of seeds.

C. Medium Rose (Canterbury Bells).—Plants grown from the very best strain of seeds.

C. Medium White.—Plants grown from the very best strain of seeds.

C. Calycanthema Blue (Cup and Saucer Canterbury Bells).—A very fine clear sbade of blue and flowers nice for cut flowers.

C. Calycanthema White.—Similar to the blue variety, only flowers are white.

C. Pyramidalis (Chimney Bell Flower).—An attractive plant for berbaceous borders, forming a perfect pyramid, crowned with large, salver-blue flowers.

Eacb, 25c; per doz.. \$2.50.

Each, 25c; per doz., \$2.50.

### Hardy Perennials -- Continued

#### CARNATION—Hardy

A fine border plant for the hardy garden.

Grenadine.—Pink.

Grenadine.-Red.

Strong plants to bloom this year. Each, 25c; per doz., \$2.50.

#### CARYOPTERIS—Blue Spirea See Shrubs.

#### CHRYSANTHEMUM

Moonpenny Daisy.

Shasta Daisy "Alaska."—Large glistening white flowers that bloom all summer. Each, 25c; per doz., \$2.50; per 100, \$20.00.

#### CHRYSANTHEMUMS—Asterflowered Varieties

Adironda.-A fine bronze.

Angelo. -- A beautiful light pink.

Capt. R. H. Cook.—Clear deep rose.

Edina.—Pleasing rose pink.

Excelsior .- Bright yellow.

Julia Lagravere.—Rich garnet.

Juliana.—Fine yellow.

Lilian Doty.-Large incurved pink.

Soliel d'Or .- Fine golden yellow.

Wanda.—Large pure white. Each, 20c; per doz., \$2.00; per 100, \$15.00.

#### Early Flowering Garden and Old-Fashioned Varieties

Carmelitc .- A splendid yellow.

Idolf .- Pleasing shade of salmon pink.

Lucifer .-- Ox-blood red.

Oconto .-- Pure white.

Old Homestead .- Light pink.

Bronze (Unnamed) .-- A fine bronze variety of old-fashioned type.

Each, 20c; per doz., \$2.00; per 100, \$15.00.

#### Button-shaped Pompon

Beth .- Red-wine color.

Iva .- Very small bronze.

Little Dot .- Early mahogany crimson.

Model of Perfection .- White.

Nio .- Shell pink.

Ouray.-Bright reddish bronze.

Rhoda .-- Fine rosy pink.

White Midget .- Pure white.

Each, 20c; per doz., \$2.00; per 100, \$15.00.

#### CONVALLARIA—Lily of the Valley

The popular little spring flower, for shady places, 4-in. potted plants, each, 35c; per doz., \$3.50. Dutch pips, per 25, \$1.50; per 100, \$5.00.

#### **COREOPSIS**

C. lanceolata grandiflora.—The most popular summer cut flower, golden yellow. Should be in every garden. Each, 20c; per doz., \$2.00; per 100,

### ${\bf DELPIHNIUM-Larkspur}$

- D. Belladonna.—Free bloomer, June to frost. Flowers turquoise blue. A fine summer cut-flower plant.
- D. Bellamosum.—The dark blue form of the popular light blue Belladonna with which it is identical in habit of growth, freedom of bloom but with intensely rich, deep blue flowers.
- D. Gold Medal Hybrids.—A fine strain of mixed hybrids from England. Very fine.

Each, 30c; per doz., \$3.00; per 100, \$20.00. Limited supply extra sized plants. Each, 40c; per doz., \$4.00.

#### DIANTHUS BARBATUS-Sweet William

- D. Scarlet Beauty.—A fine scarlet variety.
- D. Maroon (Single) .- Almost black.
- D. Newport Pink.-An excellent pink variety.

D. Holborn Glory.—A beautiful variety.

Special Mixed .- A mixture of all colors, just the thing for mass planting along walks, or for mixed borders.

Each, 25c; per doz., \$2.50; per 100, \$15.00.

#### DIANTHUS-Hardy Garden Pinks

- Delicata.—Soft delicate rose pink. Elsie.—Bright, rose with maroon center. Homer.—Rosy red with dark center. Juliette.—White-laced crimson.

- White Reserve.-An everblooming white. Each, 25c; per doz., \$2.50; per 100, \$15.00.

#### DICTAMNUS-Gas Plant

D. Fraxinella.—Rose-pink flowers.
D. Fraxinella alba.—Pure white.
Each, 35c; per doz., \$3.50.

#### DIELYTRA or DICENTRA

D. Spectabillis (Bleeding Heart or Seal Flower). An old-time favorite. Each, 50c; per doz., \$5.00.

D. Exima.-Flowers reddish-purple, drooping. Foliage silvery and lanceolated, growing 10 to 18 inches high. Each, 50c; per doz., \$5.00.

#### **DIGITALIS**—Foxglove

D. Gloxiniaeflora.—A fine strain of finely spotted varieties in colors, white, rose and purple.

D. Maculata Superba.-An extra choice strain of beautifully spotted sorts. Each, 25c; per doz., \$2.50; per 100, \$15.00.

#### **EUPATORIUM**

E. Ageratoides.—A useful border plant of strong free growth witb white flowers in August and September.

Each, 25c; per doz., \$2.50; per 100, \$15.00.

#### FERNS-Hardy

Adianthum Pedatum (Hardy Maidenhair) .-- 12

to 18 inches

Aspidium goldiana.—2 to 3 feet tall. Asplenium Filix Foeminae Victoriae.—15 to 30

inches. Onoclea Struthiopteris (Ostrich Fern).-24 to

36 inches.
Osmunda Claytonia (Flowering Fern).—24

inches. Osmunda Cinnamomca (Cinnamon Fern).-24

to 30 inches. Osmunda regalis (Flowering Fern).-2 to 3 feet tall.

Strong pot grown plants, each, 50c; per doz., \$5.00.

#### FUNKIA-Plantain Lily

F. Coerulea.—Blue flowers, broad green leaves. Each, 35c: per doz., \$3.50.

F. Subcordata Grandiflora.—Pure white, lily shaped flowers in August.

Each. 50c; per doz., \$5.00.

F. Undulata Media Picta.—Purple flowers, green and white variegated foliage.
Each, 35c; per doz., \$3.50.

#### GAILLARDIA—Blanket Flower

G. Grandiflora.—One of the showiest of the perennials, excellent cut flowers.
Each, 20c; per doz., \$2.00; per 100, \$10.00.

#### GERANIUM-Crane Bill

G. Sanquineum.—A desirable plant with pretty cut foliage and bright crimson flowers. Each, 25c; per doz., \$2.50.

#### **GEUM-Avens**

G. Atrococcineum.—A pretty border plant, growing about 15 to 18 inches high, producing showy bright colored flowers from May to June. Each, 25c; per doz., \$2.50.

### GRASSES—Hardy Ornamental

For single specimens, beds or groups on the lawn nothing gives a finer effect than these. They are now largely used in prominent positions in many of the public parks, etc.

Eulalia Japonica Variegata.—A very graceful, tall variety from Japan. Long leaf blades, striped with green, white, pink and yellow. Each, 35c; per doz.. \$3.50.

Eulalia Zehrina (Zehra Grass)—The long blades.

with green, white, pink and yellow. Each, 35c; per doz., \$3.50.

Eulalia Zebrina (Zebra Grass).—The long blades of this variety are marked with broad yellow bands across the leaf. Each. 35c; per doz., \$3.50.

Eulalia Gracillima Univittata.—Of compact habit, with a very narrow foliage of bright green color. Each, 35c; per doz., \$3.50.

Elymus Glaucus (Blue Lyme Grass).—A handsome grass with narrow glaucous silvery foliage, well adapted for the border or edge of beds containing taller sorts. Grows about three feet high. Each, 35c; per doz., \$3.50.

Erianthus Ravennae.—Grows 8 to 12 feet high. It resembles the Pampas Grass, but blooms more abundantly. Each, 50c; per doz., \$5.00.

Pennisetum Japonicum.—One of the most valuable for beds and specimens.

4-in. pots, each, 25 cents; dozen, \$2.50.

Phalaris Arundinacea (Variegated Ribbon Grass or Gardener's Grass).—Large variegated foliage, an excellent grass for bordering large beds. Each, 25c; per doz., \$2.50.

#### GYPSOPHILA—Baby's Breath

G. Paniculata.—Minute white flowers in gauze-like sprays, exquisite in combination with other flowers when used as cut flowers. Each, 25c;

per doz., \$2.50.

Gypsophila Flore Picna.—Beautiful double Gypsophila Flore Picna.—Beautiful double flowering form; flowers very large and pure white. A valuable subject for a hardy border. 3-in. pots. Each, 35c; per doz., \$3.50.

#### HELENIUM—Sneeze Wort

H. Autumnale Superbum. — Golden yellow flowers in late summer. Each, 25c; per doz., \$2.50.

#### **HELIANTHUS**—Hardy Sunflower

H. Orgyalis.-Medium sized yellow flowers in

September.
H. Soliel d'Or.—Double golden yellow flowers August and September. Each, 25c; per doz., \$2.50.

#### HEMEROCALLIS-Yellow Day Lily

H. Aurantiaca Major.—Rich Indian yellow with flowers in June.
H. Dumortieri.—Rich cadmium yellow, buds and reverse of petals bronze yellow. Very dwarf. Blooms in June.
H. Kwanso fl. pl.—Double orange yellow flowers in July.
Each, 25c; per doz., \$2.50.

### HESPERIS-Sweet Rocket

H. Matronalis. — Deliciously sweet scented flowers for the garden and for cut flowers. Each, 30c; per doz., \$3.00.

#### HIBISCUS-Mallow

H. Crimson Eye.—Creamy white flowers with large crimson centers. Each, 25c; per doz., \$2.50; per 100, \$18.00

H. Mallow Marvels.—A robust type of upright habit, with abundance of flowers of enormous size in all the richest shades of crimson, pink and red. Each, 35c; per doz., \$3.50; per 100, \$25.00.

#### HOLLYHOCKS

We have a popular list of these flowers grown in pots and will bloom this year. Double varieties in maroon, red, white and yellow. Also in the beautiful shade of Newport Pink. Each, 30c; per doz.,

#### PERENNIALS

We usually begin shipping about April 1st and continue until May. Our perennials are mostly pot grown, giving better results than those dug from the Nursery Row.
























### Hardy Perennials-Continued

#### IBERIS-Perennial Candytuft

I. Gihraltarica.-Pinkish white flowers. Each, 25c; per doz., \$2.50.

#### IRIS-Germanica-Fleur de Lis

The German Iris is one of the most desirable early spring flowering plants. The flowers are of large size and exquisite colors. No garden should be without a collection of these popular flowers. Our Iris are all potted in 4-inch pots in the fall, hence can be planted any time in the spring and will bloom first year.

Prices unless otherwise noted: Each, 20c; per doz., \$2.00.

Albert Victor .- S, soft blue: F, beautiful laven-

der. Large flower.

Alcazar.—S, light violet; F, deep purple-bronze, veined throat. Each, 50c; per doz., \$5.50.

Celeste.—S, lavender; F, deep lavender. Large

flower.

Orimson King.—Rich claret purple. Delicatissima.—Pink, fragrant. Each, 25c; per

.. \$2.50. Delmariensis.—S, pale gray-blue; F, darker,

shaded violet-brown.

Edith.—S, light plumbago blue; F, purple.

Eldorado.—Bronze, good variety. Each, 25c;

per doz., \$2.50.
Fro.—S, golden yellow, edged olive yellow; F, chestnut brown. Each, 25c; per doz., \$2.50.
Honorahilis.—S, golden-yellow; F, rich deep

Jordain.—Both standards and falls light mauve Khedive.—Both standards and falls soft lav-

Lent A. Williams.—A new introduction; very fine. S, lavender-violet. Each, \$1.35; per doz., \$12.50.

\$12.50.
Lohengrin.—Deep violet mauve, large. Each,
25c; per doz., \$2.50.
Loreley.—S, light yellow; F, blue, bordered light
yellow. Each, 25c; per doz., \$2.50.
Mad. Pacquette.—Rosy claret.
Mme. Chereau.—White, elegantly frilled azure

Mrs. Horace Darwin.-S, snow white; F, white,

slightly violet at base.

Monsignor.—S, violet; F, velvety purple-crim-

son.
Pallida Dalmatica.—S, clear lavender-blue; F,

Pallida Dalmatlea.—S, clear lavender-blue; F, deep lavender. Each, 25c; per doz., \$2.50.

Queen Catarina.—Another new introduction; very fine. Azure blue, fragrant. Each, \$2.00; per doz., \$18.00.

Sherwin Wright.—S and F, bright clear yellow. Each, 40c; per doz., \$4.00.

Tamerlan.—S, violet blue; F, deeper. Each, 25c; per doz., \$2.50.

Violacea Grandiflora.—Deep lavender blue.

Each, 25c; per doz., \$2.50.

#### INTERMEDIATE VARIETIES.

Walhalla.—S, lavender; F, wine red. Freya.—S, pearl; F, flamed violet. Helge.—Lemon-yellow, pearl shadings. Each, 20c; per doz., \$2.90.

DWARF IRIS FOR EDGING. Pumila.-Purple. Each, 20c; per doz., \$2.00.

#### LATHYRUS—Perennial Pea

L. Latifollus.—Hardy climbing pea. We have these in pink and white. Each 30c, per doz., \$3.00.

#### LAVANDULA—Lavender

L. Vera.—This is the true sweet lavender; grows about eighteen inches high. Delightfully fragrant blue flowers in July and August. Each, 25c; per doz., \$2.50.

#### LILIUM—Lily

Lilies do best in the hardy border where they get the benefit of the shade from the surrounding

plants.
L. Candidum.—The old-fashioned pure white garden lily. One of the hardiest. 5 and 6-inch pots, each, 50c; per doz., \$5.00.

Auratum.--Flowers very large, delicate ivory white, thickly dotted with rich chocolate crimson spots. A bright golden band runs through the center of each petal. The finest of all lilies. 6-inch pots, each, 75c; per doz., \$8.00.

L. Rubrum.—White, heavily spotted with rich crimson spots. 6-inch pots, each, 75c; per doz.,

#### LUPINUS—Lupine

L. Polyphyllus.—An effective plant, producing large spikes of clear blue flowers during the latter part of May and early June. Grows about 3 feet high.

Each, 35c; per doz., \$3.50.

#### LYSIMACHIA

L. Nummularia (Creeping Jenny or Money-Wort).—Valuable for planting under trees or shrubs where grass will not grow, where it quickly forms a dense carpet. Each, 20c; per doz., \$2.00.

#### LYCHNIS—Campion

The Lychnis are of easy culture, thriving in any soil; their bright colors have brought them in high favor with lovers of hardy plants.

L. Chalcedonica (Jerusalem Cross).—Brilliant orange-scarlet flowers all summer; 2 to 3 feet high.

L. Haageana.—Brilliant orange-scarlet flowers in May and June. 12 inches.

L. Viscaria.—Forms a dense tuft of evergreen foliage; flower spikes of double, deep red, fragrant flowers in June. 1 foot.

Each, 25c; per doz., \$2.50.

#### PACHYSANDRA—Japanese Spurge

P. Terminalis.—A trailing plant; glossy green foliage; spikes of flowers in May and June. A cover plant either in sun or shade. Each, 20c; per doz., \$2.00; per 100, \$15.00.

#### PAEONIES—Herbaceous

There is no flower that gives more pleasure to the grower than the Paeonia. It is probably the most showy spring flowering plant in our entire list of hardy plants. Easy to grow, requiring very little care and attention, excepting fertilization annually of some well-rotted manure. Every garden should have a goodly supply of this valuable flower. All plants will be strong divisions with from three to five eves. five eyes.

Duchess de Nemours.—Pure white, early. Each, 50c; per doz., \$5.50.
Edulus Superha.—Rose-pink, early. Each, 50c; per doz., \$5.50.
Festiva Maxima.—White, crimson-flecked center. Early. Each, 60c; per doz., \$6.50.

Festiva Maxima.—White, crimson-flecked center.
Early. Each, 60c; per doz., \$6.50.
Francis Ortegat.—Purplish-crimson. Midseason.
Each, 75c; per doz., \$8.50.
Gen'l McMahon.—Brilliant red. Midseason.
Each, 75c; per doz., \$8.50.
L'Esperance.—Rose-pink. Midseason. Each, 75c; per doz., \$8.50.
Marciel Valliant.—Very dark red. Very late.
Each, 75c; per doz., \$8.50.
Mme. de Verneville.—Pure white. Early. Each, 50c; per doz., \$5.50.
Mme. Ducel.—Silvery-pink. Midseason. Each, 50c; per doz., \$5.50.
Mons. Krelage.—Dark red. Midseason. Each, 50c; per doz., \$8.50.
Officinalis Rubra.—Crimson, fringed leaf. Early. Each, \$1.15; per doz., \$12.00.

Each, \$1.15; per doz., \$12.00.

Prince Imperial.—Brilliant scarlet. Midseason.
Each, 75c; per doz., \$8.50.

#### PAPAVER-Poppy

Orientale Mixed .- Each, 25c; per doz. \$2.50.

#### PENSTEMON

P. Barbatus (Chelone).—Brilliant scarlet flowers in June and August. Each, 25c; per doz.,

\$2.50.
P. South Park Gem.—A new variety, being an improvement on Barbatus Torreyi. Flowers of this variety are much closer together and showier on the spikes. The pleasing shade of deep coral pink flowers are produced freely from June until frost. The plant is more compact in growth and at maturity is about thirty inches high. We have a limited stock of these plants for Spring 1926. This variety should be planted in everygarden. Each, 30c; per doz., \$3.00.

#### PHLOX SUFFRUTICOSA

Early Flowering Hardy Phlox.

Mlss Lingard.—A very fine white variety, begins to flower after the middle of June and continues throughout the season. Largely used for cut flowers.

Miss Lingard.—Each, 30c; per doz., \$3.00; per 100, \$20.00.

#### PHLOX

Anton Buchner .- One of the finest white varieties.

Anton Buchner.—One of the finest white vaies. Med.
Beacon.—Brilliant cherry-red.
Bridesmaid.—White, red eye.
Coquelicot.—Clear scarlet with crimson eye.
Crepescule.—White, rosy-purple eye.
Eclaireur.—Rosy-carmine.
La Vague.—Mauve, red eye.
Mrs. Jenkins (Tall).—Pure white.
M. Paul Dutrie.—Delicate light rose.
Pantheon (Tall).—Bright carmine rose.
Rynstrom.—Deep rose.
R. P. Struthers (Tall).—Rosy cherry-red.
Sunset.—Dark rosy-pink.
Each, 25c; per doz., \$2.50; per 100, \$15.00.

Elizabeth Campbell.—Salmon-pink. Very fine. Each, 35c; per doz., \$3.50; per 100, \$25.00.
Thor.—Salmon-pink. Medium growth. Each, 30c; per doz., \$3.00; per 100, \$20.00.
Salmon Queen (New).—A beautiful clear salmonpink. Rivals Elizabeth Campbell. Strong, hardy grower. Large flowers and trusses. Each, 40c; per doz., \$4.00; per 100, \$30.00.
Siebold.—Orange-scarlet. Each, 30c; per doz., \$3.00; per 100, \$20.00.
Special French.—Light pink. Extra fine. Each, 35c; per doz., \$3.50; per 100, \$25.00.
W. C. Egan.—Pleasing shade of soft pink. very fine. Each, 30c; per doz., \$3.00; per 100, \$20.00.

#### PLATYCODON—Balloon Flower or Japanese Bell Flower

Grandiflorum .- Deep blue, cupped, starshaped flowers. . Grandiflorum alha .- Pure white star-shaped

flowers. P. Double White.—Same as Grandiflorum.
P. Double Blue.—Same as Grandiflorum.

Each, 25c; per doz., \$2.50.

#### PLUMBAGO-Leadwort

P. Larpentea.—Of dwarf, spreading habit. Useful for an edging plant or for rockery, covered with beautiful deep blue flowers during the summer and fall months. Each, 25c; per doz., \$2.50.

#### **PYRETHRUM**

P. Grandiflorum roseum.—Mixed colors. P. Hybridum fl. pl.—In colors from deep red through the various shades of rose to pure white. Each, 30c., per doz., \$3.00.

#### RANUNCULUS—Crow Foot

R. Acris fl. pl.—A double flowered form of our common buttercup. Blooms from May to June. Each, 25c; per doz., \$2.50.

#### RUDBECKIA—Cone Flower

R. Laciniata (Golden Glow).—Flowers produced in enormous quantities on long stems and resemble golden yellow cactus Dahlias. Each, 25c; per doz., \$2.50.

R. Purpurea (Giant Purple).—Flowers a peculiar eddish purple with a cone shaped center of brown. slooms from July to October. Each, 30c; per Blooms doz., \$3.00.

### SALVIA-Meadow Sage

S. Aznrea.—A Rocky Mountain species, growing about two feet high. Produces a great number of sky-blue flowers in August and September. Each, 25c; per doz., \$2.50; per 100, \$15.00.


### SEDUM-Stone Crop

The dwarf of creeping varieties; are suitable for rock work, covering graves, dry, sunny banks and carpet bedding.

S. Acre (Golden Moss).—Creeping, foliage and flowers bright yellow. Each, 25c; per doz., \$2.50.
S. Spectabile Brilliant.—A rich colored form of the preceding, being a bright amaranth red., Each, 30c; per doz., \$3.00.

#### STATICE—Great Sea Lavender

S. Latifolia.—A most valuable plant either for the border or rockery, with tufts of leathery leaves and immense candelabra-like heads. Purplish minute flowers during July and August. Each, 25c; per doz., \$2.50.



### Hardy Perennials -- Continued

#### STOKESIA

S. Cyanea.—One of the prettiest and most distinct hardy plants in our collection. It produces showy, aster-like deep lavender hlue flowers from early in June until cut down hy frost. Each, 25c; per doz., \$2.50.

#### THALICTRUM-Meadow Rue

- T. Aquillegifolium Atropnrpurenm. Elegant, raceful foliage and masses of rosy purple flowers in May to July.
- T. Dipterocarpum.—A graceful horder plant about four feet high, with pretty, fine-cut foliage, producing lemon yellow flowers in August and September.

Each, 30c; per doz., \$3.00.

#### TRITOMA-Flame Flower, or Torch Lily

P. Pfitzerii.—A grand improvement on Tritoma Uvaria Grandiflora. The spikes, which are produced with considerably more freedom than in the old variety, are of gigantic size, frequently four and a half feet high, and with heads of hloom over twelve inches long, of a rich orange scarlet, shading to salmon rose on the edge. Each, 30c; per doz., \$3.00.

### VERONICA-Speedwell

Most desirable hardy plants, the fall growing sorts heing admirably adapted to the horder while the dwarf varieties are excellent rock plants.

V. Amethystina.—Amethyst blue, flowers in June and July.

V. Incana.—Bright, silvery foliage, with spikes of amethyst hlue flowers.
V. Longiflora Subsessillis.—Should he planted in the spring; begins to bloom in mid-July and continues to mid-August. Flowers deep hlue. Should he mulched in winter and watered at times during day weather.

Should be mulched in winter and watered at times during dry weather.

V. Spicata.—A fine horder plant, producing long spikes of white flowers.

V. Spicata Rosea.—A fine horder plant, producing long spikes of rose colored flowers.

Each, 30c; per doz., \$3.00.

#### VINCA-Periwinkle, or Trailing Myrtle

V. Minor.—An excellent dwarf evergreen trailing plant that is used extensively for carpeting the ground under shruhs and trees or on graves, where it is too shady for other plants to thrive. Each, 15c; per doz., \$1.50; per 100, \$10.00.

#### VIOLAS-Violets

V. Prince of Wales (English).—Hardy and sweet scented. Each, 20c; per doz., \$2.00.

#### YUCCA-Adam's Needle

Y. Filamentosa.—Among hardy ornamental foliage and flowering plants this can be classed at the head of the list. Its hroad sword-like foliage and tall hranched spikes of large flagrant, drooping creamy white flowers make it an effective plant for all positions. Each, 40c; per doz., \$4.00.



Yucca-Adam's Needle

# Greenhouse Department "Say It with flowers"

We have quit growing Cut Flowers and are now devoting our entire range of glass to the growing of pot plants for Spring planting and to the propagation of Hardy Perennials.

TIME OF SHIPMENT.—We will ship all orders at the best time for planting. If you want special shipments made on certain dates

se state so on your order.

METHOD OF SHIPMENT.—Greenhouse plants should never be shipped by freight. Express is the proper way to ship this class of plants.

PARCEL POST SHIPMENTS.—Add 10 per cent to amount of bill for local, first, second and third zones; 15 per cent for fourth and fifth zones, and 20 per cent for sixth and seventh zones. We are in St. Louis, Mo., zone.

#### **ACHYRANTHUS**

Brilliantissima.—Bright red foliage. Each, 10c; per doz., \$1.00.

#### AGERATUM-Floss Flower

Stella Gurney.—A fine dwarf blue, fine for bedding and borders.
Each, 10c; per doz., \$1.00.

#### AGLAONEMA

A. Costatum.—A dwarf-growing Aroid, suitable r the conservatory or window garden. Very com-A. Costatum.—A dwart-growing Arold, suitable for the conservatory or window garden. Very compact heart-shaped leaves of dark, shining green, with white midrib and scattering blotches of white. Each, \$1.00.

#### **ALTERNANTHERA**

Bright foliage plants of dwarf habit, much used for carpet bedding.

Aurea Nana.—Dwarf growing, bright red foliage.
Brilliantissima.—Rather broad leaves, busby growth; mottled bronze and cream, but mostly bright red.

Each 100: per dog. \$1.00

Each, 10c; per doz., \$1.00.

ALYSSUM—Sweet Alyssum
Little Gem (Carpet of Snow).—The dwarf white
variety so much used for edging.
Each, 10c; per doz., \$1.00.

#### ANTHERICUM

ANTHEMICUM

A. Vittatum Variegatum.—A most desirable plant for window boxes, vases, or for growing as a single specimen in pot; long narrow green leaves edged with white. Each, 30c.

A. Mandaeanum.—Similar to the above in habit, but with narrower foliage, the leaves being green on the edges with creamy white center. Each, 30c.

#### ANTHIRRHINUM—Snapdragon

Daphne.—Soft blush pink.
Golden Queen.—Ricb, pure yellow.
Firebrand.—Rich, deep red.
Mont Blanc.—Pure white. Each, 15c; per doz., \$1.50.

#### **ASPARAGUS**

Sprengeri.—Graceful pot plant for house decora-tion or for hanging baskets. According to size, 25c, 50c. 75c each. A. Plumosa.—Each, 15c and 25c, according to

size.

#### **ASPIDISTRA**

The Aspidistra is the easiest of all decorative plants to grow well. Give it a loamy soil and plenty of water, and it will ask for nothing more. plenty of water, and it will ask for nothing more.

A useful plant for the veranda in summer, and for
bardiness has no equal as a bouse plant at any
season. It will succeed even in a comparatively
dark hall where few other plants would live.

Lurida.—Green leaved.

According to size, 50c; 75c; \$1.00.

#### BEGONIA—Four Varieties

According to size, 25c, 35c, 50c, 75c, \$1.00 each

#### CANNA

A. Crozy.—Very brilliant and attractive, rich crimson scarlet bordered with golden yellow. 3½ feet.

Allemania.—Orchid flowered. Salmon with

golden markings. 5 feet.

Apricot.—A distinct apricot color; very good.

4 feet.

Burbank.—Yellow. 3 feet. Thickly spotted in the throat with bright scarlet.

City of Portland.—A new variety of a good deep clear pink; the full petaled trusses are borne freely on heavy stalks, continuing throughout the summer. 3½ feet.

David Harum.—Dark bronze foliage; grand grower and free bloomer; fine large flowers with round petals. Bright vermillon-scarlet, dotted with crimson spots. 3½ feet.

Duke Marlborough.-Deep crimson. 4 to 41/2 feet.

Favorite.—A good yellow spotted with red dots. Yellow is intense and the dots not too pronounced.  $4\frac{1}{2}$  feet.

George Birdie.-Clear yellow, 31/2 to 4 ft.

Gustav Gumpper.-Rich golden yellow. 31/2 to 4 ft.

Hungaria.-A beautiful rose pink.

Jean d'Arc .- Deep pink. 4 ft.

King Humbert.—Bronze leaf, flowers 6 inches in diameter, hrilliant orange scarlet with bright red markings. Good bedding variety. 5 feet.

Louisiana.-Soft, glowing scarlet, with orange throat. 6 feet.

Louis Revershon.—Fine dark leaved variety, flowers large of a cochineal red color. 4½ to 5 ft. Meteor.—Bright blood-red flowers. 5 feet.

Mrs. Dreer.—Yellow flowers, green leaf. 31/2 ft.

The President.—Most sensational introduction of recent years. Largest flowered, most vigorous growing red Canna. This variety should have a place in every collection.

Venus.—Soft rosy pink with mottled border of creamy yellow. 3½ feet.

Yellow King Humbert.—A sport of the red flowered King Humbert. Flowers yellow, dotted orange-scarlet.

Prices on above varieties: Each, 20c; per doz. \$2.00

#### COLEUS

Best plants for carpet bedding and borders for Canna beds.

Canna beds.
Christmas Gem.—Leaves very broad, the underside a bright, yellowish green which carries over and beyond the beaded edge until lost, after fifful struggling, beneath a covering surface of oriental red. Over all lies a distinct sheen of old rose, pointed here and there with pearl and carmine. A beautiful pot plant for conservatory use. Prices 15c, 25c, 35c and 50c, according to size not. size pot.

Flambeau Golden Bedder Brilliancy Chicago Bedder.

Prince Leonold Setting Sun Vershaffelti Defiance.

 $2\frac{1}{2}$  -inch pots—Each, 10c; per doz., \$1.00; per 100, \$6.00.

Trailing Coleus.—For baskets and window boxes. 3-inch pots, each 15c; per doz., \$1.50. 2½-inch pots, each, 10c; per doz., \$1.00.

Splendid decorative plants for conservatory use or for use in carpet bedding. Fine selection of

According to size, 30c to \$2.00 each.

#### DRACENA

Noted for the odd and beautiful foliage. D. Fragrans.—An excellent house plant with hroad dark-green foliage; grows under the most adverse conditions. 4-inch pots, 75c each.

D. Kelleriana.-Entirely different from the other varieties. Rather compact. Foliage of a leathery texture, rich dark green color, densely marked with spots of creamy white. 4-inch pots, 75c. each.

D. Massangeana.—Broad green foliage with yellow band through the center. 4-inch pots, 75c each.

D. Mrs. Ed. Andre.—One of the finest high-colored varieties yet introduced with heavy hronze foliage developing to an intense brilliant rosy-carmine. 4-inch pots, 75c each.

D. Sanderiana.—A distinct and pretty variety with glaucous green foliage, edged with a broad border of creamy-white. 3-inch pots, 35c each.

Terminalis.-Rich, crimson foliage, marked with pink and white.

According to size, \$1.50 to \$3.00 each.

#### **FERNS**

Dwarf Boston. Similar to the well-known

Boston Fern, only more compact.
Polypodium Mandaianum.—Fronds wavy and undulated and of an attractive glaucous-blue color.
Very hardy house plants. Specimen plants, 8-inch pots, \$3.00; 10-inch pots,

Roosevelt.—Dwarf compact grower. Teddy, Jr.—Very dwarf form of the Roosevelt. Verona.—Very fine foliage. According to size, 50c to \$3.00 each.

#### FERNS—For Fern Dishes

We have at all times a good supply of the most desirable varieties.

Pteris Rivertoniana. Pteris Alba Liniata. Aspidium Tessineuse. Holly Ferns.

21/4 inch pots. 15c each; \$1.50 per dozen.

#### **GERANIUMS**

Our list of geraniums is not a long one, but is

made up of the most popular bedding sorts.

Beacon.—Single deep vermilion scarlet.

Beauty Poitevine.—Rosy salmon.

Bertha de Pressily.—Double delicate pink.

Francis Meehan.—Very pretty double pink

Francis Mechanic variety.

Jean Pabon.—Blood red with small white eye.
John Doyle.—Semi-double, vermilion-scarlet.

Madam Barney.—Double, brilliant rose.
Madam Landry.—Semi-double, salmon shaded

orange.

Mme. Recamier.—Double pure white.
Mrs. E. G. Hill.—Beautiful salmon, single.
Mont Mart.—Purplish color.
Red Barney.—Double red.
Ruby.—Double crimson.
S. A. Nutt.—Double, rich dark crimson.
Scarlet Bedder.—Rather dwarf, semi-double, dark fiery red flowers.
Tiffin.—Rich glowing scarlet, shading to crimson on upper petals; single.
Above varieties, each, 25c; per doz., \$2.50; per 100, \$20.00.
Ivy Leaved.—Fine for baskets or vases or where

100, \$20.00.

Ivy Leaved.—Fine for baskets or vases or where a trailing or climbing plant may be desired.

Scented Leaves.—Noted for their scented leaves.

We have the rose, lemon and nutmeg.

Each, 25c; per doz., \$2.50; per 100, \$15.00.

#### HEDERA-Ivy

H. Helix (English Ivy).—A familiar evergreen vine, dark green leaves, favors shady locations. The young wood sometimes winter-kills in this section, due to the action of the sun more than the cold. Suitable to cover buildings, rocks, trellis work, graves and as a carpet under trees in places where grass will not grow.

5-inch pot plants, each 60c; per doz., \$6.50. 4-inch pot plants, each 50c; per doz., \$5.50. 3-inch pot plants, each 35c; per doz., \$3.75.

#### HELIOTROPE

A favorite flower with everyone. Each, 25c, per doz., \$2.50.

#### HIBISCUS

Sinensis.—Single, red and pink; double red and pink. According to size: Each, 25c, 50c, 75c, \$1.00,

#### LANTANA

Well known useful summer bedding plants; the well known useful summer bedung plants varieties offered are of dwarf habit.
Comtesse de Biencourt.—A splendid pink.
M. Schmitt.—A fine yellow.
Jacob Schulz.—Pink and yellow.
Leo Dex.—A fine red.
Each, 25c; per doz., \$2.50.

Weeping.—Showy bedding or basket plants. Each, 20c; per doz., \$2.00.



#### MARANTA

Beautiful variegated foliage plants, suitable for the warm conservatory.

M. Rosea Liniata.—Rich deep-green leaves heautifully variegated with many narrow lines of a soft salmon-rose. 4-inch pots, \$1.50 each.

M. Vanden Heckei.—Rich dark green leaves heautifully variegated with silvery-white. 4-inch pots, \$1.50 each.

#### MARIGOLD

Both the African and French sorts are among the most popular annuals for hedding and for cut

Golden Ball (French) .- Pure golden yellow, a

# Golden Ball (French).—Light lemon yellow. Each, 15c; per doz., \$1.50; per 100, \$10.00. MESEMBRYANTEMUM—California

Pink Dwarf trailing annual plants. Flowers pink, prized for its singularly icy foliage. Each, 15c; per doz., \$1.50.

#### MOONFLOWER

Mexican.—The fastest growing climbing annual. Each, 20c; per doz., \$2.00.

#### PELARGONIUMS—Lady Washington Geraniums

Easter greeting.
Each, 25c, 35c, 50c.

PHILODENDRON, or MONSTERA
Giganteum.—Of strong climbing hahit, with
large deep green foliage, a splendid wall plant for a
warm conservatory.
Each, 15c; per doz., \$1.50.

#### PANSY---Mammoth Strain

We will have ten thousand to offer this Spring. Per doz., 75c; per 100, \$5.00.

PALMS

Kentia Belmoreana.—Of dwarfer hahit than Fosteriana, hut with more spreading leaves. The Kentias are the hardiest house plants. They are of slow growth and are less affected by dust and dry atmosphere.

Kentia Fosteriana.—Of taller hahit than the Belmoreana, somewhat beavier foliage.

Phoenix Roebeleni.—Most graceful of the Phoenix and a palm which has hecome one of the most popular for room decoration. Graceful recurving leaves, with narrow dark green pinnae give it a lightness and airiness not surpassed.

According to size, 75c up. According to size, 75c up.

PANDANUS
Pandanus Veitchii (Screw Pine).—One of the best and most attractive decorative plants for the house. The leaves are light green, beautifully marked with stripes of white and gracefully curved. According to size: Each, \$1.00 to \$5.00.

#### PENNISETUM—Fountain Grass

Tender ornamental grasses, valuable either as individual specimens in the garden or for massing. For horder plants for canna heds nothing equals them.

them.
Pennisetum cooperianium.—Pretty hronze foliage and grows three to four feet tall. Fine for edging canna heds.
3-inch pots, each, 25c; per dozen, \$2.75.
Pennisetum longistylum.—Extremely graceful greenish plumes; excellent for hedding purposes.
3-inch pots, 15c each, \$1.50 per dozen.

Double Fringed Mixed.
4-inch pots, 25c each, \$2.50 per dozen.
Single Giant Fringed Mixed.
4-inch pots, 25c each, \$2.50 per dozen.
Rosy Morn.—Soft rose pink.
Each, 15c; doz., \$1.50; per 100, \$10.00.

#### PLUMBAGO

Capensis.—Light lavender blue. Each, 15c; per doz., \$1.50.

#### SALVIA—Scarlet Sage

Zurich.—A splendid dwarf variety, growing ahout two feet high, and is especially valuable on account of being the earliest to bloom, flowering ten days in advance of any other sort.

4-inch pots, each, 20c; per doz., \$2.00; per 100,

#### SANSEVIERA

Zeylanica.—An elegant variegated plant, especially adapted for house decoration, the thick, leathery leaves standing the heat and dust of the

leathery leaves standing the heat and dust of the house with impunity.

According to size, 75c to \$1.50 each.

Zeylanica Laurenti.—This plant has a hand of creamy-yellow, varying from ½ to ½ inch or more in width on each edge of the leaves, which adds greatly to its decorative effect.

4-inch pots, \$1.25.

SANTOLINA—Lavender Cotton
S. Incana.—A dwarf evergreen perennial with
attractive, silvery-white foliage; useful as a rock
or horder plant, and largely used for carpet hedding. Each, 10c; per doz., \$1.00; per 100, \$6.00.

#### TRADESCANTIA

Wandering Jew.—Splendid plants for hasket and window hoxes. Each, 10c and 15c.

#### VINCA—Vines

Major Variegata.—A popular plant for vases, haskets and window boxes, trailing vines.

According to size, 20c to 25c each; doz., \$2.00 to

#### VINCA—Periwinkle

A splendid plant for hedding or for borders, grows 18 to 24 inches high. Always clean and blooms continuously throughout the summer. Flowers single.

V. Alba.—White
V. Aurea.—Rose.
V. Aurea Reticulata.—White with red eye.
Each, 10c; per doz., \$1.00; per 100, \$6.00.

#### **VERBENA**

We bave a nice collection of assorted colors. Each. 10c; per doz., \$1.00; per 100, \$6.00.

#### AQUATIC PLANTS FOR AQUARIUMS

Fish will not thrive unless some plants are growing to supply oxygen.

#### ANACHARIS

A Canadensis Gigantea (Giant Water Weed). A heautiful submerged plant with dark green ovate leaves and light stems. 25c each.

### CYPERUS-Umbrella Plant Alternifolius.—A splendid aquatic plant. According to size, each, 25c to 50c.

#### EICHORNIA-Water Hyacinths

Crassipes Major.—A very free-growing and sbowy floating aquatic, hearing flowers of delicate lilac rose in trusses like a hyacinth. Does splendidly out doors in summer. Each, 15c; per doz., \$1.50.

MYRIOPHYLLUM-Parrot's Feather Proserpinacoides.—Long, trailing stems, clothed with whorls of the most exquisite foliage, as delicate as the cypress vine. An aquatic plant.

Each, 10e; per doz., \$1.00.

We invite every flower lover to visit our "GREENHOUSES" and see the large line of plants we carry.

### **SPRAYING**

### Simple - Easy - Effective



### SULFOCIDE A Better Summer Spray

Any fruit grower wbo understands the value of Scalecide will select it as his regular dormant spray. Scalecide is truly "the complete dormant spray. When you spray with Scalecide, you can rest assured that you have done all that can be done, at that particular time, hy any dormant spray or combination of sprays. Scalecide is the quality miscihle oil. It is a profit maker and not merely a bug killer. The invigorating effect alone is worth the cost. Many of the finest orchards are sprayed every year with Scalecide. Dilute one gallon to fifteen gallons of water.

Kills Scale.—Scalecide kills scale almost instantly and does a thorough job. It smothers the scale with a film of oil. It creeps under the protective scales and into the cracks and crevices of the rough bark. It controls scale even when the scale crusts and coats the tree. Two hours after Scalecide is applied it has done its work—no amount of rain after that affects its efficiency.

Kills Aphis Without Nicotine.—If aphis control is one of your serious orchard problems, this alone is sufficient reason for your use of Scalecide. The fact that Scalecide controls aphis, without nicotine, means much more than the saving of the cost of nicotine. It means the control of aphis, year in and year out, by the simple method of spraying with Scalecide as a delayed dormant spray.

Kills Eggs of Leaf Roller and Red Mite.—Scalecide again demonstrates its effectiveness, as the complete dormant spray, hy killing insect eggs wintering on the tree. Best control is obtained hy applying Scalecide, as a delayed dormant spray, as near hatching time as possible. For leaf roller dilute Scalecide 1 to 12½; for red mite, 1 to 15.

Kills Fire Blight Cankers.—If your orchard is infested with fire blight, try Scalecide this year. Scalecide penetrates and kills the infectious hold-over cankers, allows the wound to heal, and checks the spread of fire hlight, without pruning or cutting. Fire hlight control is an extra henefit from the annual use of Scalecide to control scale and other pests.

Kills Fungous Sporcs and Fungous Cankers.—Scalecide is the only oil spray which is also a fungicide. And Scalecide, unlike any other fungicide, pertates diseased tissue and is therefore effective against more fungous trouhles than a mere surface spray like lime-sulphur. Applied before the huds swell, Scalecide controls peach leaf curl. Brown rot cankers, hlack rot cankers, collar rot and root rot yield to treatment with Scalecide.

Guaranteed to Make a Better Orchard Than Lime-Sulphur.—The manuface turer's guarantee that, if an orchard is divided in two parts, one part heing sprayed with Scalecide, and the other part with lime-sulphur for three years, other things being equal, the part sprayed with Scalecide will be better than the part sprayed with lime-sulphur, or they will refund the money you have paid for the Scalecide. Ask for copy of the guarantee.

Invigorates Your Trees.—Scalecide applied regularly every year gives your trees the vigor required to produce hoth fruit and bud. The leaves of the Scalecide-sprayed tree are larger and darker green and they hang on later in the fall. Thus they enable the tree to build up more starches and sugars and properly nourish the fruit spurs.

Saves Labor.—Twice as much dilute lime-sulphur as dilute Scalecide is required to spray the same trees. The saving is not only in applying half as much material but especially in filling and hauling one-half as many spray tanks through your orchard. This saving of time is very important in the busy days of spring.

Saves Haulage.—Instead of sending a truck to the station for a fifty-gallon barrel of lime-sulphur, weighing 600 pounds, you can bring home a fifteengallon drum of Scalecide, weighing 135 pounds, on the running board of your car. This 135-pound drum of Scalecide weighs even less than enough dry lime-sulphur (150 lbs.) to spray the same trees.

Pleasant to Use.—When you spray with Scalecide, you do away with slickers and gauntlets and goggles. You will enjoy spraying with Scalecide—it is so pleasant to use. You can look straight at your work, without fear of injuring your eyes. Fruit growers say, "The job I used to dread so much before, I now actually look forward to. I like to spray with Scalecide."

Briefly, these are the reasons why Sulfocide is "a hetter summer spray:" It does not russet apples (bordeaux does); it does not devitalize the foliage and dwarf the fruit (lime-sulphur does); it can he used on both peaches and apples and on all kinds of fruits and vegetahles (no other fungicide can); it imparts to the fruit a heautiful lustre and finish; it costs no more than home-made bordeaux. Sulfocide is a highly concentrated, non-poisonous, liquid sulphur fungicide, quite distinct from lime-sulphur.

A Powerful Fungicide.—Within a few minutes after the Sulfocide spray is applied, the sulpbur is precipitated by the action of the carbonic acid gas of the air. This precipitated sulphur is manufactured right on the leaf, where you want it, and is so fine that it is scarcely visible, except where drops accumulate. This is sulphur in its strongest fungical form, for the finer the sulphur the greater is its fungicidal action.

Used On All Kinds of Fruits, Vegetables and Flowers.—Where peaches and apples are interplanted, there is no fungicide, except Sulfocide, which is at the same time safe for peaches and effective in the control of apple diseases. Sulfocide is the only fungicide which can be used on all kinds of fruits, vegetables and flowers

Controls Apple Scab.—The control of apple scab is in some seasons the most difficult problem of the apple grower. Sulfocide is not only an effective fungicide for scah control, but it does not injure chlorophyl and does not turn scab spots black. Do not take chances with apple scah—spray with Sulfocide and prevent it.

Stops Brown Rot.—Sulfocide controls hrown rot of peaches, plums, cherries, etc. It even checks hrown rot after it has started and keeps it from spreading. We know of no other fungicide that will do this. Failure to set fruit is often due to brown rot attacking the hlossoms. Spray early—just as the buds swell and before the hlossoms open—to protect the blossoms.

Retards Decay In Marketed Fruit.—The day before picking, spray the fruit thoroughly, using 1 gallon of Sulfocide and 3 pounds of any good odorless soap—not fish oil soap—to 200 gallons of water. This covers the fruit with a film of extremely fine sulphur, which retards decay and at the same time can neither he seen nor tasted and is non-poisonous and harmless.

One Gallon Makes 200 Gallons of Spray.—Sulfocide is a very concentrated spray material and a little of it goes a long ways. For most purposes dilute Sulfocide, 1 gallon to 200 gallons of water. For potatoes, use 1 gallon to 150 gallons of water. The low cost of Sulfocide is due to the fact that it goes so far.

Convenient to Use.—Sulfocide is so convenient to use—just pour it into the water and spray. It is a clear liquid, containing no grit or sediment. There is nothing to clog the nozzle or eat out the valves. Because of the great dilution the spray is non-caustic. Sulfocide may he combined with nicotine for aphis control, and Kayso, cal-arsenate and arsenate of lead as described below.

Cost is Low.—Sulfocide costs no more than home-made bordeaux, commercial lime-sulphur, self-hoiled lime-sulphur or dry-mix. A fifty-gallon harrel of Sulfocide costing \$60.00 makes 10,000 gallons of spray. The low cost of Sulfocide, coupled with its convenience and general utility, makes it the ideal spray for the commercial fruit grower.

Combines With Cal-Arsenate.—Sulfocide may be combined with a good grade of calcium arsenate (arsenate of lime) with or without Kayso. However, we recommend the use of Kayso, whenever convenient, for when Kayso is mixed in the water first, it tends to neutralize any arsenical residue which may he in the spray tank.

Combines With Kayso and Arsenate of Lead.—We can now recommend the new comhination of Kayso (mix it in the water first), and arsenate of lead (mix it in the water second), with Sulfocide (mix it in the water last). Always mix in the order named. Add the Sulfocide after all the water has been put in the spray tank. Use only plain arsenate of lead—in the case of an arsenate of lead containing a so-called self-spreader, there is apt to be hurning. This combination has been thoroughly tested for a number of years with good success.

#### SCALECIDE PRICES

#### F. O. B. St. Louis, Missouri.

50-gal. bbls	38.00
30-gal. bbls	26.00
15 gals\$11.50)	
Drum returnable. 2.00  Two 5-gal. cans.	13.50
returnable 2.00)	
One 5-gal. can	
One 1-gal. can	
One 1-qt. can	.75

# CARBOLEINE The safest and most effective low priced oil spray on the market since 1907. It mixes Instantly in any kind of water and stays mixed. Diluted 1 to 20, Carboleine

kills scale, aphis and many other pests. But it does not have fungicidal or invigorating properties and does not control fire-blight cankers—Scalecide is the only oil spray that has these advantages. You can buy Carboleine at \$20.00 per 50-gallon barrel F. O. B. Hackensack, N. J., with full assurance that no dormant spray—except Scalecide—will serve you so well.

#### SULFOCIDE PRICES

#### 

### SPRAY PUMPS FOR ALL PURPOSES

We are agents for the well-known DEMING PUMPS. As our space is limited we can only show a small portion of the various styles we carry. If you are in the market for a pump, kindly send for a catalogue, showing a complete line. Free to all applicants.




Fig. 645-THE "CENTURY"

The acknowledged leader of all barrel pumps for more than twenty years. Will supply two leads of hose and four nozzles.

leads of nose and four nozzles.

Universal iron base—adjustable to any size or depth of barrel—fits the flat head or curved side of barrel. Base fits 7x10-inch hole. Filling hole in base for mixtures. Valves may be quickly reached by removing four holts. Twin paddle agitator; 2¼-inch all-brass cylinder; hrass hall valves and seats. Air chamber 2½-inch heavy steel tubing, 32 inches long. Barrel not furnished unless so ordered.

One 12½-ft. section of "Deco" hose and one nozzle supplied with pump.

Shipping weight, boxed, 75 pounds.

Outfit A-as described above..... \$18.30 Outfit B-with 2 leads of 12 1/2-ft. hose and 22.25 Pump only-without hose or nozzles..... 14.30 Barrel, painted, and cut ready for mounting pump.....

Don't let insects eat your fruit, that is what these sprayers are for.

### THE "GARDENERS' CHOICE" A "One-Man" Machine

This is a very convenient outfit for general use-

This is a very convenient outfit for general useThe pump is fitted with mechanical agitator and
is good for 125 pounds pressure. It has a large
air chamber. Working parts are brass.
Tank holds 24 gallons; has hinged wood top.
Leg, tongue and handle are wrought iron pipe.
Metal wheels, diameter 24 inches, with staggered
spokes and 2-inch tires. Strong iron axles. Hubtank, 30 inches; height to top of pump, 42 inches.
Six feet of ½-inch discharge hose and a Bordeaux
nozzle are furnished. When crated, with cart,
shipping weight is about 120 pounds.

Net cash price...





Fig. 754





Fig. 7661/2

### DEMING SPRAY NOZZLES AND ACCESSORIES

For Use With Any Make Sprayer

For Use With Any Make Sprayer
Parcel Post paid on all nozzles and accessories except as noted.
Fig. 965—"Bourdeaux." Best general purpose spray nozzle. Throws solid stream, fine or coarse fan-shaped spray. Excellent for whitewashing. Each, \$1.05.
Fig. 766—"Simplex." Has two interchangeable steel spray disks, one for coarse and one for mediumfine spray. Each, \$0.50.
Fig. 766½—Same as Fig. 766, but with angle connection. Each, \$0.60.
Fig. 754—"Eureka." Throws conical-shaped spray. Disgorges by pushing against fence or tree. Highly recommended for whitewashing. Each, \$0.50.



Fig. 689-THE "PERFECT SUCCESS"

The "Perfect Success" consists of the "Success" The "Perfect Success" consists of the "Success" pump with malleahle iron bucket clamp and adjustable foot rest which holds pump and hucket together, so entire outfit can be carried from place to place when bucket is filled with mixture. Four feet of hose and Bordeaux nozzle are included. Bucket is not furnished. Shipping weight, crated, 12 pounds.

#### "SAMSON" SPRAYER

#### With Complete Equipment

With Complete Equipment
This outfit consists of a "Samson" pump, with
50-gallon barrel, anchored by steel tie rods to
substantial wood platform.
Pump is connected to barrel with 1-inch suction
hose with strainer.
Mechanical agitator operates from pump lever.
Filling hole with hinged cover in top of barrel.
Outfit may be placed in any wagon box.
Equipment includes "Samson" pump; pressure
gauge; 50-gallon barrel; mechanical agitator; 1inch suction hose and strainer; discharge "Y"
for one or two leads of hose; 25-foot section of
½-inch "Deco" sprayer hose; 8-foot extension
pipe with stop cock; also rubber hand-hold and
drip shield; double spraying attachment and two
"Simplex" nozzles, all mounted on platform, as
illustrated above. illustrated above

Shipping weight, crated, 310 pounds.

Net cash price, complete as described... \$93.75

# Insecticides and Fungicides

#### KAYSO Revised Directions

Revised Directions

Spraying authorities and commercial fruit growers in the Atlantic Coast and Middle Western States have concluded after two years' practical use and experimentation, that for best results KAYSO should he used at the rate of 1 lb. to 100 gallons of dilute spray (2 lbs. to 200-gallon tank). This amount not only gives hetter spreading but, by increasing adhesiveness, it makes the sprays more resistant to weathering hy rain, wind and dews.

100-lh. sacks, per lb	\$0.20
50-lb. sacks, per lb	.21
10-lb. sacks, per lb	.23
2-lb. packages, per lh	.24
10-oz. packages, each	.25
10-lh., 2-lb. and 10-oz. packages can be s	ent by
Payani Past	

BLUE VITROL (Blue-stone)
Used in making home-made Bordeaux Mixture.
450-lh. barrels, per lb
100-lb. barrels, per lb

#### NICOTINE SULPHATE (40%)

For spraying Fruit Trees and Truck Crops For spraying Fruit trees and truck Crops— 40 per cent Nicotine guaranteed. Aphids, thrips and similar soft-hodied, sucking insects can be wiped out of the orchard or garden by systematic spraying with Nicotine Sulphate. Being a vege-table poison it will not injure fruit or foliage.

	be s													
1-oz.	bott	les									 	 	 	.35
½-lh.	tins.												 	1.25
2-lh.	tins.										 		 	3.50
10-lb.	tins.													\$13.50

#### BORDEAUX MIXTURE POWDER

A good many people prefer to use Bordeaux mixture for various fungous diseases for summer spraying. We recommend the use of KAYSO in combination with Bordeaux to avoid any possi-

bility of burning foliage or staining of fruit.
100-lb. drum, per lb
4-lb. bags, per lb
1-lb. cartons, each
Poison-Cannot be sent by Parcel Post.

### CALCIUM ARSENATE (Powder)

(Same as Cal-Arsenate)	
100-lh. barrels, per lb	\$0.18
4-lb. hags, per lb	.24
1-lh. cartons, each	.35
Poison-Cannot be sent by Parcel Post.	

ARSENATE OF LEAD (Powder)	
100-lb. drums, per lb.	\$0.20
4-lbs., per lb	.26
1-lb. carton, each	.30
Poison-Cannot be sent by Parcel Post,	

## GENERAL INDEX

Page	Page	Page	Page	Page
_		-		S
Directions for trans-		Flame Flower 43	Matrimony Vine 30	
planting trees and	Boston lvy 30	Fleur de Lis 42	Meadow Rue 43	Salisburia 18
shrubs 2	Bramble 28	Floss Flower 44	Meadow Sage 42	Salix 20
Evergreens 32	Buckthorn 26	Forsythia 26	Meadow Sweet 28	Salvia
Evergreen shrubs 30	Buddleia 24	Fountain Grass 45	Mesembryantemum. 45	Sambucus 28
Fruit Department 4	Butterfly Bush 24	Foxglove 40	Mespilus 16	
			Michaelman Dairian 20	Sanseviera 45
Greenhouse Depart-		Fraxinus 18	Michaelmas Daisies 39	Santalina 45
ment	Button Bush 24	Funkia 40	Milfoil 39	Scarlet Sage 45
Introductory 1			Mock Orange 26	Sea Bugloss 39
Instructions on Spray-	C	G	Moneywort 42	Sea Lavender 42
		Gaillardia 40	Monstera 45	Sedum42
ing and when to	California Pink 45		Monstera	
apply	Callicarpa 24	Gas Plant 40	Moonflower 45	Service Tree 16
Landscape Depart-		Geranium40-44	Moonpenny Daisy 40	Shasta Daisy 40
ment 20		Geranium Lady	Morus9-20	Silk Vine 30
Nut Trees 14	Campanula 39	Washington 45	Mountain Ash 20	Silver Bell 18
Ornamental Climbers	Campion 42	Geum 40		Silver Lace Vine 30
	Candytuft 42		Mulberry9-20	Silver Lace Vine 30
	Canna 44	Ginkgo 18	Myriophyllum 45	Snapdragon 44
Ornamental Depart-	Canterbury Bells 39	Golden Bell 26	Myrtle, Trailing 43	Sneeze Wort 40
ment 15		Golden Glow 42		Snowball 29
ment	Carnation 40	Gooseberry 10	N	Snowberry 28
Ornamental Trees 16	Carolina Allspice 24	Grapes 12	37. 4.	Sorbus 20
Perennials38-43	Caryopteris, 24		Nuts 14	Crosdwell 49
	Catalpa 16			Speedwell 43
Roses 34	Cedar 32	Groundsel Trec 22	0	Spice Bush 22
Roses		Gymnocladus 18	0.01-	Spindle Tree 24
and General Re-		Gypsophila 40	Oak 18	Spirea 28
marks1			Old Woman 39	Spruce 32
	Cercis	H	Opulaster 26	Spurge, Japanese 42
A	Chastise Tree 29	Halesia	_	St John's Wort 42
A helia 22	Cherry6-18	Hamamelis 26	P	St. John's Wort 26
MOCHALL III	Chestnut		_	St. Peter's Wort 28
Abies 32			Paeonia 42	Statice 42
Acacia 28	Chinonanthus 16	Hedera	Pachysandra 42	Stephanandra 28
Acanthopanax 22	Chokeberry 22	Helenium 40	Papaver	Stokesia 43
Acer	Chrysanthemum 40	Helianthus 40	Pandanus 45	Stone Crop 43
	Cinquefoil 26	Heliotrope 44		Stone Crop 42
	Clematis 30	Hemerocallis 40	Palms 45	Strawberry 12
Achyranthus 44		Hemerocains 40	Pansy 45	Strawberry Tree 24
Achillea 39		Hemlock 32	Pansy	Sumach 28
Adam's Needle 43	Coleus	Hesperis	Pea. Perennial 42	Sunflower, Hardy 40
Ageratum 44	Columbine 39	Hibiscus 26-40-44	Pear 8	Sweet Gum 18
	Colutea 24	Holly 30	Pearl Bush 26	Sweet Alyssum 44
	Cone Flower 42	Hollyhocks 40		
Agrostemma 39	Coniferae 32	Honeysuckle 30		Sweet Rocket 40
Ailanthus 16	Convallaria 40		Pecan 14	Sweet Pepper Bush 24
Akebia 30	Coreopsis 40		Pelargonium 45	Sweet William 40
Almond	Cornel	Hypericum 26	Periwinkle 43	Sycamore 18
Althea		I	Periploca 30	Symphoricarpus 28
Alternanthera 44	Cornus18-24	Iberis 42	Persimmon 14	Syringa 28
Alyssum39-44	Corylus 24	Ilex	Petunia 45	• -
Amelanchier 16	Crab 18	Indian Dana 10	Pennisetum 45	T
American Ivy 30	Crab Apple 4	Indian Bean 16	Penstemon 42	TI
Amorpha 22	Crane Bill 40	Iris 42	Philadelphus 26	Tamarisk
	Crataegus 18	Ivy30-44	Philodendron 45	Tamarix 29
	Crepe Myrtle 26			Thalictrum 43
	Creeping Jenny 42	J		Thorn
Anacharis 45	Crotons 44	Japan Quince 24		Thuya 32
Anchusa	Crow Foot 42	Juniper 32	Picea 32	Tilia 20
Angelica Tree 16	Currant10-28	Juniperus 32	Pie Plant 14	Torch Lily 43
Anthemis 39	Outlant, 04		Pine 32	Tradescantia 45
Anthericum 44	Cydonia 24	K	Pinks, Hardy Garden 40	Tree of Heaven 16
Antirrhinum 44	Cyperus 45	Kentia 45	Pinus 32	
Apple 4		Kentucky Coffee Tree 18	Plane	Tritoma 43
	D	Kudzu Vine 30		Tritoma
	D	Trudzu vinc 60		Tsuga
Aquilegia 39	Day Lily 40	$\mathbf{L}$	Plantanus 18	Tulip Tree 18
Aralia	Delphinium 40	Lagerstroemia 26	Platycodon 42	- wasp
Arborvitae 32	Desmodium 24		Plum8-9-18	U
Aronia 22	Deutzia	Lantana	Plume Poppy 39	
Artemisia 39		Larkspur 40	Plumbago42-45	Ulmus 20
Asclepias 39	Dewberry 10	Lathyrus 42	Polygonum30	Umbrella Plant 45
	Dianthus 40	Lavender 42		
Ash. Mountain 20	Dicentra 40	Lavender Cotton 45		V
	Dictamnus 40	Lavendula 42		Verbena 45
Asparagus14-44	Dielytra	Leadwort	Poppy42	Veronica 43
Aspidistra 44	Diervilla24-29		Potentilla 26	Viburnum 29
Asters	Digitalis 40		Privet	Viburnum
Azalea 30	Dogwood 19 94		Prunus 18	Vinta
	Dogwood18-24 Dolichos30	Lilium 42	Pseudtsuga 32	Violas 43
В		Lily 42	Description 20	Violets 43
	Dracena 44	Lily of the Valley 42 Lily of the Valley 40		Virginia Creeper 30
Baccharis		Linden 20	Pyrethrum 42	Vitex 29
Baby's Breath 40	E	Liquidamber 18		
Balloon Flower 42		Liriodendron 18	Q	$\mathbf{W}$
Barberry 22	Eichornia	Locust 28	Quercus 18	Walnut 14
Begonia 44	Elder	Lonicera26-30	Quince 9	Wandering Jew 45
Bell Flower 39	Eleagnus 24	Lupine. 42	"	Water Hyacinth 45
Benzoin 22	Elm 20		R	Weeping Trees 20
Berberis	English lvy 44	Lupinus 42	Ranunculus 42	
Betula	Eulalia (grasses) 40	Lyclinis 42		
Bignonia30	Euonymus24-30	Lycium	Raspberry 10	White Fringc 16
	Eupatorium 40	Lysimachia 42	Red Bud 16	White Kerria 28
Biota32	Exochorda		Rhamnus 26	Willow 20
Birch	2JCHOLUW	M	Rhodotypus 28	Winterberry 26
Bitter Sweet 30		Magnolia 18	Rhubarb 14	Wistaria 30
Blackberry 10	_ F	Mahonia 30	Rhus 28	Witch Hazel 26
Bladder Senna 24	False Chamomile 39	Maiden Hair Tree 18	Ribes 28	
Blackalder 26	False Indigo 22	Malus 18	Robenia	Y
Blanket Flower 40	Ferns, Hardy 40	Mallow 40	Rose Campion 39	Yarrow 39
Bleeding Heart 40	Ferns, Tender 44	Maple 16-20	Rose of Sharon 26	Yucca
Blue Fescue 40	Filberts 24	Maple	Roses34-36	2 230W111111111111111111111111111111111111
Blue Spirea 24	Fire Bush 24	Marigold 45	Rubus28	$\mathbf{z}$
Bocconia	Fir 32	Marguerite 39	Rudbeckia 42	Zebra Grass 40
				LOSIG OTGGETTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT

H. J.	WEBER	&	SONS	NURSERY	CO.
-------	-------	---	------	---------	-----

In St. Louis Coun		15	NURSERY, MO
Date	Forward by Mail, Express or Freight	Please Do	Not Write Here
Name	Prefix Mr., Mrs. or Miss. Write Plainly		
Street, P. O. Box or	R. F. D		
Post Office			
Express or Freight f different from Po	Office ost Office		
County	Statė	12-1	
Amount Enclosed	State whether P. O. Order, Express Money Order, Draft, Stamps or Cash	16-6-15 mil	C. STELDUS
Quantity	VARIETIES		Price
NON-WARRANTY stock, as original except for such l ductiveness, or a delivery of nurse Our responsibility after delivery. R transit.	CLAUSE. If nursery stock proves untrue to the name under which it ly ordered, without charge, or a refund of the purchase price shall be a collability, we give no undertaking or warranty, express or implied, as to ny other matter on any nursery stock we sell. We assume no liability ystock caused by frost, fire, flood, drought, hall, strikes, embargoes, war ceases upon the delivery of stock in good condition. Complaints, if ar ailroad, express companies and boat lines must be held responsible for its		
transit.	H. J. WE		NURSERY CO.
transit.	H. J. WE	BER & SONS	
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WEI	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.
transit.	H. J. WE	BER & SONS	NURSERY CO.

Quantity	VARIETIES	Price
	Amount Brought Forward	
	<u></u>	
0		
0.000		
() () () () ()		
=1 11		
1	<u> </u>	
· · · · · · · · · · · · · · · · · · ·		
You will o	oblige us by sending us a few names of Friends who may be interested in ou	r Goods.
×		
		••••



SILVER MOON See Page 36

EXCELSA See Page 36



COLUMBIA See Page 36

# Weber's Selected Roses

E HAVE a few new everblooming roses for spring delivery—give them a trial.

SOUV. de CLAUDIUS PERNET

CRUSADER

MISS LOLITA ARMOUR

PREMIER


See Descriptions on Page 36

### MARY WALLACE

NEW CLIMBING ROSE

PRICE \$1.75 EACH

See Description on Page 36



RED BABY ORLEANS
See Page 36

